

ODISHA POWER TRANSMISSION CORPORATION LTD

OFFICE OF THE GENERAL MANAGER (STORES & SERVICES)
JANAPATH, BHUBANESWAR-751022
TEL NO. 0674-254 FAX NO. 0674-254

TENDER SPECIFICATION NO. G.M.[S&S]- 26 /2012-13

FOR

INTERNAL ELECTRIFICATION OF FINANCE BUILDING, OPTCL,BHUBANESWAR

DATE OF OPENING OF TENDER PAPER-

Dt. 27.02.2013

COST OF TENDER PAPER-

`. 10,000.00 + 5% VAT.

Tender papers shall be sold from dt. 31.01.2013 to 27. 02.2013 upto 1.00PM.

The last date for receipt of tender is dt. 27.02.2013 upto 1.00PM.

Tenders shall be opened on dt. 27.02.2013 at 4.00PM



ODISHA POWER TRANSMISSION CORPORATION LTD

REGD. OFFICE, JANAPATH, BHUBANESWAR -751022, ODISHA.

TENDER NOTICE NO. 26 /2012-13

No. EMC- 93/2011/ dt. .01.2013

For and on behalf of Odisha Power Transmission Corporation Ltd., G.M. (S&S) invites Tenders from reputed Electrical Contractors having MV license from ELBO,BBSR & regd with Service tax, EPF,ESI for the work "Internal Electrification of Finance building,OPTCL, Bhubaneswar" as per the Technical Specification. Tender papers shall be sold from dt. 31.01.2013 to 27.02.2013 upto 1.00PM.The last date for receipt of tender is dt. 27.02.2013 upto 1.00PM.Tenders shall be opened on dt. 27.02.2013 at 4.00PM. Interested firms may visit OPTCL's official website /http://www.OPTCL.co.in for detail specifications.

GENERAL MANAGER [S&S]



NOTICE INVITING TENDER ODISHA POWER TRANSMISSION CORPORATION LTD

JANPATH, BHUBANESWAR – 751 022,

TENDER NOTICE NO. 26 /2012-13

For and on behalf of the Odisha Power Transmission Corporation Limited, the undersigned invites bids under two-part bidding system in double-sealed cover, for the works as mentioned below, duly super scribed with Tender Specification No. & Date of opening, from reputed contractor for Internal Electrification of Finance building,OPTCL, Bhubaneswar

SI. No.	Tender Specificati on No.	Description of works.	Earnest Money Deposit (In `.)	Cost of Tender Paper.	Last date of receipt & opening of tender
1.	G.M.(S&S)- 26 /2012-13	Internal Electrification of Finance building,OPTCL, Bhubaneswar	58,500.00	10000/ - + 5% VAT	27.02.2013 at 1.00PM & 4.00PM respectively

The tender specification documents can be had from the office of the undersigned on payment of non-refundable cost of tender specification documents in the shape of cash from 10 A.M. to 3 P.M. during dt. 31 01.2012 to dt. 27 02.2013 (both days inclusive) on any working day either in person or by remitting demand draft payable to Drawing & Disbursing Officer, OPTCL, Regd. Office: Janpath, Bhubaneswar- 751 022. No other mode of payment is acceptable. No tender documents will be sold on any other day except as indicated.

The specification can also be downloaded from OPTCL's official web site and the same may be submitted alongwith the cost of tender document by way of demand draft/ pay order payable to D.D.O, OPTCL Ltd. Janpath, Bhubaneswar at the time of submission of tender document. Incase any deviation is found in the tender document submitted by the Tenderers from the content mentioned in our web site and/ or non submission of cost of tender documents, the tender shall liable to be rejected at any stage of the contract. The Tenderers has to indemnify OPTCL for any loss accruing due to such alteration in the terms and conditions of the tender document & / or for such alteration, resulting in the cancellation of the contract.

The intending bidders, who want to get a copy of the tender specification document by post, are required to deposit an additional amount of `.300/- over and above the cost of the tender specification, mentioned under heading "Cost of tender specification". Complete bid for the works will be received upto 1 P.M. only and the same will be opened at 4.00 P.M. on the date mentioned in the notice inviting tender. In the event of any specified date for the sale, submission or opening of bids being declared a holiday for purchaser, the bids will be sold/

received/ opened upto the appointed times on the next working day. Only one representative of the bidder will be allowed to participate in the bid opening with valid identification certificate. OPTCL also reserves the right to accept or reject the tender without assigning any reasons thereof, if the situation so warrants. OPTCL shall not be responsible for any postal delay at any stage.

Minimum qualification criteria of bidders:

The bidder must have executed similar type of work previously during last three years. They should be willing to furnish at least one of the performance certificate from central /state Govt. or their undertakings. The contractor should be regd. with PAN, VAT, EPF,ESI, Service tax & valid electrical license from ELBO.

GENERAL MANAGER [S&S.] OPTCL, BHUBANESWAR

SECTION – I

INSTRUCTIONS TO TENDERERS TABLE OF CONTENTS

Clause	<u>Title</u>	<u>Page</u>
1.	Submission of Bids.	8
2.	Division of Specification.	8
3.	Tender shall be in single part	8
4.	Opening of Bids.	8
5.	Purchaser's Right Regarding Alternation of Quantities Tendered.	9
6.	Procedure & Opening Time of Tenders.	9
7.	Bidders' Liberty to Deviate from Specification.	9
8.	Eligibility for submission of Bids.	9
9.	Purchasers Right to Accept/Reject Bids.	10
10.	Mode of Submission of Bids.	10
11.	Earnest Money Deposit.	10
12.	Validity of Bids.	11
13.	Price.	11
14.	Revision of Tender Price By Bidders.	11
15.	Tenderers to be fully Conversant with the Clause of the Specification.	11
16.	Documents to Accompany Bids.	11
17.	Documents/Papers to Accompany Part-II Bid.	12
18.	Conditional Offer.	12
19	General.	12

SECTION – II

GENERAL TERMS & CONDITIONS OF CONTRACT (G.T.C.C.) TABLE OF CONTENTS

Clause	Title	Page
1.	Scope of the Contract.	13
2.	Definition of term.	13
3.	Manner of execution.	14
4.	Inspection& Testing.	14
5.	Training Facilities.	15
6.	Rejection of Materials.	15
7.	Experience of Bidders.	16
8.	Language & Measures.	16
9.	Deviation from Specification.	16
10.	Right to Reject/Accept Any Tender.	16
11.	Contractor to Inform Himself fully.	16
12.	Patent Rights etc.	17
13.	Delivery.	17
14.	Despatch Instructions.	17
15.	Contractors Default Library.	17
16.	Force Major.	18
17.	Extension of Time.	18
18.	Guarantee Period.	18
19.	Bank Guarantee towards Security Deposit, 100% Payment &	19
	Performance Guarantee.	
20.	Performance Guarantee.	19
21.	Import License.	20
22.	Terms of Payment.	20
23.	Penalty for Delay in completion of Contract.	20
24.	Insurance.	20
25.	Payment due from the Contractor.	20
26.	Sales Tax & Income Tax Clearance, Balance Sheet & Profit & Loss	20
	Accounts.	
27.	Certificate for Exemption from Excise Duty/Sales Tax.	21
28.	Contractor's Responsibility.	21
29.	Validity.	21

Clause	Title	Page
30.	Evaluation & comparison of Bids.	21
31	Jurisdiction of the High Court of Orissa.	22
32.	Correspondences.	22
33.	Official Address of the Parties to the Contract.	22
34.	Outright Rejection of Tenders.	22
35.	Documents to be Treated as Confidential.	23
36.	Scheme/Project.	23
37.	Annexures.	23

•

COMMERCIAL SPECIFICATION

PART-I SECTION - I INSTRUCTIONS TO TENDERER

1. Submission of Bids:-

Sealed tenders in triplicate in on two part each complete with all respect, in the manner hereinafter specified are to be submitted in the office of GENERAL MANAGER [S&S.]OPTCL, Bhubaneswar on or before the date and time specified against the relevant tender Specification in the notice inviting the tenders. Each copy of the bids (original, duplicate and triplicate) shall be in separate double sealed envelopes super scribed on each of the covers the relevant tender Specification number and the due date of opening of the bids on the right hand top side of the envelopes. On the left top sides original/duplicate/triplicate as is relevant, shall be written.

2. Division of Specification:

The Specification is mainly divided into two parts viz. Part-I and Part-II.

Part- I Consists of

(i) Section-I : Instructions to Tenderers.

(2) Section-II : General conditions of supply (commercial)

(iii) Section-III : Schedules and forms etc.(iv) Section-IV : Technical Specification.

Part-II Consists of

(i) Abstract of price components as per Annexure-IV.

(i) Schedule of prices as per Annexure-V.

3. Tenders shall be in Two Parts

The Tenderers are required to submit the tenders in two parts each in separate double sealed covers. Part-I shall be superscribed as "E.M.D., technical and commercial" and Part-II shall be superscribed as "price bid".

4. Opening of Bids.

- (a) The Part-I shall be opened in the office of the General Manager [S&S.]OPTCL in presence of such of the Tenderers or their authorized representatives (limited to one person only) on the due date of opening of tender and after scrutiny of the technical particulars and other commercial terms, clarifications as may be required, shall be sought for from the bidders. The Tenderers shall be allowed 15 days time for such activity.
- (b) On receipt of technical clarification the bids shall be reviewed/evaluated and those not in conformity with the technical Specification/qualifying experience, shall be rejected. If any of the technical proposals requires modification to make them comparable, discussion will be held with the participating bidders.

All the responsive bidders shall be given opportunity to submit the revised technical and revised price proposals as a follow up to the clarification on the technical proposals. The qualified bidders shall be given opportunity to submit revised price proposals within 15 days from the date of such discussion or within time frame mutually agreed, whichever is earlier.

- (c) When the revised price proposals are received, the original price proposals will be returned to the bidders unopened along with their original technical proposals. Only the revised technical and price proposals will be considered for bid evaluation. The price bids (Part-II) of such of the Tenderers, whose tenders have been found to be technically responsive, including those supplementary revised price bids, submitted subsequently, shall be opened, in the presence of the bidders or their representatives on a date and time which will be intimated to all technically acceptable Tenderers.
- (d) The bidders are required to furnish sufficient information to the Purchaser to establish their qualification/capability to manufacture and/or supply the materials/perform the work. Such information shall include details of bidder's experience, its financial, managerial and technical capabilities.
- (e) The bidders are also required to furnish details of availability of appropriate technical staff and capability to perform after sales service where applicable. The above information shall be considered during the first stage of scrutiny and evaluation of bids and any bid which does not satisfactorily meet these requirements, shall not be considered for price bid evaluation.
- (f) The price bids of the technically and otherwise acceptable bids, shall only be evaluated as per the norms applicable in terms of this Specification.

5. Purchaser's Right Regarding Alteration of Quantities Tendered.

The Purchaser may alter the quantities of materials/equipment at the time of placing orders. Initially the Purchaser may place order for lesser quantity with full freedom to place extension orders for further quantity under similar terms and conditions of the original orders. Order may also be split among more than one Tenderer for any particular item if considered necessary in the interest of the Purchaser.

6. **Procedure & Opening Time of Tenders**:

Tenders will be opened in the office of the General Manager [S&S.]OPTCL, on the specified date and time in presence of such of the Tenderers or their authorized representatives (limited to one person only) in case of each bidders who may desire to be present, at the time of opening the bids. The General Manager [S&S.]OPTCL, or his authorized representatives will, on opening of each bid, read aloud the name of the bidder. He shall also read aloud the attested and un-attested corrections and shall

record the number of such corrections on each page of the technical bid over his dated initials and also initial all such corrections.

7. Bidder's Liberty to Deviate from Specification:

The Tenderer may deviate from the Specification while quoting if in his opinion such deviation is in the line with the manufacturer's standard practice and conducive to a better and more economical offer. All such deviations should however be clearly indicated giving full justifications for such deviation. (Read with Clause-9, Section-II of the Specification).

8. Eligibility for Submission of Bids.

Tenderers who have purchased the Specification from the office or downloaded from the official website of OPTCL & deposited the tender cost while submitting the tender will only be considered.

9. Purchaser's Right to Accept/Reject Bids.

The purchaser reserves the right to reject any or all the tenders without assigning any reasons what so ever if it is in the interest of OPTCL under the existing circumstances. (Read with Clause-10, Section-II of the Specification).

10. Mode of Submission of Bids.

- (A) Bids, complete in all respect shall be submitted in person or by registered Post with A.D. Any other mode shall not be accepted. When delivered in person, the tenders shall be received by a responsible officer of the office of the General Manager [S&S.]OPTCL who shall officially acknowledge the receipt of the same. Tenders received after due date and time shall be returned un-opened.
- (B) <u>Telegraphic</u>, <u>Telephonic or FAX Tenders</u> shall not be accepted under any circumstances.

11. (i) Earnest Money Deposit.

The tender shall be accompanied by Earnest Money Deposit of value specified in the notice inviting tenders against each lot/bid. Tenders without the required E.M.D. will be rejected outright.

The earnest money deposit shall be furnished in one of the following forms subject to the conditions mentioned below:

- (a) Cash: Payable to Drawing & Disbursing Officer, O/O GM(S&S),OPTCL, Bhubaneswar-751022.
- **(b) Bank Draft**: To be drawn in favour of the Drawing & Disbursing Officer, O/O GM(S&S),OPTCL, Bhubaneswar-751022.
- (c) Bank Guarantee from any nationalized/scheduled Bank strictly as per enclosed proforma vide Annexure-VI to be executed on non-judicial stamp

paper of appropriate value worth Rs.29/- to be accompanied by the confirmation letter of the issuing Bank.

The validity of the E.M.D. Bank Guarantee shall be 240 days from the date of opening of tender, failing which the tender will be liable for rejection.

- (iii) No adjustment towards Earnest Money Deposit shall be permitted against any outstanding amount with the Odisha Power Transmission Corporation Limited
- (iv) In the case of un-successful Tenderer the Earnest Money will be refunded Immediately after the tender is decided. In the case of successful tenderer, EMD will be refunded only after furnishing of security money referred to at Clause-19 of section –II. Suits if any, arising out of this Clause shall be filed in a Court of law to which the jurisdiction of high court of Odisha extends.
- (v) Earnest Money will be forfeited if the Tenderer fails to accept the letter of intent and /or purchase orders issued in his favour.

12. Validity of the Bids

The tenders should be kept valid for a period of 180 days from the date of opening of the tender as notified in the tender notice failing which the tenders will be rejected.

13. **PRICE** Tenderers are requested to quote FIRM price only including all taxes & duties except service tax.

14. Revision of Tender Price By Bidders

- (a) After opening of tenders and within the validity period, no reduction or Enhancement in price will be entertained. If there is any change in price, the tender shall stand rejected and E.M.D. deposited shall be forfeited. In case of bidders who are exempted from depositing E.M.D. and who revise their price within the validity period, the bids for similar items against subsequent tender call notice of OPTCL, may not be considered.
- (b) If required, the Tenderers may be asked to extend the validity period of bids under the same terms and conditions as per the original tender except for the change in delivery period, In such an event the Tenderers are free to change any or all conditions of their bids including price at their own risk.

15. <u>Tenderers to be fully Conversant with the Clauses of the Specification.</u>

Tenderers are expected to be fully conversant with the meaning of all the Clauses of the Specification before submitting their tenders. In case of doubt regarding the meaning of any Clause the Tenderer may seek clarification in writing from the General Manager (S&S), OPTCL. This however, does not entitle the Tenderer to ask for time beyond due date fixed for receipt of tender.

16. **Documents to Accompany Bids**

Tenderers are required to submit tenders in the following manner:

The Tender shall Contain the following Documents

- (I) Declaration Form. (As per Annexure –I)
- (ii) Earnest Money /Documents in support of exemption from Earnest Money Deposit if any.(As per Annexure-VI)
- (iii) Technical Specification and Guaranteed Technical Particulars conforming to the Purchaser's Specification along with drawings and literature.
- (iv) Photostat copies of latest type test certificate of workorders/materials/equipments offered. (Type tests should have been conducted within 5 years prior to the dated tender opening and not earlier).
 - a. Abstract of Terms & Conditions in prescribed Proforma as per Annexure-II.
 - b. General Terms & Conditions of supply offer as per Section-II of specification.
 - c. List of orders executed for similar items during preceding four years indicating the customer's name & P.O. copies & performance certificates.
 - d. Data on past experience as per Clause-7 of Section –II of the Specification.
 - e. Sales Tax clearance certificates, for the previous year & PAN Card Xerox copy & service tax regd. Xerox copy.
 - f. Audited Balance Sheet & Profit Loss Account for the previous three years.
 - g. Schedule of quantity and delivery in the prescribed proforma vide Annexure-III.
 - h. Orders in hand to be executed.
 - I. Abstract of Price Components, as per Annexure-IV.
 - J. Schedule of prices in the prescribed proforma as per Annexure V.
 - k. Copy of EPF & ESI.

18. **Conditional Offer**

Conditional offer shall not be accepted.

19. General

- i) Over writing shall be avoided
- ii) Erasures and other changes shall bear the dated initial of the person signing the tender.
- iii) In the event of discrepancy or arithmetical error in the schedule of price, the decision of the Purchaser shall be final and binding on the Tenderer.
- iv) For evaluation the price mentioned in words shall be taken if there is any difference in figure and words in the price bid.
- v) Notice inviting tender shall form part of this Specification.
- vi) The price bids of the technically and otherwise acceptable bids shall only be evaluated.

PART - I

SECTION - II

GENERAL TERMS & CONDITIONS OF CONTRACT (G.T.C.C)

1.0 **Scope of the Contract**

1.1 Internal concealed wiring of light, fan, plug points, Power plug, Computer points, Telephone points etc for Finance Building, OPTCL, BBSR.

Supply & fixing of BDBs, MDB & Computer DB & telephone Junction box etc for Finance Building, OPTCL, BBSR.

Supply & fixing of Street light fittings, gate light fittings with bulb in the entrance gate of Finance Building, OPTCL, BBSR.

Supply & installation of plate earthing in the Finance Building, OPTCL, BBSR.

The details of list is at Schedule of Price (Annexure-A). The rate quoted should be considered the dismantling of existing wiring & keeping the scrap materials within you if available. The bidders are requested to inspect the site before quoting the rate in the bid.

2.0 **Definition of Terms**

For the purpose of this Specification and General Terms & Conditions of Contract (G.T.C.C.) the following words shall have the meanings hereby indicated, except where otherwise described or defined.

- 2.1 "The Purchaser" shall mean the General Manager (S&S) for & on behalf of ODISHA POWER TRANSMISSION CORPORATION LTD., Bhubaneswar.
- 2.2 "The Engineer" shall mean the engineer appointed by the Purchaser for the purpose of this contract.
- 2.2 "Purchaser's Representative" shall mean any person or persons or consulting firm appointed and remunerated by the Purchaser to supervise, inspect, test and examine workmanship and materials of the equipment to be supplied.
- 2.3 "The Contractor" shall mean the Bidder whose bid has been accepted by the Purchaser and shall include the Bidders' executives, Administrators, Successors and permitted assignees.
- 2.4 "Equipment" shall mean and include all machinery, apparatus, Materials, articles to be provided under the contract by the Contractor.
- 2.5 "Contract Price" shall mean the sum named in or calculated in accordance with the provisions of the contract as the "Contract Price" which shall include packing, forwarding,

freight, insurance excise duty, sales tax, Octroi and other taxes and duties as applicable at the time of opening of bids.

- 2.6 "General Conditions" shall mean these General Terms and Conditions of Contract.
- 2.7 "The Specification" shall mean the Specification annexed to or issued with G.T.C.C. and shall include the schedules & drawings attached thereto as well as all samples and pattern, if any.
- 2.8 "Month" shall mean "Calendar month".
- 2.9 "Writing" shall include any manuscript, type written, printed or other statement reproduction in any visible form and whether under seal or under hand.
- 2.10 "F.O.R. Destination Costs" shall mean the cost of equipment and material at the consignee's stores. The cost is exclusive of Excise duty, Sales Tax and other Local Taxes, but is inclusive of packing, forwarding and insurance and freight charges.
- 2.11 The term "Contract documents" shall mean and include G.T.C.C., Specifications, Schedules, Drawings, Form of Tender, Covering Letter, Schedule of Price of the final successful bidder any special conditions applicable to the particular contract, Specifications and drawings and the purchase order & the agreement to be entered into.
- 2.12 Terms and Conditions not herein defined shall have the same meaning as are assigned to them in the Indian Contract Act, failing that, in the Odisha General Clauses Act.

3. Manner of Execution

All works completed under the contract shall be manufactured in the manner set out in the Specification or where not set out, to the reasonable satisfaction of the Purchaser's representative.

.4. Inspection and Testing

- The Purchaser's representative shall be entitled at all reasonable times during manufacture to inspect, examine and test on the Contractor's premises the materials and workmanship of all equipment to be supplied under this contract and if part of the said equipment is being manufactured on other premises, the Contractor shall obtain for the Purchaser's representative, permission to inspect, examine and test as if the equipment were being manufactured on the Contractor's promises. Such inspection, examination and testing shall not release the Contractor from his obligations under the contract.
- ii) The Contractor shall give to the Purchaser adequate time/notice(at least 5 days for inside the State suppliers and 15 days for outside the State suppliers) in writing for inspection of materials indicating the place at which the equipment is ready for testing and inspection and shall also furnish the Routine Test Certificates and Packing List along with offer for inspection to the Purchaser

- indicating the quantity which can be delivered in full truck load/Mini truck load to facilitate issue of dispatch instruction.
- Where the contract provides for test on the Premises of the Contractor or of any of his Sub-Contractors, the Contractor shall provide such assistance, labour, materials, electricity, fuel and instruments as may be required or as may be reasonably demanded by the Purchaser's representative to carryout such test effectively & efficiently. The Contractor is required to produce Routine Test Certificate before offering their materials for inspection.
- iv) The Purchaser has the right to have the tests carried out at his own cost by an independent agency whenever there is a dispute regarding the quality of supply.

5. **Training Facilities**

The Contractor shall provide all possible facilities for training of Purchaser's Technical personnel, where applicable when deputed by the Purchaser for acquiring first hand knowledge in assembly of the equipment and for it's proper operation and maintenance in service if required.

6. Rejection of Materials

In the event any of the materials/equipment supplied by the Contractor is found defective due to faulty design, bad workmanship, bad materials used or otherwise not in conformity with the requirements of the Specification, the Purchaser shall either reject the materials/equipment or ask the Contractor in writing to rectify the same. The Contractor on receipt of such notification shall either rectify or replace the defective equipment free of cost of the Purchaser. If the Contractor fails to do so, the Purchaser may:-

- (a) As its option, replace or rectify such defective equipment and recover the extra costs so involved from the Contractor plus fifteen percent and /or.
- (b) Terminate the contract for balance work/supplies, with enforcement of penalty Clause as per contract for the un-delivered goods and with forfeiture of performance Guarantee/Composite Bank Guarantee.
- (c) Acquire the defective equipment/materials at reduced price, considered equitable under the circumstances.

7. Experience of Bidders:

The bidders should furnish information regarding experience particularly on the following points:-

- i) Name of the firm.
- ii) A list of work orders executed during the last three years along with user's certificates
- iii) Equipment capability & upto date calibration certificate(s).

8. <u>Language and Measures</u>

All documents pertaining to the contract including Specifications, Schedule, Notices, Correspondence, Operating & Maintenance instructions, Drawings or any other writing shall be written in English language. The metric system of measurement shall be used exclusively in this contract.

9. **Deviation from Specification**

It is in the interest of the Tenderers to study the Specification, drawing etc. specified in the tender schedule thoroughly before tendering so that, if any deviations are made by the Tenderers the same are prominently brought out on a separate sheet under heading "Deviations".

A list of deviation shall be enclosed with the Tender. Unless deviation in scope, technical and commercial stipulations are specifically mentioned in the list of deviations, it shall be presumed that the Tenderer has accepted all the conditions stipulated in the tender Specification, not withstanding any exemptions mentioned therein.

10. Right to Reject/Accept Any Tender

The Purchaser reserves the right either to reject or to accept any or all tenders if the situation so warrants in the interest of the Purchaser. Orders may also be split up between different Tenderers on individual merits of the Tenderer. The Purchaser has exclusive right to alter the quantities of materials at the time of placing final Purchase order. After placing of the rate contract order, the Purchaser may place workorder from time to time after site requirements. It may be clearly understood by the Tenderer that the Purchaser need not, assign any reason for the above action(s).

11. Contractor to inform himself fully

The Contractor shall examine the instructions to Tenderers, General Conditions of contract, Specification and the Schedules of Quantity and delivery to satisfy himself as to all terms and conditions and circumstances affecting the contract price. He shall quote price(s) according to his own views on these matters and understand that additional allowances except as otherwise provided therein will be levied. The Purchaser shall not be responsible for any misunderstanding or incorrect information obtaining by the Contractor other than the information given to the Contractor in writing by the Purchaser.

12. Patent Rights Etc.

The Contractor shall indemnify the Purchaser against all claims, actions, suits and proceedings for the infringement or alleged infringement of any patent design or copy right protected either in the country of origin or in India by the use of any equipment/ materials supplied by the Contractor. But such indemnity shall not cover any use of the equipment, other than for the purpose indicated by or reasonably to be inferred from the Specification.

13. **Delivery/ Completion period**

- (a) Time being essence of the contract, the work shall be completed within the completion date specified in the contract. The Purchaser, however, reserves the right to reschedule the completion period. The completion period shall be reckoned from the date of placing the Letter or Intent/ work order as may be specified in the LOI/ work order.
- (b) The desired completion period shall not ordinarily exceed more than 3 month.

14. **Inspection:**

The statuary inspection of electrical installation if required are to be carried out by the contractor by their own cost. The required amount of fee are to be deposited at the appropriate level.

15. **Contractor's Default Liability**.

- i) The Purchaser may, upon written notice of default to the Contractor, terminate the contract in circumstanced detailed hereunder.
 - (a) If in the judgment of the Purchaser, the Contractor fails to complete within the time specified in the contract or within the period for which extension has been granted by the Purchaser in writing in response to written request of the Contractor, &/ or,
 - (b) If in the judgment of the Purchaser, the Contractor fails to comply with any of the provisions of this contract.
- ii) In the event Purchaser terminates the contract either in whole or in part as provided in Clause-15(i) of this section, the Purchaser reserves the right to purchase upon such terms and in such a manner as he may deem appropriate work similar to those terminated and the Contractor will be liable to the Purchaser for any additional costs for such similar work and/or for penalty for delay as defined in Clause-23 of this section until such reasonable time as may be required for the final completion of work.
- In the event the Purchase does not terminate the contract as provided in Clause 15(i) of this Section, Contractor shall continue executing the contract, in which case he shall be liable to the Purchaser for penalty for delay as set out in Clause-23 of this Section until the work is accepted. This shall be based only on written request of the contractor and written willingness of Purchaser.

16. Force Majeure:

The Contractor shall not be liable for any penalty for delay or for failure to perform the contract for reasons of force Majeure such as acts of God, acts of the public enemy, acts of Govt., Fires, Floods, Epidemics, Quarantine restrictions, strikes, Freight Embargo, provided that the Contractor shall within ten (10) days from the beginning of such delay notify the Purchaser in writing of the cause of delay, upon which, the Purchaser shall verify the facts and grant such extension as facts justify.

17. Extension of Time.

If the completion of work is delayed due to reasons beyond the control of the Contractor, the Contractor shall without delay give notice to the Purchaser in writing of his claim for an extension of time. The Purchaser on receipt of such notice may agree to extend the contract completion date as may be reasonable but without prejudice to other terms and conditions of the contract.

18. **Guarantee Period**.

- The works covered by this Specification should be Guaranteed for satisfactory operation and against defects in design, materials and workmanship for a period of 18 (eighteen) months from the date of commissioning. The above Guarantee Certificate shall be furnished in triplicate to the purchaser for his approval. Any defect noticed during this period should be rectified by the Contractor free of cost to the Purchaser provided such defects are due to faulty design, bad workmanship or bad materials used, upon written notice from the Purchaser.
- ii) The work failed or found defective during Guarantee period shall have to be guaranteed after repair/replacement for a further period of 12 months from the date of commissioning or 18 months from the date of handing over of work after such repair/replacement which ever is earlier.

19. <u>Bank Guarantee towards Security Deposit, 100% Payment and performance Guarantee.</u>

A Composite Bank Guarantee as per the proforma enclosed at Annexure-VII of the specification for 10%(Ten percent) of the total FOR Destination cost of the purchase order, shall be furnished from any Nationalised/ Scheduled Bank to the office of General Manager (S&S), OPTCL within 15(Fifteen) days of issue of purchase order. The Bank Guarantee shall be executed on non-judicial stamp paper worth of Rs.29/- or as applicable, as per the prevalent rules, valid for a period of 20(twenty) month from the last date of stipulated delivery period for scrutiny and acceptance, failing which the supply order will be liable for cancellation without any further written notice. The said Bank Guarantee should be accompanied or followed by a confirmation letter from the concerned Bank, before the Bank Guarantee is accepted and all concerned intimated. The BG shall have provision for encashment at BBSR. You are requested to extended the validity of the entire guarantee period.

- i) No interest is payable on any kind of Bank Guarantee.
- ii) In case of non-fulfillment of contractual obligation as required in the detailed purchase order/specification, the composite Bank Guarantee/Permanent Registration Fee shall be forfeited.

iii) The Composite/Performance Bank guarantee amount on the full order value shall be deducted from the first claim of the supplies made in cases where no Composite Bank Guarantee/Performance Bank Guarantee is furnished.

20. <u>Performance Guarantee</u>

The suppliers those who are not covered under Clause-19 of this Specification including Central/State Govt. undertaking are required to furnish a performance Guarantee to the tune of 2.5% of the total F.O.R. Destination cost of the purchase order in shape of Bank Guarantee from any Nationalised or Scheduled Bank on a non-judicial stamp paper worth Rs.29/- or as applicable as per prevalent rules, as per the proforma at Annexure-VIII of the Specification. Such performance Bank Guarantee shall be furnished while delivering the first Lot of goods or within 30 days of issue of the purchase order whichever is earlier. The Bank Guarantee shall be valid to cover the guarantee period for the materials as stipulated under Clause -18 of the Specification. Such Bank Guarantee shall be supported by the confirmation letter of the issuing Bank.

21. Import License

In case imported materials are offered no assistance will be given for release of foreign Exchange. The firm should arrange to import materials from their own quota. Equipment of indigenous origin will be preferred.

22. Terms of Payment.

90% payment shall be made on completion of work in a running bill manner subject to verification by the consignee and approval of Guarantee Certificates by the purchaser and furnishing of 10% value of the workorder as Composite Bank Guarantee as required under Clause – 19 of this Specification.

Balance 10% cost shall be paid only after satisfactory completion of total work.

23. Penalty for Delay in Completion of Contract.

If the Contractor fails to complete the work within the completion schedule specified in the contract including time extension, if any, granted thereto, the Purchaser shall recover from the Contractor penalty for a sum of one half of one percent (0.5 per cent) of the total price of the un completion of work for each calendar week of delay or any part thereof. For this purpose the date of completion will be decided by the Engineer-in-charge. The total amount of penalty shall not exceed five per cent (5%) of the total price of the unit or units so delayed.

24. Insurance

Insurance of stores covered by this specification shall be done by the Suppliers unless otherwise stated. The responsibility of delivery of the stores at destination in good condition rests with the Supplier. Any claim with the Insurance Company or transport agency arising due to loss or damage in transit has to be settled by the Supplier. The supplier shall undertake free

replacement of materials damaged or lost, which will be reported by the consignee within 30 days of receipt of materials at destination, without awaiting for the settlement of their claim with the carriers and underwriters.

25. Payment Due from the Contractor.

All costs and damages, for which the Contractor is liable to the Purchaser, will be deducted by the Purchaser from any money due to the Contractor under any of the Contract(s).

26 Sales Tax & Income Tax Clearance, Balance sheet and Profit & Loss Account.

- (i) Sales Tax clearance certificates valid upto the date of opening of Tender & PAN Card Xerox copy should be enclosed with tender.
- (ii) Balance sheet and profit and loss account of the bidder duly certified by the Chartered Accountant for the previous 3 years should be enclosed to assess the financial soundness.

27. <u>Certificate for exemption from Excise Duty/Sales Tax.</u>

Offers with exemption from Excise duty including Sales Tax shall be accompanied with authenticated proof of such exemption. Authenticated proof for this Clause shall mean attested Photostat copy of exemption certificate.

28. <u>Contractor's Responsibility</u>.

Not withstanding anything mentioned in the Specification or subsequent approval or acceptance by the Purchaser, the ultimate responsibility for design, materials used and satisfactory performance shall rest with the Tenderers.

29. Validity.

Prices and conditions contained in the offer should be kept valid for a period of 180 days from the date of opening of the tender, failing which, the tender shall be rejected.

30. Evaluation & Comparison of Bids.

Weightage shall be given to the following factors in the Evaluation & Comparison of Bids.

- a. Early completion of Work.
- b. Past track record in completion of work of similar types to OPTCL.
- c. Track record in similar work done to other utilities other than OPTCL.
- d. Deviation in the bid vis-à-vis in the stipulation in the Bid Specification both in Technical and Commercial.
- e. In comparing bids and in making awards, the Purchaser may consider such factors as compliance with Specification, relative quality & adaptability of supplies or services, experience, financial soundness, record of integrity in dealings, performance of materials/equipments earlier supplied, ability to furnish repairs and maintenance services, the time of delivery, capability to perform including available facilities such as adequate shops, plants, equipment and technical organization.

31. Jurisdiction of the High Court of Odisha.

Suits, if any, arising out of this contract shall be filed by either party in a Court of Law to which the jurisdiction of High Court of Odisha extends.

32. <u>Correspondences</u>.

- Any notice to the Contractor under the terms of the contract shall be served by Registered Post or by hand at the Contractor's Principal Place of Business.
- ii) Any notice to the Purchaser shall be served at the Purchaser's Principal office in the same manner.

33. Official Address of the Parties to the Contract.

The address of the parties to the contract shall be specified:

(i) Purchaser: General Manager (S&S),
ODISHA POWER TRANSMISSION CORPORATION LTD,
Bhubaneswar-751022.

(ii) Supplier:

Address:

Telephone No.

FAX No.

34. Outright Rejection of Tenders.

Tenders shall be out rightly rejected if they are not complying with the following requirements:

- Tenderer should have purchased/obtained the Bid specification document from the office of the Purchaser or down loaded from the website of OPTCL but shall deposit the tender cost while submitting the tender.
- ii) Tenders shall be submitted in person or by Registered Post with A.D.
- iii) Tenders shall not be submitted telegraphically or by FAX.
- iv) Tenders shall be accompanied by the prescribed Earnest Money Deposit.
- v) Tender shall be kept valid for a period of 180 days from the date of opening of Tender.
- vi) Tender shall be submitted in two parts as specified.
- vii) The schedule of prices should be filled up fully to indicate the break-up of the prices including taxes and duties except service tax. Incomplete submission of this schedule will make the tender liable for rejection.

35. <u>Documents to be treated as Confidential.</u>

The Contractor shall treat the details of the Specification and other Tender documents as private and confidential and they shall not be reproduced without written authorization from the Purchaser.

36. Scheme/Projects.

The works covered in this Specification shall come under General Manager (S&S) and Maintenance of OPTCL headqrs, Bhubaneswar

SECTION - III (LIST OF ANNEXURES)

The following Schedules and proforma are annexed to this Specification and contained in Section - III as referred to in the relevant Clauses.

i)	Declaration Form	ANNEXURE-I
ii)	Abstract of Terms & Conditions to	ANNEXURE-II
	accompany Section – II of Part – I	
iii)	Schedule of Quantity & Delivery	ANNEXURE-III
iv)	Abstract of Price Component (to accompany	ANNEXURE-IV
	Part – II of this Specification).	
v)	Schedule of prices to accompany Part – II	ANNEXURE-V
vi)	Bank Guarantee form for Earnest Money	ANNEXURE-VI
	Deposit.	
vii)	Composite Bank Guarantee form for security	ANNEXURE-VII
	Deposit, Payment & Performance.	
viii)	Bank Guarantee Form for Performance	ANNEXURE-VIII
	Guarantee.	
x)	Bank Guarantee form for 100%.	ANNEXURE-IX

SECTION-IV

TECHENCAL SPECIFICATION

LIST OF APPROVED MAKE OF THE ELECTRICAL ITEMS TO BE USED

SI.	Description of Item	Make		
No.				
1	G.I.EARTHING PIPE	TATA /JINDAL		
2	LIGHTING FIXTURE	PHILIPS/ CGL/ BAJAJ/ HAVELLS OTHER MAKE AS PER BEE STANDARD		
3	PVC INSULATED POWER AND CONTRAL CABLES	NICCO/GLOSTER/CCI/KEI/CRYSTAL/POLYCAB/ GPIL/FINOLEX/UNIVERSAL/M/S HAVELLS INDIA LTD/ KEC INTERNATIONAL LTD /DAKSHA INDUSTRIES /V-GUARD/SCOT INNOVATION/ GEMSCAB/MOHTA ELECTRO SYSTEM(MESCAB)		
4	PVC WIRES	L&T/FINOLEX/ANCHOR/KDK/HAVELLS		
5	SWITCHES	ANCHOR/ABB/CONA/INDO ASIAN/HAVELS		
6	MCB	L&T/ABB/SIEMENS/MDS/ HAVELLS/INDO ASIAN / LEGRAND		
7	ACB/MCCB	L&T/SIEMENS/MERLIN GERIN		

Note: Wherever the make of the material has not been mentioned either in the above list or in the schedule, the same shall confirm to the relevant BIS Specification and such material should be got approved by the concerned Engineer-in-charge before it is utilised in the work.

GENERAL CONDITIONS:

The specifications generally applicable to this work shall be as per following specifications for electrical works. The item rates quoted will be deemed to have taken these specifications into account.

- 1. The electrical work shall be carried out simultaneously with the building work and will be continued till it is completed satisfactorily along with the completion of essential portions of building work.
- 2. If any minor alterations are found necessary, the contractor shall do the same within the tendered rates.
- 3. The work shall be carried out in the best workmanlike manner and any defect in the work or changes in the design etc., if pointed out shall be carried out by the contractor within the tendered rates.
- 4. The contractor shall employ adequate labour to complete the work within the stipulated time and make his own arrangements for housing labour and storage of materials etc. A full time Electrical Supervisor/ engineer shall be employed by the contractor who will take instructions from the Engineer-in-charge.
- 5. Any materials supplied by the OPTCL, if damaged in any way during cartage or execution of work or otherwise, shall be made good by the contractor at his own cost.
- 6. During the progress of work, completed portions of the buildings may be occupied and put to use by the owner but contractor will remain fully responsible for maintenance of the electrical installations till the entire work covered by this contract is satisfactorily completed by him and taken over by the Architects / Engineer-in-charge.
- 7. The contractor shall obtain for himself, on his own responsibility and at his own expense, all the information which may be necessary for the purpose of tendering and entering into a contract, and must inspect the site, examine and study the specifications, drawings and the design of the electrical installations, the building plans etc. If the drawings are supplied to the contractor for tender purposes, the same must be returned in good condition with the tender. The contractor shall also make local and independent inquiries, if required.
- 8. All tender rates will include the cost of materials, erection, connections, labour, supervision, tools, plant, transport, all taxes, contingencies, breakage, wastage, sundries, scaffolding, maintenance of installation for one year etc. i.e they should be for an item complete in all respects.
- 9. The contractor, while executing the work, shall conform to the provision of the Government Acts relating to the work and to the regulations and Bye laws of the local authorities, and of the company to whose system of supply the installation is proposed to be connected. The contractor shall give all notices, required by the Acts, Regulations or By-Laws. He will also undertake to provide test certificates and drawings as electricity supply. The contractor shall also obtain all approvals for the items of work done under this contract from the appropriate authorities. All inspection fees or submission fees paid by the contractor will be reimbursed by the owner against valid official receipts. Contractor shall posses valid electrical contractor's license issued by the inspectorate of the government.
- 10. Sample of materials and fabrication drawings will be submitted by the contractor according to the schedule / specification. Any deviation from the schedule / specification must have the written consent of the Engineer-in-charge. No approval given by the

Architects/ Engineer-in-charge to any samples or drawings submitted by the contractor shall in any way exonerate the contractor from his liability to carry out the work in accordance with the terms of contract.

11. The lay out drawing of panel boards should be submitted for approval in the office of Sr. General Manager(CPC), OPTCL before placing order. The inspecting officer from this office will be deputed for inspection of panel before dispatch.

12. PROGRESS AND TIME OF COMPLETION:-

- a) The work will commence immediately after the contractor receives instructions to proceed.
- b) The contractor will work in cooperation with the building contractor and other contractors and shall arrange to place his conduits in the masonry and concrete work as the building or other work proceeds. Any hold up of the building or otherwise, shall be the liable for damages if any, by the employers.
- c) The contractor shall consult the Engineer-in-charge and draw up a time schedule which shall be strictly adhered to.

13. COMPLETION TESTS:

On completion of installations the following tests shall be carried out:-

- a) Insulation Resistance Test:
- b) Polarity Test of Switch;
- c) Earth Continuity Test.

14. MAINTENANCE:

The completed installation inclusive of wiring, light fittings and fans (if supplied by the contractor) shall not be finally taken over and acceptance certificate issued to the contractor until the expiry of the defects liability period. During this period the contractor shall be liable for:

- a) The replacement of any defects that may develop in goods of his own manufacture or supplied by him.
- b) The rectification of all the defects arising out of defective workmanship of the contractor.
- c) Bringing to the notice of the Engineer –in-charge any defects arising out of materials supplied by the owner. The owner shall provide replacement of such material.

Until the installation is finally taken over, the contractor shall have the right of entry to the premises, at his own risk and expense, for maintaining the installation in proper order. To facilitate maintenance the contractor should clearly indicate the detailed distribution diagram on every switchgear, distribution board, sub distribution boards and main boards.

CABLES & CABLE TRENCH:

All cables shall be 1100 volts and shall have been manufactured in accordance with the latest IS specification. The depth & width of the cable trench will 450mm X 450mm. The cable trench will filled up with after laying of cable & break protection from both side & top. The sand filling will be done inside the cable trench. The cable will passes through the road crossing by 150mm

RCC hume pipe/ 75mm GI pipe. All cable should terminated through Copper/Al. cable lugs/ double compression cable gland etc.

EARTHING:

Earthing shall conform to the following specifications. For other details not covered in this specification, relevant Indian standards shall be referred to.

TYPES OF EARTH ELECTRODES:

- A) Pipes earth electrode.
- B) Plate earth electrode

PLATE EARTH ELECTRODE:

For plate electrode minimum dimensions of electrodes shall be as under:

i) G.I plate electrode – 600mm x 600m X 8 mm thick. The electrode shall be buried in the ground with its faces vertical and the top not less than 3M below ground level.

METHOD OF INSTALLING WATERING ARRANGEMENT:

In the case of plate electrode, a watering pipe of 38mm dia of medium class G.I. pipe shall be provided and attached to the top of this pipe for watering the earth. A funnel is to be provided for watering the pit. The GI flat of size 40x 5 mm shall be nut bolted & blazed on the GI plate & will go the earthing of the building. In case of pipe electrode a 40mm x 20mm reducer shall be used for housed in a masonary enclosure of not less than 30cm x 30cm x 30cm. A cast iron / MS frame with cover and locking arrangement shall be suitably embedded in the masonry enclosure.

LOCATION OF EARTH ELECTRODE:

Normally an earth electrode shall not be situated less than 1.5m from any building. Care shall be taken that the excavations for earth electrode may not affect the column footing or foundations of the building. In such cases the electrodes shall be situated farther away from the building.

The location of the earth electrode will be where the soil has reasonable chance of remaining moist, as far as possible. Entrances, pavements and roadways, are definitely to be avoided for locating the earth electrode.

METHOD OF CONNECTING EARTHING LEAD TO EARTH ELECTRODE:

In case of plate electrode the earthing lead shall be securely bolted to the plate with two bolts, nuts, checknuts and washers. In the case of pipe earth electrode, it shall be connected by means of a through bolt, nuts, washers and cable socket.

All materials used for connecting the earth lead with electrode shall be tinned brass in case of copper plate electrode. The earthing lead shall be securely connected at the other end to the main board. Loop earthing shall be provided for all mounting of main board and other metal clad switches and distribution fuse boards with not less than 2.5sq. mm insulated copper wire.

The earthing lead from electrode onwards shall be suitably protected from mechanical damage by a 15mm G.I pipe in case of wire and by 40mm dia medium G.I pipe in case of strip. Portions of this protection pipe within ground shall be buried at least 30cm deep (to be increased to 50cm

in case of road crossing and pavement). The portion within the building shall be recessed in walls and floors to adequate depth.

In all cases the relevant provisions of rules 33, 61 and 67 of Indian Electricity rules 1956 as amended shall be complied with. Metallic covers or supports of all medium pressure or HT apparatus or conductors shall in all cases be connected to not less than two separate and distinct earths including electrodes.

No earth electrode shall have a greater ohmic resistance than five ohms as measured by an approved earth testing apparatus. In rocky soil the resistance may be eight ohms.

The details design of wiring are as follows:

- 1. The wiring of all AC Machnies points will be with 2x4Sqmm+1x2.5sqmm copper wire.
- 2. The wiring of all Power plugs points will be with 2x2.5Sqmm+1x1.5sqmm copper wire.
- 3. The wiring of all computer plugs point will be with 2x2.5Sqmm+1x1.5sqmm copper wire.

The committee suggested that materials of the following manufacturers should be used.

- 1. MCB & MCCB: L&T/ MDS/ Siemens or equivalent
- 2. Panels/ BDB: ESS/ Technocrat, Cuttack
- 3. Wires (FRLS type): Finolex/ KDK or equivalent.
- 4. Switches: Roma Modular Anchor Make or equivalent.
- 5. Polythine Pipes: Barilya / Jagatpur Extra Super or equivalent.

ANNEXURE – I DECLARATION FORM

_	_		
П	г	-	
		(1

Sir,

- Having examined the above specification together with Tender conditions referred to therein I/We the undersigned hereby offer to supply the materials covered thereon complete in all respects as per the Specification and General Conditions, at the rates entered in the attached contract schedule of prices in the Tender.
- 2. I/We hereby undertake to have the materials delivered within the time specified in the Tender.
- 3. I/We here guarantee the technical particulars given in the Tender supported with necessary reports from concerned authorities.
- 4. I/We certify to have purchased/down loaded a copy of the Specification by remitting Cash/Money order/ D.D./ remitting the cost of tender, herewith and this has been acknowledged by your letter No. Dated In the event of Purchase order being decided in my/our favour, I/We agree to furnish 5. **POWER** the Security Deposit in the manner acceptable to ODISHA TRANSMISSION CORPORATION LTD. and for the sum as applicable to me/us per Clause-19 of Section - II of this Specification within 15 days of issue of Letter of intent/Purchase order failing which I/We clearly understand that the said Letter of intent/Purchase order will be liable to be withdrawn by the Purchaser.

Signed this _____ day of _____

Yours faithfully,

Signature of Tenderer With Seal of the Company

(This form should be fully filled up by the Tenderer and submitted along with the original copy of Tender)

<u>ANNEXURE – II</u>

ABSTRACT OF GENERAL TERMS & CONDITIONS OF CONTRACT (COMMERCIAL) TO ACCOMPANY PART –I

1	Earnest Money Furnished	(a) Cash (b) Bank Guarantee (c) Bank Draft
2	Work/supply experience including user's certificate furnished or not.	Yes/No
3	Deviations to the Specification in any (list enclosed or not.)	Yes/No
4	Period of Commencement	
5	Guarantee: Whether agreeable to OPTCL's terms	Yes/No
6	Whether agreeable to furnish Security Deposit in case his tender be successful.	Yes/No
7	Whether agreeable to furnish Performance Guarantee.	Yes/No
8	Terms of Payment: Whether agreeable to OPTCL's standard terms of payment or not.	Yes/No
9	Nature of Price: Firm	Yes/No
10	Penalty: Whether agreeable to OPTCL's terms or not	Yes/No
11	Whether ITCC/STCC/P&L A/C. for the required period are furnished.	Yes/No
12	Validity: - Whether agreeable to OPTCL's terms or not. (As per Clause – 29 of Section –II)	Yes/No
13	EPF & ESI No.	Yes/No
14	PAN	
15	TIN	
16	Service Tax No.	
	ELBO license No. & Valid upto) / (A)
	Whether materials are ISI/ISO marked	Yes/No
	Whether declaration form duly filled in furnished or not.	Yes/No
20	Whether the firm is registered under Odisha sales Act 1947/ Odisha VAT Act-2004.	Yes/No

Place	
Date	Signature of the Tenderer
	With Seal of the Company

ANNEXURE - III

SCHEDULE OF COMPLETION OF WORK

l	Internal	Electrification	of	Finance	Three month from the date of issue of
building, OPTCL, Bhubaneswar		r	Work order.		

NB : The details completion of work will be intimated at the time of placement of the Work Order.

ANNEXURE - IV

(ABSTRACT OF PRICE COMPONENT (TO ACCOMPANY PRICE BID)

1. Price Basis	F.O.R Purchaser's Destination Stores
2. Packing & Forwarding	
3. Rate of insurance charges	
4. Rate of Freight charges	
5. Rate of Excise duty	
6. Rate of Sales Tax	
7. Rate of other taxes/levies/duties etc.	
8. Rate of Entry Tax	
9. Rate of Service Tax	
10. Nature of Price	FIRM
Place : Date :	Signature of the Tenderer With Seal of Company

ANNEXURE – V

(To Accompany Price Bid)

SCHEDULE OF PRICE.

TENDER SPECIFICATION NO. 26 /2012-13

Serial	Description of Items	UNIT	Quantity	Unit Rate	Total Rate
	Recessed wiring to light point/exhaust fan point/call bell point with 1.5sqmm FR PVC insulated single core multistrand copper conductor of ISI marked with 20mm dia non-metallic PVC flexible conduit with 10Amp 250V Modular Switch, Base & Cover with 1.5sqmm FR PVC insulated single core multistrand copper conductor for running earth including all accessories & connection as per direction of Engineer in charge. (Make of wire: finolex/ Anchor/ Havels/ L&T/KDK) GROUP-A		50		
2	Recessed wiring to light point/exhaust fan point/call bell point with 1.5sqmm FR PVC insulated single core multistrand copper conductor of ISI marked with 20mm dia non-metallic PVC flexible conduit with 10Amp 250V Modular Switch, Base & Cover with 1.5sqmm FR PVC insulated single core multistrand copper conductor for running earth including all accessories & connection as per direction of Engineer in charge. (Make of wire: finolex/ Anchor/ Havels/ L&T/KDK) GROUP-B	Nos.	95		
3	Recessed wiring to light point/exhaust fan point/call bell point with 1.5sqmm FR PVC insulated single core multistrand copper conductor of ISI marked with 20mm dia non-metallic PVC flexible conduit with 10Amp 250V Modular Switch, Base & Cover with 1.5sqmm FR PVC insulated single core multistrand copper conductor for running earth including all accessories & connection as per direction of Engineer in charge. (Make of wire: finolex/ Anchor/ Havels/ L&T/ KDK) GROUP-C	Nos.	25		
4	Recessed wiring to TWO/ FOUR light point point in a single switch with 1.5sqmm FR PVC insulated single core multistrand copper conductor of ISI marked with 20mm dia non-metallic PVC flexible conduit with 10Amp 250V Modular Switch, Base & Cover with 1.5sqmm FR PVC insulated single core multistrand copper conductor for running earth including all accessories & connection as per direction of Engineer in charge. (Make of wire: finolex/Anchor/Havels/L&T/KDK)		40		
5	Recessed wiring to fan point with 1.5sqmm FR PVC insulated single core multistrand copper conductor of ISI marked with 20mm dia non-metallic PVC flexible conduit with 10Amp 250V Modular Switch, Stepped type Moudular Regulator, Base & Cover with 1.5sqmm FR PVC insulated single core multistrand copper conductor for running earth including all accessories & connection as per direction of Engineer in charge. (Make of wire: finolex/ Anchor/Havels/L&T/KDK)		150		

Serial No	Description of Items	UNIT	Quantity	Unit Rate	Total Rate
6	Recessed wiring to 10Amp plug switch point on the existing / separate board including all accessories & connection as per direction of Engineer in charge.	Nos.	55		
7	Recessed wiring to 20Amp plug switch point on the separate board including all accessories & connection as per direction of Engineer in charge.	Nos.	15		
8	Recessed wiring to 3Nos. of 20Amp plug switch with indicator point on the separate Computer board including all accessories & connection as per direction of Engineer in charge. Complete with all connection.	Nos.	70		
9	Supply & Wiring of one 63Amp 2pole isolator Switch to control the light & fans of the room. The switch will fix on the entrance of the each room.	Nos.	50		
10	Recessed wiring to twin telephone point with 0.5sqmm FR PVC insulated single core multistrand copper conductor for running earth including all accessories & connection as per direction of Engineer in charge. (Make of wire: Finolex/ Anchor/ Havels/ L&T/KDK)	Nos.	50		
	Supply & fixing of Bakelite cover and Dingdong bell/ Parrot type Musical bell.	Nos.	40		
12	Supply & Wiring of AC Point as 1No. 20amp SPN Industrial type socket outlet, with plug top & metal chained cover in sheet steel enclosure.)	Nos.	55		
	MAINS AND SUBMAINS.				
	Wiring for mains and sub mains in a concealed manner in roof slab, floor and walls using PVC copper stranded wires in Polythine/ PVC pipes of 2mm wall thickness, under 4 mm floor as given below with continuous copper earth wire, necessary GI junction boxes, pull boxes of 2 mm thickness, and as require complete with all accessories.				
	4X16+ 1X2.5 Sq. mm PVC insulated copper wire as submain.	Mtrs	800		
b)	4X10+ 1X2.5 Sq. mm PVC insulated copper wire as submain.	Mtrs	500		
c)	4X6+ 2X2.5 Sq. mm PVC insulated copper wire as submain.	Mtrs	900		
d)	2X4 +1x2.5 Sq.mm PVC insulated copper wire as submain.	Mtrs	5000		
e)	2X2.5 +1x1.5 Sq.mm PVC insulated copper wire as submain.	Mtrs	3000		
f)	1X2.5 +2x1.5 Sq.mm PVC insulated copper wire as submain.	Mtrs	5000		
g)	3X2.5 Sq.mm PVC insulated copper wire as submain for Computer points	Mtrs	3000		
h)	1/2Pair , 0.5sqmm FR PVC insulated copper conductor, unarmoured telephone cable	Mtrs	2000		

Serial	Description of Items	UNIT	Quantity	Unit Rate	Total Rate
No	·				
i)	4/5Pair , 0.5sqmm FR PVC insulated copper conductor, unarmoured telephone cable	Mtrs	1200		
14	Supply, fixing, erecting, connecting and commissioning of indoor type dust and vermin proof, sheet steel clad made of 2.0mm CR Sheet, double door type powder coated floor mounted Main Panel Boards suitable for 440 V, three phase, 4 wire 50 Hz AC Supply complete with cable glands with bottom detachable plates for arrangement with bottom/top cable entry, cable alleys, interconnections etc as below(BDB).Incommer 2 Nos-630 A, TPN MCCB (Micro processor Release-Icu-70kA) with interlock arrangement, Outgoings-250 A TPN MCCB (Micro processor Release-Icu-36kA) - 4 Nos,63 A TPN MCCB(63kA)- 8 Nos, 40 A SP MCB- 3 Nos (L&T/Legrand)		1		
	Supply, fixing, erecting, connecting and commissioning of indoor type dust and vermin proof, sheet steel clad made of 2.0mm CR Sheet, double door type powder coated floor mounted Floor Panel Boards suitable for 440 V, three phase, 4 wire 50 Hz AC Supply complete with cable glands with bottom detachable plates for arrangement with bottom/top cable entry, cable alleys, interconnections etc as below(BDB).Incommer 250 A TPN MCCB(Micro processor Release-Icu-36kA) - 1 No, Outgoings-63 A TPN MCCB- 5 Nos, 40 A SP MCB- 3 Nos (L&T/Legrand)		2		
16	Supply, fixing, erecting, connecting and commissioning of indoor type dust and vermin proof, sheet steel clad ready made, double door type powder coated wall mounted Room Distribution Boards suitable for 440 V, three phase, 4 wire 50 Hz AC Supply complete with cable glands with bottom detachable plates for arrangement with bottom cable entry, cable alleys, interconnections etc as below(BDB).Incommer 1 No-63 A, TPN MCCB Outgoings-32 A SPN MCB- 9 Nos,16 A SP MCB- 9 Nos (L&T/ Legrand) (For 6Nos. each floor)		18		
	Supply, fixing, erecting, connecting and commissioning of indoor type dust and vermin proof, sheet steel clad ready made, double door type powder coated wall mounted Computer Distribution Boards suitable for 440 V, three phase, 4 wire 50 Hz AC Supply complete with cable glands with bottom detachable plates for arrangement with bottom cable entry, cable alleys, interconnections etc as below(BDB).Incommer 1 No-32A, TP MCB Outgoings-16 A SP MCB- 12 Nos (L&T/ Legrand)		18		
18	Supply, fixing, erecting, connecting and commissioning of indoor type dust and vermin proof, sheet steel clad ready made, double door type powder coated wall mounted Telephone Junction Board with 3X10Pair Crone with all accessories & complete.		6		

Serial	Description of Items	LINIT	Quantity	Unit Rate	Total Rate
No	Description of items	OIVII	Quartity	Offic (Valo	Total Rate
19	Supply and laying 1.1 KV grade PVC insulated, PVC sheathed, unaramoured/ Armoured cable as mentioned below including digging, sand cushioning, KB Brick protection back filling for under ground cables with cable trench & cover, providing and fixing necessary cable clamps on walls, risers or cable tray fixed on the roof etc as required complete with making termination with supply of copper / Al. lugs, double compression cable glands, nuts, bolts and necessary crimping as follows:-				
а	3.5 X 300 Sq.mm Al. armoured cables from Floor distribution panel board to All distribution board.(2Nos Cable from substation to main panel)	Mtrs	80		
	3.5 X 120 Sq.mm Al. armoured cables from Floor distribution panel board to All Floor panel board.(1No Cable to each floor)		60		
c)	3.5 X 35 Sq.mm Al. armoured cables from Floor distribution panel board to branch distribution board.(1Nos. Cable to each BDB)	Mtrs	300		
d)	2.0 X 10 Sq.mm Al. armoured cables from Floor distribution panel board to computer distribution board.(for Street light)1No Cable to each floor.	Mtrs	100		
e)	Labour Charges for laying of 1No. 25Pair, 0.5sqmm FR PVC insulated copper conductor, unarmoured telephone cable. (The cable will supply by OPTCL.)		400		
20	Excavation in all type of soil including rock of size 900mmx900mmx3050mm, supply of GI earth electrode of size 600mm X600 mmX8 mm, one no. 40 x 5mm GI flat with nut bolted & bladed from the GI plate, 50kg common salt and 100 Kg coal dust per pit, 38 mm dia 3000 mm length G.I watering pipe with funnel, putting the earthing as per drawing with alternate layer of salt and coal dust, back filling with foreign soil, making earthing chamber with first class K.B Bricks, supply and putting of 450 mm X450 mm C.I / RCC earth pit cover complete in all respect.		5		
	Supplying, laying under ground, inside floors, in walls of 50mm x 6 mm size electrolyte GI earth strips as per site conditions and as per instruction of the engineer in charge complete with jointing the flats by welding with an over lap of 150 mm, painting the joint with bituminous paint, wrapping with H.T and insulating PVC tapes complete in all respect.		300		
22	Supply and fixing of 1x85W CFL Street light fittings with bulb, to be fitted on 50mm GI pipe with junction box etc.(Philips / CG/PAC/Havells make) or equivalent.		14		
	1x 400W MH/SV Post top fittings with bulb, to be fitted on 0.5Mtr of 75mm GI pipe with junction box, 6A MCB, neutral link etc. complete with all accessories. (Philips make) (To be fixed in the entrance Gate) Total	Nos.	2		
	(Twenty-three items only)				

(Twenty-three items only)

(RUPEES)
The above total price	e shall be including	all taxes & dutie	s except service tax

- NB: 1. The above total price shall be including all taxes & duties except service tax which shall be extra as per actual according to service tax rules.
 - 2. The rate quoted should be considered the dismantling of existing wiring & keeping the scrap materials within you if available. The bidders are requested to inspect the site before quoting the rate in the bid.

SIGNATURE OF TENDERER WITH SEAL

ANNEXURE – VI PROFORMA FOR BANK GUARANTEE FORM FOR EARNEST MONEY DEPOSIT

Ref	: Date :	Ba	ank Guarantee No:
1.		(OPTCL) (hereinafter refe purchase Messers	erred to as the OPTCL) for of
		Address	
) val ired to be submitted by (Indicate the name	lid for period of 240 days the Tenderer. We the of Bank)
	(hereinafter referred to as 'the Bank' (hereinafter referred to as Contracto guarantee and undertake to pay durin General Manager (S&S) ODISHA (India)	r(s) do hereby unequivoo g the above said period, POWER TRANSMISSION	cally and Un-conditionally on written request by the N CORPORATION LTD.
	An amount not exceeding `guarantee would remain valid up to 4.00 to this is required, the same willo	O P.M. of(date) a be extended on receiving	and if any further extension ng instructions from the
2.	We the	do hereby, furt	her undertake
	We the (Indicate the Name of the E	Bank)	
	to the pay the amounts due and payable demand from the OPTCL stating that the caused to or would be caused to or sure said Contractor(s) of any of the terms of demand made on the Bank shall be contracted.	he amount claimed is due ffered by the OPTCL by re or conditions or failure to p onclusive as regards the ar	by way of loss or damage ason of any breach by the perform said Bid. Any such mount due and payable by
	to an amount not exceeding `	·	
3.	We undertake to pay the OPTCL any redisputes so raised by the Contrainstituted/pending before any Court or Teleging absolute and unequivocal. The padischarge of our liability for payment the no claim against us for making such pay	actor(s)/Supplier(s) in an ribunal relating thereto, ou syment so made by us unde ere- under and the Contract ment.	y suit or proceeding r liability under this present er this bond shall be a valid or(s)/Supplier(s) shall have
4.	We the	further agree that the gua	arantee here-in
	(Indicate the Name of the Ban	k)	

contained shall remain in full force and effect during the aforesaid period of 240 days (Two Hundred Forty Days) and it shall continue to be so enforceable till all the dues to the OPTCL

ANNEXURE - VII

PROFORMA FOR COMPOSITE BANK GUARANTEE FOR SECURITY DEPOSIT PAYMENT AND PERFORMANCE

This	Guarantee Bond is executed this Bank at Dist	Day of	20 P.O	by us the
P.S.	Dist	State		·
1.	WHEREAS the ODISHA POWER TRAN constituted under the Electricity (Supply) placed orders No date on M/s (hereinaf) Act. 1948 (here	einafter called "the	e OPTCL") has
	AND WHEREAS the Contractor has agree said agreement, AND WHEREAS the OPTCL has agreed (1 Security, (2) to release 100% payment of (3) to exempt from performance guarante Composite Bank Guarantee of the value of the contract price of the said agreement. NOW THEREFORE in consideration Contractor from making payment of Securand (3) to exempt from furnishing performaforesaid, we the	the cost of material te on furnishing by of 10% (Ten percentage) of the OPTCL furity (2) releasing nance guarantee in the OPTCL gray the OPTCL described by the caused to or	ontractor from male als as per the said by the Contractor to ent)/8.5%(Eight & naving agreed (1) 100% payment to in terms of the said (hereinafter refiction) against suffered by the OF	king payment of agreement and of the OPTCL, a Half percent) of to exempt the of the Contractor diagreement as erred to as 'the not exceeding any loss or PTCL by reason
2.	We (theamounts due and payable under this gua the OPTCL stating that the amount claim suffered by the OPTCL by reason of any k or conditions contained in the said agre perform the said agreement. Any such d regards the amount due any payable by the	rantee without an led is due by way breach by the said ement or by readlemand made on	y demur, merely o y of loss or damag d Contractor(s) of a son of the Contra the Bank shall be	on demand from ge caused to or any of the terms ctor's failure to be conclusive as
	under this guarantee shall be restricted (Rupees)		nt not exceeding	`
3.	We the(Bankso demanded not withstanding any disputor proceeding instituted/pending before a under this present being absolute and une	e or disputes raise any Court or Trik	ed by the Contract	or(s) in any suit
	The payment so made by us under for payment there under and the Contractor payment.			
4.	contained shall remain in full force and a performance of the said agreement and t dues of the OPTCL under or by virtue o claims satisfied or discharged or till Mana CORPORATION LTD. Certifies that the been fully and properly carried out by the Guarantee. Unless a demand or claim under this	ffect during the p hat it shall continu f the said agreen aging Director, OE terms and condit said Contractor(s	ue to do so enforce nent have been fur DISHA POWER Trions of the said a si) and accordingly e on us in writing of	be taken for the teable till all the tilly paid and its RANSMISSION agreement have discharges this on or before the
	(Date) we shall be thereafter.	discharged from	ali liability under	uns guarantee
5.	We, (agree that the OP	

the said Contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would but this provisions have effect of so relieving us. 6. This guarantee will not be discharged due to the change in the name, style and constitution of the Bank and Contractor(s). 7. We. (_____ Bank) lastly undertake not to revoke this guarantee during its currency except with the previous consent of the OPTCL in writing. Date at _____ bay of Two thousand 8. We the Bank further agree that this guarantee shall also be invokable at our place of business at Bhubaneswar branch (Indicate the name of the branch) in the state of Odisha. Not With Standing Clause: 9. 1. Our liability under the Bank Guarantee is restricted to `..... 2. this Bank Guarantee shall be valid upto..... 3. We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only and only if you serve upon us at Bhubaneswar branch (Indicate the detail address of the branch) a written claim or demand or before.) Dated the _____ Date of ____ Witness :(With signature, name & address) 1. 2.

(Indicate the name of Bank)

hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said Contractor(s) and we shall not be relieved from our liability by reason of any such variations or extension being granted to the said Contractor(s) or for any forbearance, act or omission on the part of the OPTCL or any indulgence by the OPTCL to

ANNEXURE-VIII

PROFORMA FOR PERFORMANCE GUARANTEE.

1.	In consideration of the Chairman-cum-Managing Director, ODISHA POWER TRANSMISSION CORPORATION LTD. (Hereinafter called 'The OPTCL') having agreed to exempt M/s
	exempt M/s hereinafter called 'the said Contractor(s) from the demand under the terms & conditions of an agreement
	No dated made between and for
	(hereinafter called 'the said Agreement') for security Deposit for satisfactory performance of materials (as detailed in the said agreement) during the guarantee period (as detailed in the said agreement) and for the due fulfillment by the said Contractor(s) of the terms and conditions contained in the said agreement on production of Bank Guarantee for
	` (Rupees) only. We
	Bank limited (hereinafter referred to as 'the Bank') at the request of Contractor(s) do hereby undertake to pay to the OPTCL an amount not
	exceeding ` only) against any loss or damage
2.	caused to or suffered or would be caused to suffered by the OPTCL by reasons any of breach by the said Contractor(s) of any of the terms or conditions contained in the said agreement. We Bank Limited do hereby undertake to (<i>Indicate</i>
	the name of the Bank) Pay the amount due and payable under this guarantee without any demur, merely on a demand from the OPTCL stating that the amount claimed is due by way of loss or damaged caused to or would be caused to or suffered by the OPTCL by reasons of any breach by the said Contractor(s) of any of the terms or conditions contained in the said agreement or by reasons of the Contractor's failure to perform the said agreement. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not
	exceeding (Rupees
3.	We the
4.	We the Bank Limited further agree that the (Indicate
	the name of the Bank) guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be so enforceable till all the dues of the OPTCL under or by virtue of the said agreement, have been full paid and its claims satisfied or discharged or until Managing Director, ODISHA POWER TRANSMISSION CORPORATION LTD. Certifies that the terms and conditions of the said agreement have been fully and properly carried out by the said Contractor(s) and accordingly, discharges this guarantee. Unless a demand or claim under the guarantee is made on us in writing on or before the expiry of Eighteen months from the last delivery of materials or Twelve months from its use whichever is earlier we shall be discharged from all liabilities
5.	under this guarantee thereafter. We the Bank Limited further agree with the (Indicate)
.	the name of the Bank)
	OPTCL that the OPTCL shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said Contractor(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reasons of any such variation, postponement, or extension being

6.	law rela	ating to sureties would but for	y any such matter or thing what so ever which under the his provision have effect of so relieving us. due to the change in the name, style and constitution of r(s)
7.			Bank Limited lastly undertake not to (Indicate
		me of the Bank)	
	revoke writing.	-	ency except with the previous consent of the OPTCL in
8.			Bank further agree that this guarantee shall
		invokable at our place of bus in the state of Odisha.	iness at Bhubaneswar branch (Indicate the name of the
9.	Not Wit	th Standing Clause:	
	2. this B 3. We a only an	Bank Guarantee shall be valid are liable to pay the guarantee	d amount or any part thereof under this Bank Guarantee Bhubaneswar branch (Indicate the detail address of the
	Dated t	he	Date of
Witnes	ss	:(With signature, name & a	ldress)
		1. 2.	
		z. For	
		. •.	(Indicate the name of Bank)

ANNEXURE-IX

PROFORMA FOR BANK GUARANTEE FOR 100% PAYMENT.

1.	In consideration of the Chairman-cum-Managing Director, ODISHA POWER TRANSMISSION CORPORATION LTD (hereinafter called 'The OPTCL') having agreed to allow M/s (hereinafter called the 'said Contractor(s), 100% payment on proof of verification of the materials delivered under the terms and conditions of an agreement No Dated made between ODISHA POWER TRANSMISSION CORPORATION LTD., Bhubaneswar and M/s for supply of materials (as detailed in the said agreement) and for the due fulfillment by the said Contractor(s) of the terms and conditions contained in the said agreement, on production of a Bank Guarantee for `
	(Rupees) We (the
	Bank) (hereinafter
	referred to as 'the Bank') do hereby undertake to pay to the OPTCL an amount not exceeding
	` (Rupees) against any loss or
	damage caused to or suffered by or would be caused to or suffered by the OPTCL by reasons of any breach by the said Contractor(s) of any of the terms and conditions contained in the said agreement.
2.	We (the Bank) do hereby under take to pay the amounts
	due and payable under this guarantee without any demur, merely on a demand from the OPTCL stating that the amount claimed is due by way of loss or damage caused to or suffered by the OPTCL by reasons of any breach by the said Contractor(s) of any of the terms or conditions contained in the said agreement or by reason of the Contractor(s) failure to perform the said agreement. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability
	under this guarantee shall be restricted to an amount not exceeding ` (Rupees
3.	We the
	payment.
4.	We, (Bank) further agree that the Guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be so enforceable till all the dues of the OPTCL under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till Managing Director, ODISHA POWER TRANSMISSION CORPORATION LTD. Certificates that the terms & conditions of the said agreement have been fully and properly carried out by the said Contractor(s) and accordingly discharges this guarantee.
	Unless a demand or claim under this guarantee is made on us in writing on or before the (Date) we shall be discharged from all liability under this guarantee thereafter.
5.	We the Bank Limited further agree with the OPTCL that the OPTCL shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said Contractor(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reasons of any such variation, postponement, or extension being granted to the said Contractor(s) or by any such matter or thing what so ever which under the law relating to sureties would but for this provision have effect of so relieving us.
6.	This guarantee will not be discharged due to the change in the name, style and constitution of
7.	the Bank or the Contractor(s)/Supplier(s). This guarantee will not be discharged due to the change in the name, style & constitution of the Bank or the contractors/suppliers.

This pe	Bank) lastly undertake not to revoke this guarantee currency except with previous consent of the OPTCL in writing. erformance Bank Guarantee will remain in force up to
8.	We the Bank further agree that this guarantee shall also be invokable at our place of business at Bhubaneswar branch (Indicate the name of the branch) in the state of Odisha.
9.	Not With Standing Clause:
	1.Our liability under the Bank Guarantee is restricted to `
	2. this Bank Guarantee shall be valid upto
	3. We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only and only if you serve upon us at Bhubaneswar branch (Indicate the detail address of the branch) a written claim or demand or before.)
	Dated the Date of
Witnes	ss :(With signature, name & address)
	1.
	2.
	For(Indicate the name of Bank)
	(Indicate the name of bank)