

**ODISHA POWER TRANSMISSION CORPORATION LIMITED**

**Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN along with 220 KV D.C Transmission Line from Proposed Pratapsasan S/S to Nuapada,Cuttack 220/132/33 KV S/S & 132 KVDC Transmission line from proposed Pratapsasan S/S to 132/33 S/S at Phulnakhara & 2 Nos 132 KV Feeder Bay extension at 132/33 KV S/S at Phulnakhara**

**BID DOCUMENT No.: Sr.G.M-CPC-TENDER- PRATAPSASAN PACKAGE- 08 / 2012-13**

**NOTICE INVITING TENDER-NIT NO. 08 / 2012-13**

**(Item wise Price of Mandatory Spares for Package PRATAPSASAN )**

Sl. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASAN	Unit Ex-works (Rs.)	Total Ex-works (Rs.)	Mode of Transaction/ (Bought out/Direct)	Excise Duty (Rs.)	Sales Tax/VAT (Rs.)	Other levies (if any)	Unit (F&I)	Total (F&I)
1	2	3	4	5	6=4X5	7	8	9	10	11	12=11X4
1	245 KV,1200-600-300A,40KA,5CORE SINGLE PHASE CURRENT TRANSFORMER INCLUDING TERMINAL CONNECTOR	NOS	2								
<b>2</b>	<b>245 KV,2000A,40KA,ISOLATORS</b>										
2.1	MALE & FEMALE CONTACTS	SET	1								
2.2	POWER CONTACTOR,RELAYS,MCBs, SWITCHES,FUSES,PUSH BUTTONS,RESISTORS ETC AS PER APPROVED SCHEMATIC.	SET	1								
2.3	LIMIT SWITCH	SET	2								
2.4	MOTOR WITH GEAR ASSEMBLY & BEVEL GEAR ASSEMBLY COMPLETE.	SET	1								
2.5	AUXILIARY SWITCH CONTACTS ASSEMBLY	SET	1								
2.6	EARTHING ROD & BLADE CONTACT SIDE	SET	1								
2.7	HINGE PINS,TERMINAL CONNECTOR,TERMINAL PAD	SET	1								
	<b>SUB TOTAL OF 2</b>										
3	245 KV,4400pF,3CORE,SINGLE PHASE CAPACITOR VOLTAGE TRANSFORMER INCLUDING TERMINAL CONNECTOR	NOS	1								
<b>4</b>	<b>245KV,3150A,40KA,SF6,CIRCUIT BREAKER</b>										
4.1	COMPLETE ONE POLE ASSEMBLY OF BREAKER	NOS	1								
4.2	SPRING CHARGING/PNEUMATIC MOTOR	NOS	1								
4.3	BREKER AUXILIARY CONTACTS	SET	1								

Sl. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASHAN	Unit Ex-works (Rs.)	Total Ex-works (Rs.)	Mode of Transaction/ (Bought out/Direct)	Excise Duty (Rs.)	Sales Tax/VAT (Rs.)	Other levies (if any)	Unit (F&I)	Total (F&I)
1	2	3	4	5	6=4X5	7	8	9	10	11	12=11X4
4.4	POWER CONTACTORS,RELAYS,MCBs, SWITCHES,FUSES,PUSH BUTTONS,RESISTORS,PRESSURE SWITCHES,LIMIT SWITCHES, ETC AS PER APPROVED SCHEMATIC.	SET	1								
4.5	DENSITY MONITORING SYSTEM	SET	1								
4.6	CLOSING COIL	NOS	4								
4.7	TRIPPING COIL	NOS	4								
4.8	SF6 GAS FILLING DEVICE	NOS	1								
4.9	SET OF GASKETS ,"O" RINGS,SEALS PER CIRCUIT BREAKER	SET	1								
	<b>SUB TOTAL OF 4</b>										
5	216 KV,METAL OXIDE, 10 KA, CLASS III SURGE ARRESTOR COMPLETE WITH INSULATING BASE & SURGE MONITOR	NOS	2								
6	245 KV, 2 CORE,SINGLE PHASE,IVT INCLUDING TERMINAL CONNECTOR	NOS	1								
7	220 KV Bus Post Insulators	NOS	4								
8	145 KV,(800-400-200 A),31.5KA,4CORE SINGLE PHASE CURRENT TRANSFORMER INCLUDING TERMINAL CONNECTOR	NOS	2								
	<b>145 KV,1200A,31.5KA,ISOLATORS</b>										
9.1	MALE & FEMALE CONTACTS	SET	1								
9.2	POWER CONTACTOR,RELAYS,MCBs, SWITCHES,FUSES,PUSH BUTTONS,RESISTORS ETC AS PER APPROVED SCHEMATIC.	SET	1								
9.3	LIMIT SWITCH	SET	2								
9.4	MOTOR WITH GEAR ASSEMBLY & BEVEL GEAR ASSEMBLY COMPLETE.	SET	1								
9.5	AUXILIARY SWITCH CONTACTS ASSEMBLY	SET	1								
9.6	EARTHING ROD & BLADE CONTACT SIDE	SET	1								
9.7	HINGE PINS,TERMINAL CONNECTOR,TERMINAL PAD	SET	1								
	<b>SUB TOTAL OF 9</b>										
10	145 KV,6600pF,3CORE,SINGLE PHASE CAPACITOR VOLTAGE TRANSFORMER INCLUDING TERMINAL CONNECTOR	NOS	1								

Sl. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASAN	Unit Ex-works (Rs.)	Total Ex-works (Rs.)	Mode of Transaction/ (Bought out/Direct)	Excise Duty (Rs.)	Sales Tax/VAT (Rs.)	Other levies (if any)	Unit (F&I)	Total (F&I)
1	2	3	4	5	6=4X5	7	8	9	10	11	12=11X4
11	120 KV,METAL OXIDE, 10 KA CLASS III SURGE ARRESTOR COMPLETING WITH INSULATING BASE & SURGE MONITOR.	NOS	2								
12	145 KV ,2 CORE,SINGLE PHASE,IVT INCLUDING TERMINAL CONNECTOR	NOS	1								
13	132 KV Bus Post Insulators	NOS	3								
<b>14</b>	<b>145KV,3150A,31.5KA,SF6,CIRCUIT BREAKER</b>										
14.1	COMPLETE ONE POLE ASSEMBLY OF BREAKER	NOS	1								
14.2	SPRING CHARGING MOTOR	NOS	1								
14.3	BREKER AUXILIARY CONTACTS	SET	1								
14.4	POWER CONTACTORS,RELAYS,MCBs, SWITCHES,FUSES,PUSH BUTTONS,RESISTORS,PRESSURE SWITCHES,LIMIT SWITCHES, ETC AS PER APPROVED SCHEMATIC.	SET	1								
14.5	DENSITY MONITORING SYSTEM	SET	1								
14.6	CLOSING COIL	NOS	4								
14.7	TRIPPING COIL	NOS	4								
14.8	SF6 GAS FILLING DEVICE	NOS	1								
14.9	SET OF GASKETS,"O" RINGS,SEALS PER CIRCUIT BREAKER	SET	1								
	<b>SUB TOTAL OF 14</b>										
15	36 KV,(Different Ratio),25KA,3CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	2								
<b>16</b>	<b>36 KV,800A,25KA,ISOLATORS</b>										
16.1	MALE & FEMALE CONTACTS	SET	1								
16.2	POWER CONTACTOR,RELAYS,MCBs, SWITCHES,FUSES,PUSH BUTTONS,RESISTORS ETC AS PER APPROVED SCHEMATIC.	SET	1								
16.3	LIMIT SWITCH	SET	2								
16.4	MOTOR WITH GEAR ASSEMBLY & BEVEL GEAR ASSEMBLY COMPLETE.	SET	1								
16.5	AUXILIARY SWITCH CONTACTS ASSEMBLY	SET	1								
16.6	EARTHING ROD & BLADE CONTACT SIDE	SET	1								
16.7	HINGE PINS,TERMINAL CONNECTOR,TERMINAL PAD	SET	1								
	<b>SUB TOTAL OF 16</b>										

Sl. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASAN	Unit Ex-works (Rs.)	Total Ex-works (Rs.)	Mode of Transaction/ (Bought out/Direct)	Excise Duty (Rs.)	Sales Tax/VAT (Rs.)	Other levies (if any)	Unit (F&I)	Total (F&I)
1	2	3	4	5	6=4X5	7	8	9	10	11	12=11X4
17	30 KV,METAL OXIDE, 10 KA CLASS II SURGE ARRESTOR COMPLETE WITH INSULATOR BASE AND SURGE MONITOR	NOS	3								
18	36 KV ,2 CORE,SINGLE PHASE,IVT INCLUDING TERMINAL CONNECTOR	NOS	1								
19	<b>36KV,1250A,25KA,VACUUM CIRCUIT BREAKER</b>										
19.1	ONE COMPLETE POLE ASSEMBLY OF CIRCUIT BREAKER	SET	1								
19.2	TRIPPING COILS	NOS	4								
19.3	CLOSING COIL	NOS	4								
19.4	SPRING CHARGING MOTOR	NOS	1								
19.5	AUXILIARY SWITCH CONTACTS ASSEMBLY	SET	1								
19.6	SET OF GASKET,"O" RINGS,SEALING PER CIRCUIT BREAKER	SET	1								
19.7	POWER CONTACTORS,RELAYS,MCBs, SWITCHES,FUSES,PUSH BUTTONS,RESISTORS,PRESSURE SWITCHES,LIMIT SWITCHES, ETC AS PER APPROVED SCHEMATIC.	SET	1								
	<b>SUB TOTAL OF 19</b>										
20	33 KV Bus Post Insulators	NOS	3								
21	<b>BUS BAR &amp; CIRCUIT MATERIALS</b>										
21.1	160 kN ANTIFOG INSULATOR STRINGS <i>for twin Moose cond</i> ( TENSION)-220 KV	SET	2								
21.2	160 kN ANTIFOG INSULATOR STRINGS <i>for single Moose cond</i> (TENSION)-220 KV	SET	2								
21.3	120 kN ANTIFOG INSULATOR STRINGS <i>for Double Moose cond</i> (TENSION)-132 KV	SET	2								
21.4	120 kN ANTIFOG INSULATOR STRINGS <i>for Single Moose cond</i> ( TENSION)-132 KV	SET	2								
21.5	120 kN ANTIFOG INSULATOR STRINGS <i>for Double Moose cond</i> ( TENSION)-33 KV	SET	2								
21.6	120 kN ANTIFOG INSULATOR STRINGS <i>for Single Moose cond</i> (TENSION)-33 KV	SET	2								
21.7	90 kN ANTIFOG INSULATOR STRINGS <i>for Double/ Single Moose cond</i> ( SUSPENSION)-220 KV	SET	2								

SI. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASHAN	Unit Ex-works (Rs.)	Total Ex-works (Rs.)	Mode of Transaction/ (Bought out/Direct)	Excise Duty (Rs.)	Sales Tax/VAT (Rs.)	Other levies (if any)	Unit (F&I)	Total (F&I)
1	2	3	4	5	6=4X5	7	8	9	10	11	12=11X4
21.8	90 kN ANTIFOG INSULATOR STRINGS <i>for Double/ Single Moose cond</i> (SUSPENSION)-132 KV	SET	2								
21.9	90 kN ANTIFOG INSULATOR STRINGS <i>for Double/ Single Moose cond</i> (SUSPENSION)-33 KV	SET	2								
	<b>SUB TOTAL OF 21</b>										
22	ACSR MOOSE CONDUCTOR	MTRS	500								
23	HARDWARES & FITTINGS/SPACERS/CLAMP & CONNECTORS	SET (EACH TYPE THREE NOS.)	1								
24	<b>GENERAL EQUIPMENT &amp; SUBSTATION ACCESSORIES</b>										
24.1	<b>POWER CABLES,1.1KV,XLPE,ARMOURED, ALUMINIUM CONDUCTOR(As per Specification)</b>										
24.1.1	3.5 CX300 mm <sup>2</sup> (ONE PIECE OF MAXM. LENGTH OF CABLE USED)	PCS.	1								
24.1.2	3.5 CX185 mm <sup>2</sup> (ONE PIECE OF MAXM. LENGTH OF CABLE USED)	PCS.	1								
24.1.3	3.5 CX120 mm <sup>2</sup> (ONE PIECE OF MAXM. LENGTH OF CABLE USED)	PCS.	1								
24.1.4	3.5 CX70 mm <sup>2</sup> (ONE PIECE OF MAXM. LENGTH OF CABLE USED)	PCS.	1								
24.1.5	3.5 CX35 mm <sup>2</sup> (ONE PIECE OF MAXM. LENGTH OF CABLE USED)	PCS.	1								
24.1.6	4 CX 16 mm <sup>2</sup>	MTRS	250								
24.1.7	4 CX 6 mm <sup>2</sup>	MTRS	250								
24.1.8	2CX 6 mm <sup>2</sup>	MTRS	250								
	<b>SUB TOTAL OF 24.1</b>										
24.2	<b>CONTROL CABLES,1.1 KV, PVC,STRANDED COPPER(As per specification)</b>										
24.2.1	4 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 500 MTRS)	NOS.	1								
24.2.2	5 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 500 MTRS)	NOS.	1								

SI. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASAN	Unit Ex-works (Rs.)	Total Ex-works (Rs.)	Mode of Transaction/ (Bought out/Direct)	Excise Duty (Rs.)	Sales Tax/VAT (Rs.)	Other levies (if any)	Unit (F&I)	Total (F&I)
1	2	3	4	5	6=4X5	7	8	9	10	11	12=11X4
24.2.3	7 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 500 MTRS)	NOS.	1								
24.2.4	10 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 500 MTRS)	NOS.	1								
24.2.5	12 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 250 MTRS)	NOS.	1								
24.2.6	16 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 250 MTRS)	NOS.	1								
24.2.7	19 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 250 MTRS)	NOS.	1								
24.2.8	1CX 120 mm <sup>2</sup> BAT TO BAT CHARGER & CHARGER TO DCDB	MTRS	50								
	<b>SUB TOTAL OF 24.2</b>										
<b>24.3</b>	<b>CARRIER COMMUNICATION &amp; OTHER MATERIALS</b>										
24.3.1	220 KV,1600 A,1mH,Pedestal Mounting WAVE TRAP	NOS	1								
24.3.2	132 KV,800 A,0.5mH,Pedestal Mounting WAVE TRAP	NOS	1								
24.3.3	LINE MATCHING UNIT & LINE MATCHING DISTRIBUTION UNIT	SET	1								
24.3.4	PLANTE TYPE BATTERY 350 AH, ONE COMPLETE ASSEMBLY OF ONE BATTERY CELL (FOR 48 V)	NO	1								
24.3.5	PLANTE TYPE BATTERY 350 AH, ONE COMPLETE ASSEMBLY OF ONE BATTERY CELL (FOR 220 V)	NO	1								
24.3.6	BATTERY CHARGER(FLOAT CUM BOOST) FOR 350 AH (48V) ONE COMPLETE SET OF ELECTRONIC CARDS	SET	1								
24.3.7	BATTERY CHARGER(FLOAT AND FLOAT CUM BOOST) FOR 350 AH (220V) ONE COMPLETE SET OF ELECTRONIC CARDS	SET	1								
	<b>SUB TOTAL OF 24.3</b>										
<b>25</b>	<b>PROTECTION,CONTROL METERING,EVENT LOGGER,BUS BAR PROTN PAN,COMM PAN,RELAY TOOL KITS AS PER TECH SPEC AND BOQ FOR PCM</b>										
25.1	<b>220 KV SIDE</b>										
25.1.1	DISTANCE PROTECTION RELAY	NOS	1								
25.1.2	OVER CURRENT & EARTH FAULT RELAY	NOS	1								
25.1.3	MASTER TRIP RELAY	NOS	2								
25.1.4	DIFFERENTIAL PROTECTION RELAY	NOS	1								
25.1.5	TRIP SUPERVISION RELAY	NOS	3								

SI. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASHAN	Unit Ex-works (Rs.)	Total Ex-works (Rs.)	Mode of Transaction/ (Bought out/Direct)	Excise Duty (Rs.)	Sales Tax/VAT (Rs.)	Other levies (if any)	Unit (F&I)	Total (F&I)
1	2	3	4	5	6=4X5	7	8	9	10	11	12=11X4
25.1.6	OTHER AUXILIARY RELAYS(EACH 1 NO. OF DIFFERENT TYPE)	SET	1								
25.1.7	ANNUNCIATOR	NOS	1								
25.1.8	DISCREPANCY CONTROL SWITCH										
25.1.9	a) FOR CIRCUIT BREAKER	NOS	2								
25.1.10	b) FOR ISOLATOR	NOS	2								
25.1.11	PROTECTION TRANSFER SWITCH	NOS	1								
25.1.12	AMMETER SELECTOR SWITCH	NOS	2								
25.1.13	VOLTMETER SELECTOR SWITCH	NOS	2								
25.1.14	AMMETER ALONG WITH TRANSDUCER	SET	2								
25.1.15	VOLTMETER ALONG WITH TRANSDUCER	SET	1								
25.1.16	MW METER ALONG WITH TRANSDUCER	SET	1								
25.1.17	MVAR METER ALONG WITH TRANSDUCER	SET	1								
	<b>SUB TOTAL OF 25.1</b>										
25.2	<b>132 KV SIDE</b>										
25.2.1	DISTANCE PROTECTION RELAY	NOS	1								
25.2.2	OVER CURRENT & EARTH FAULT RELAY	NOS	1								
25.2.3	MASTER TRIP RELAY	NOS	2								
25.2.4	DIFFERENTIAL PROTECTION RELAY	NOS	1								
25.2.5	TRIP SUPERVISION RELAY	NOS	3								
25.2.6	OTHER AUXILIARY RELAYS(EACH 1 NO. OF DIFFERENT TYPE)	SET	1								
25.2.7	ANNUNCIATOR	NOS	1								
25.2.8	DISCREPANCY CONTROL SWITCH										
25.2.9	a) FOR CIRCUIT BREAKER	NOS	2								
25.2.10	b) FOR ISOLATOR	NOS	2								
25.2.11	PROTECTION TRANSFER SWITCH	NOS	1								
25.2.12	AMMETER SELECTOR SWITCH	NOS	2								
25.2.13	VOLTMETER SELECTOR SWITCH	NOS	2								
25.2.14	AMMETER ALONG WITH TRANSDUCER	SET	2								
25.2.15	VOLTMETER ALONG WITH TRANSDUCER	SET	1								
25.2.16	MW METER ALONG WITH TRANSDUCER	SET	1								
25.2.17	MVAR METER ALONG WITH TRANSDUCER	SET	1								
	<b>SUB TOTAL OF 25.2</b>										

Sl. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASHAN	Unit Ex-works (Rs.)	Total Ex-works (Rs.)	Mode of Transaction/ (Bought out/Direct)	Excise Duty (Rs.)	Sales Tax/VAT (Rs.)	Other levies (if any)	Unit (F&I)	Total (F&I)
1	2	3	4	5	6=4X5	7	8	9	10	11	12=11X4
25.3	<b>33 KV SIDE</b>										
25.3.1	OVER CURRENT & EARTH FAULT RELAY	NOS	1								
25.3.2	MASTER TRIP RELAY	NOS	2								
25.3.3	OTHER AUXILIARY RELAYS (EACH 1 NO. OF DIFFERENT TYPE)	SET	1								
25.3.4	ANNUNCIATOR	NOS	1								
25.3.5	CONTROL SWITCHES FOR										
25.3.6	a) CIRCUIT BREAKER	NOS	2								
25.3.7	b) ISOLATOR	NOS	2								
25.3.8	PROTECTION TRANSFER SWITCH	NOS	1								
25.3.9	AMMETER SELECTOR SWITCH	NOS	2								
25.3.10	VOLTMETER SELECTOR SWITCH	NOS	2								
25.3.11	AMMETER ALONG WITH TRANSDUCER	SET	2								
25.3.12	VOLTMETER ALONG WITH TRANSDUCER	SET	1								
25.3.13	MW METER ALONG WITH TRANSDUCER	SET	1								
25.3.14	MVAR METER ALONG WITH TRANSDUCER	SET	1								
	<b>SUB TOTAL OF 25.3</b>										
	<b>TOTAL OF SCHEDULE-3</b>										

Note:

1 Before filling up rate/amount etc. in the schedules bidders are requested to read carefully the instruction given in Vol-I of Bidding Document.

2 Bidders are required to fill up amount in all column except shaded portion.

3 Bidders are requested to not leave any column blank. If any column is left blank it shall be considered that amount against those items are included in any other item and the total amount for that item shall be calculated as free of cost (Zero value).

4 Kindly enclose soft copy of the duly filled schedule in a CD with the priced copy of Bid.

5 In mode of transaction column please indicate Direct/Bought-Out. For Taxes & Duties on Direct/Bought-out items ref clause 6.0 of SCC (Vol-IA)

6 Bidder should quoted F&I including service tax, no service tax shall be paid/reimbursed on this account.

Date :

Place:

(Signature).....

(Printed Name).....

(Designation).....

(Common Seal).....



**ODISHA POWER TRANSMISSION**

**Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRANUAPADA,CUTTACK 220/132/33 KV S/S & 132 KVDC Transmission line from proposed Pratapsashan Phul**

**BID DOCUMENT No.: Sr.G.M-CPC-TENDI**

**NOTICE INVITING TENDERS**

**(Item wise Price of Mandatory Spares)**

Sl. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASHAN
1	2	3	4
1	245 KV,1200-600-300A,40KA,5CORE SINGLE PHASE CURRENT TRANSFORMER INCLUDING TERMINAL CONNECTOR	NOS	2
<b>2</b>	<b>245 KV,2000A,40KA,ISOLATORS</b>		
2.1	MALE & FEMALE CONTACTS	SET	1
2.2	POWER CONTACTOR,RELAYS,MCBs, SWITCHES,FUSES,PUSH BUTTONS,RESISTORS ETC AS PER APPROVED SCHEMATIC.	SET	1
2.3	LIMIT SWITCH	SET	2
2.4	MOTOR WITH GEAR ASSEMBLY & BEVEL GEAR ASSEMBLY COMPLETE.	SET	1
2.5	AUXILIARY SWITCH CONTACTS ASSEMBLY	SET	1
2.6	EARTHING ROD & BLADE CONTACT SIDE	SET	1
2.7	HINGE PINS,TERMINAL CONNECTOR,TERMINAL PAD	SET	1
	<b>SUB TOTAL OF 2</b>		
3	245 KV,4400pF,3CORE,SINGLE PHASE CAPACITOR VOLTAGE TRANSFORMER INCLUDING TERMINAL CONNECTOR	NOS	1
<b>4</b>	<b>245KV,3150A,40KA,SF6,CIRCUIT BREAKER</b>		
4.1	COMPLETE ONE POLE ASSEMBLY OF BREAKER	NOS	1
4.2	SPRING CHARGING/PNEUMATIC MOTOR	NOS	1
4.3	BREKER AUXILIARY CONTACTS	SET	1

Sl. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASAN
1	2	3	4
4.4	POWER CONTACTORS,RELAYS,MCBs, SWITCHES,FUSES,PUSH BUTTONS,RESISTORS,PRESSURE SWITCHES,LIMIT SWITCHES, ETC AS PER APPROVED SCHEMATIC.	SET	1
4.5	DENSITY MONITORING SYSTEM	SET	1
4.6	CLOSING COIL	NOS	4
4.7	TRIPPING COIL	NOS	4
4.8	SF6 GAS FILLING DEVICE	NOS	1
4.9	SET OF GASKETS ,"O" RINGS,SEALS PER CIRCUIT BREAKER	SET	1
<b>SUB TOTAL OF 4</b>			
5	216 KV,METAL OXIDE, 10 KA, CLASS III SURGE ARRESTOR COMPLETE WITH INSULATING BASE & SURGE MONITOR	NOS	2
6	245 KV, 2 CORE,SINGLE PHASE,IVT INCLUDING TERMINAL CONNECTOR	NOS	1
7	220 KV Bus Post Insulators	NOS	4
8	145 KV,(800-400-200 A),31.5KA,4CORE SINGLE PHASE CURRENT TRANSFORMER INCLUDING TERMINAL CONNECTOR	NOS	2
<b>9</b>			
<b>145 KV,1200A,31.5KA,ISOLATORS</b>			
9.1	MALE & FEMALE CONTACTS	SET	1
9.2	POWER CONTACTOR,RELAYS,MCBs, SWITCHES,FUSES,PUSH BUTTONS,RESISTORS ETC AS PER APPROVED SCHEMATIC.	SET	1
9.3	LIMIT SWITCH	SET	2
9.4	MOTOR WITH GEAR ASSEMBLY & BEVEL GEAR ASSEMBLY COMPLETE.	SET	1
9.5	AUXILIARY SWITCH CONTACTS ASSEMBLY	SET	1
9.6	EARTHING ROD & BLADE CONTACT SIDE	SET	1
9.7	HINGE PINS,TERMINAL CONNECTOR,TERMINAL PAD	SET	1
<b>SUB TOTAL OF 9</b>			
10	145 KV,6600pF,3CORE,SINGLE PHASE CAPACITOR VOLTAGE TRANSFORMER INCLUDING TERMINAL CONNECTOR	NOS	1

Sl. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASAN
1	2	3	4
11	120 KV,METAL OXIDE, 10 KA CLASS III SURGE ARRESTOR COMPLETING WITH INSULATING BASE & SURGE MONITOR.	NOS	2
12	145 KV ,2 CORE,SINGLE PHASE,IVT INCLUDING TERMINAL CONNECTOR	NOS	1
13	132 KV Bus Post Insulators	NOS	3
<b>14</b>	<b>145KV,3150A,31.5KA,SF6,CIRCUIT BREAKER</b>		
14.1	COMPLETE ONE POLE ASSEMBLY OF BREAKER	NOS	1
14.2	SPRING CHARGING MOTOR	NOS	1
14.3	BREKER AUXILIARY CONTACTS	SET	1
14.4	POWER CONTACTORS,RELAYS,MCBs, SWITCHES,FUSES,PUSH BUTTONS,RESISTORS,PRESSURE SWITCHES,LIMIT SWITCHES, ETC AS PER APPROVED SCHEMATIC.	SET	1
14.5	DENSITY MONITORING SYSTEM	SET	1
14.6	CLOSING COIL	NOS	4
14.7	TRIPPING COIL	NOS	4
14.8	SF6 GAS FILLING DEVICE	NOS	1
14.9	SET OF GASKETS,"O" RINGS,SEALS PER CIRCUIT BREAKER	SET	1
	<b>SUB TOTAL OF 14</b>		
15	36 KV,(Different Ratio),25KA,3CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	2
<b>16</b>	<b>36 KV,800A,25KA,ISOLATORS</b>		
16.1	MALE & FEMALE CONTACTS	SET	1
16.2	POWER CONTACTOR,RELAYS,MCBs, SWITCHES,FUSES,PUSH BUTTONS,RESISTORS ETC AS PER APPROVED SCHEMATIC.	SET	1
16.3	LIMIT SWITCH	SET	2
16.4	MOTOR WITH GEAR ASSEMBLY & BEVEL GEAR ASSEMBLY COMPLETE.	SET	1
16.5	AUXILIARY SWITCH CONTACTS ASSEMBLY	SET	1
16.6	EARTHING ROD & BLADE CONTACT SIDE	SET	1
16.7	HINGE PINS,TERMINAL CONNECTOR,TERMINAL PAD	SET	1
	<b>SUB TOTAL OF 16</b>		

Sl. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASAN
1	2	3	4
17	<b>30 KV,METAL OXIDE, 10 KA CLASS II SURGE ARRESTOR COMPLETE WITH INSULATOR BASE AND SURGE MONITOR</b>	NOS	3
18	36 KV ,2 CORE,SINGLE PHASE,IVT INCLUDING TERMINAL CONNECTOR	NOS	1
19	<b>36KV,1250A,25KA,VACUUM CIRCUIT BREAKER</b>		
19.1	ONE COMPLETE POLE ASSEMBLY OF CIRCUIT BREAKER	SET	1
19.2	TRIPPING COILS	NOS	4
19.3	CLOSING COIL	NOS	4
19.4	SPRING CHARGING MOTOR	NOS	1
19.5	AUXILIARY SWITCH CONTACTS ASSEMBLY	SET	1
19.6	SET OF GASKET,"O" RINGS,SEALING PER CIRCUIT BREAKER	SET	1
19.7	POWER CONTACTORS,RELAYS,MCBs, SWITCHES,FUSES,PUSH BUTTONS,RESISTORS,PRESSURE SWITCHES,LIMIT SWITCHES, ETC AS PER APPROVED SCHEMATIC.	SET	1
	<b>SUB TOTAL OF 19</b>		
20	33 KV Bus Post Insulators	NOS	3
21	<b>BUS BAR &amp; CIRCUIT MATERIALS</b>		
21.1	160 kN ANTIFOG INSULATOR STRINGS <i>for twin Moose cond</i> ( TENSION)-220 KV	SET	2
21.2	160 kN ANTIFOG INSULATOR STRINGS <i>for single Moose cond</i> (TENSION)-220 KV	SET	2
21.3	120 kN ANTIFOG INSULATOR STRINGS <i>for Double Moose cond</i> (TENSION)-132 KV	SET	2
21.4	120 kN ANTIFOG INSULATOR STRINGS <i>for Single Moose cond</i> ( TENSION)-132 KV	SET	2
21.5	120 kN ANTIFOG INSULATOR STRINGS <i>for Double Moose cond</i> ( TENSION)-33 KV	SET	2
21.6	120 kN ANTIFOG INSULATOR STRINGS <i>for Single Moose cond</i> (TENSION)-33 KV	SET	2
21.7	90 kN ANTIFOG INSULATOR STRINGS <i>for Double/ Single Moose cond</i> ( SUSPENSION)-220 KV	SET	2

SI. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASAN
1	2	3	4
21.8	90 kN ANTIFOG INSULATOR STRINGS <i>for Double/ Single Moose cond</i> (SUSPENSION)-132 KV	SET	2
21.9	90 kN ANTIFOG INSULATOR STRINGS <i>for Double/ Single Moose cond</i> (SUSPENSION)-33 KV	SET	2
<b>SUB TOTAL OF 21</b>			
22	ACSR MOOSE CONDUCTOR	MTRS	500
23	HARDWARES & FITTINGS/SPACERS/CLAMP & CONNECTORS	SET (EACH TYPE THREE NOS.)	1
24	<b>GENERAL EQUIPMENT &amp; SUBSTATION ACCESSORIES</b>		
24.1	<b>POWER CABLES,1.1KV,XLPE,ARMOURED, ALUMINIUM CONDUCTOR(As per Specification)</b>		
24.1.1	3.5 CX300 mm <sup>2</sup> (ONE PIECE OF MAXM. LENGTH OF CABLE USED)	PCS.	1
24.1.2	3.5 CX185 mm <sup>2</sup> (ONE PIECE OF MAXM. LENGTH OF CABLE USED)	PCS.	1
24.1.3	3.5 CX120 mm <sup>2</sup> (ONE PIECE OF MAXM. LENGTH OF CABLE USED)	PCS.	1
24.1.4	3.5 CX70 mm <sup>2</sup> (ONE PIECE OF MAXM. LENGTH OF CABLE USED)	PCS.	1
24.1.5	3.5 CX35 mm <sup>2</sup> (ONE PIECE OF MAXM. LENGTH OF CABLE USED)	PCS.	1
24.1.6	4 CX 16 mm <sup>2</sup>	MTRS	250
24.1.7	4 CX 6 mm <sup>2</sup>	MTRS	250
24.1.8	2CX 6 mm <sup>2</sup>	MTRS	250
<b>SUB TOTAL OF 24.1</b>			
24.2	<b>CONTROL CABLES,1.1 KV, PVC,STRANDED COPPER(As per specification)</b>		
24.2.1	4 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 500 MTRS)	NOS.	1
24.2.2	5 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 500 MTRS)	NOS.	1

SI. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASAN
1	2	3	4
24.2.3	7 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 500 MTRS)	NOS.	1
24.2.4	10 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 500 MTRS)	NOS.	1
24.2.5	12 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 250 MTRS)	NOS.	1
24.2.6	16 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 250 MTRS)	NOS.	1
24.2.7	19 CX 2.5 mm <sup>2</sup> (ONE DRUM HAVING LENGTH OF 250 MTRS)	NOS.	1
24.2.8	1CX 120 mm <sup>2</sup> BAT TO BAT CHARGER & CHARGER TO DCDB	MTRS	50
<b>SUB TOTAL OF 24.2</b>			
<b>24.3</b>	<b>CARRIER COMMUNICATION &amp; OTHER MATERIALS</b>		
24.3.1	220 KV,1600 A,1mH,Pedestal Mounting WAVE TRAP	NOS	1
24.3.2	132 KV,800 A,0.5mH,Pedestal Mounting WAVE TRAP	NOS	1
24.3.3	LINE MATCHING UNIT & LINE MATCHING DISTRIBUTION UNIT	SET	1
24.3.4	PLANTE TYPE BATTERY 350 AH, ONE COMPLETE ASSEMBLY OF ONE BATTERY CELL (FOR 48 V)	NO	1
24.3.5	PLANTE TYPE BATTERY 350 AH, ONE COMPLETE ASSEMBLY OF ONE BATTERY CELL (FOR 220 V)	NO	1
24.3.6	BATTERY CHARGER(FLOAT CUM BOOST) FOR 350 AH (48V) ONE COMPLETE SET OF ELECTRONIC CARDS	SET	1
24.3.7	BATTERY CHARGER(FLOAT AND FLOAT CUM BOOST) FOR 350 AH (220V) ONE COMPLETE SET OF ELECTRONIC CARDS	SET	1
<b>SUB TOTAL OF 24.3</b>			
25	<b>PROTECTION,CONTROL METERING,EVENT LOGGER,BUS BAR PROTN PAN,COMM PAN,RELAY TOOL KITS AS PER TECH SPEC AND BOQ FOR PCM</b>		
25.1	<b>220 KV SIDE</b>		
25.1.1	DISTANCE PROTECTION RELAY	NOS	1
25.1.2	OVER CURRENT & EARTH FAULT RELAY	NOS	1
25.1.3	MASTER TRIP RELAY	NOS	2
25.1.4	DIFFERENTIAL PROTECTION RELAY	NOS	1
25.1.5	TRIP SUPERVISION RELAY	NOS	3

SI. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASAN
1	2	3	4
25.1.6	OTHER AUXILIARY RELAYS(EACH 1 NO. OF DIFFERENT TYPE)	SET	1
25.1.7	ANNUNCIATOR	NOS	1
25.1.8	DISCREPANCY CONTROL SWITCH		
25.1.9	a) FOR CIRCUIT BREAKER	NOS	2
25.1.10	b) FOR ISOLATOR	NOS	2
25.1.11	PROTECTION TRANSFER SWITCH	NOS	1
25.1.12	AMMETER SELECTOR SWITCH	NOS	2
25.1.13	VOLTMETER SELECTOR SWITCH	NOS	2
25.1.14	AMMETER ALONG WITH TRANSDUCER	SET	2
25.1.15	VOLTMETER ALONG WITH TRANSDUCER	SET	1
25.1.16	MW METER ALONG WITH TRANSDUCER	SET	1
25.1.17	MVAR METER ALONG WITH TRANSDUCER	SET	1
	<b>SUB TOTAL OF 25.1</b>		
25.2	<b>132 KV SIDE</b>		
25.2.1	DISTANCE PROTECTION RELAY	NOS	1
25.2.2	OVER CURRENT & EARTH FAULT RELAY	NOS	1
25.2.3	MASTER TRIP RELAY	NOS	2
25.2.4	DIFFERENTIAL PROTECTION RELAY	NOS	1
25.2.5	TRIP SUPERVISION RELAY	NOS	3
25.2.6	OTHER AUXILIARY RELAYS(EACH 1 NO. OF DIFFERENT TYPE)	SET	1
25.2.7	ANNUNCIATOR	NOS	1
25.2.8	DISCREPANCY CONTROL SWITCH		
25.2.9	a) FOR CIRCUIT BREAKER	NOS	2
25.2.10	b) FOR ISOLATOR	NOS	2
25.2.11	PROTECTION TRANSFER SWITCH	NOS	1
25.2.12	AMMETER SELECTOR SWITCH	NOS	2
25.2.13	VOLTMETER SELECTOR SWITCH	NOS	2
25.2.14	AMMETER ALONG WITH TRANSDUCER	SET	2
25.2.15	VOLTMETER ALONG WITH TRANSDUCER	SET	1
25.2.16	MW METER ALONG WITH TRANSDUCER	SET	1
25.2.17	MVAR METER ALONG WITH TRANSDUCER	SET	1
	<b>SUB TOTAL OF 25.2</b>		

Sl. No.	SUPPLY OF MANDATORY SPARES FOR THE FOLLOWING EQUIPMENT & MATERIALS. (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub- Station at PRATAPSASAN
1	2	3	4
25.3	<b>33 KV SIDE</b>		
25.3.1	OVER CURRENT & EARTH FAULT RELAY	NOS	1
25.3.2	MASTER TRIP RELAY	NOS	2
25.3.3	OTHER AUXILIARY RELAYS (EACH 1 NO. OF DIFFERENT TYPE)	SET	1
25.3.4	ANNUNCIATOR	NOS	1
25.3.5	CONTROL SWITCHES FOR		
25.3.6	a) CIRCUIT BREAKER	NOS	2
25.3.7	b) ISOLATOR	NOS	2
25.3.8	PROTECTION TRANSFER SWITCH	NOS	1
25.3.9	AMMETER SELECTOR SWITCH	NOS	2
25.3.10	VOLTMETER SELECTOR SWITCH	NOS	2
25.3.11	AMMETER ALONG WITH TRANSDUCER	SET	2
25.3.12	VOLTMETER ALONG WITH TRANSDUCER	SET	1
25.3.13	MW METER ALONG WITH TRANSDUCER	SET	1
25.3.14	MVAR METER ALONG WITH TRANSDUCER	SET	1
	<b>SUB TOTAL OF 25.3</b>		
	<b>TOTAL OF SCHEDULE-3</b>		

Note:

- 1 Before filling up rate/amount etc. in the schedules bidders are requested to read carefully the
- 2 Bidders are required to fill up amount in all column except shaded portion.
- 3 Bidders are requested to not leave any column blank. If any column is left blank it shall be calculated as free of cost (Zero value).
- 4 Kindly enclose soft copy of the duly filled schedule in a CD with the priced copy of Bid.
- 5 In mode of transaction column please indicate Direct/Bought-Out. For Taxes & Duties on Di
- 6 Bidder should quoted F&I including service tax, no service tax shall be paid/reimbursed on

Date :

Place:



**ODISHA POWER TRANSMISSION CORPORATION LIMITED**

**Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN along with 220 KV D.C Transmission Line from Proposed Pratapsasan S/S to Nuapada,Cuttack 220/132/33 KV S/S & 132 KVDC Transmission line from proposed Pratapsasan S/S to 132/33 S/S at Phulnakhara & 2 Nos 132 KV Feeder Bay extension at 132/33 KV S/S at Phulnakhara**

**BID DOCUMENT No.: Sr.G.M-CPC-TENDER- PRATAPSASAN PACKAGE- 08 / 2012-13**

NOTICE INVITING TENDER-NIT NO. 08 / 2012-13

**(Equipment/Materials Supply Price Break-up of Ex-works Prices against PRATAPSASAN PACKAGE)**

SL NO	PART-I, SCHEDULE-2A (FOR SUBSTATION SUPPLY)  SUPPLY OF FOLLOWING EQUIPMENTS (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	TO BE QUOTED IN INR					
							Unit Ex-works Price	Total Ex-works Price	Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(9) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(9)]		
										Excise Duty	Sales Tax	Other Levies(if any)
1	2	3	4	5	6	7	8	9=8X7	10	11	12	13
1	245 KV,1200-600-300A,40KA,5CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	24	6	0	30						
2	<b>245 KV,2000A,40KA,ISOLATORS</b>											
2.1	WITH OUT EARTH SWITCH	NOS	18	6	0	24						
2.2	WITH SINGLE EARTH SWITCH	NOS	6	2	0	8						
2.3	BEAM MOUNTED WITHOUT EARTH SWITCH	NOS	6	2	0	8						
2.4	TANDEM WITHOUT EARTH SWITCH	NOS	0	0	0	0						
3	245 KV,4400pF,3CORE,SINGLE PHASE CAPACITOR VOLTAGE TRANSFORMER	NOS	12	6	0	18						
4	245KV,3150A,40KA,SF6,CIRCUIT BREAKER WITH SUPPORTING STRUCTURE	NOS	7	2	0	9						
5	216 KV, METAL OXIDE SURGE ARRESTOR,10 KA, class III	NOS	18	6	0	24						
6	245 KV ,2 CORE,SINGLE PHASE,IVT	NOS	6	0	0	6						
7	220 KV Bus Post Insulators	NOS	49	14	0	63						
8	145 KV,800-400-200 A,31.5 KA,4CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	27	0	6	33						
9	<b>145 KV,1200A,31.5KA,ISOLATORS</b>											
9.1	S/I WITH OUT EARTH SWITCH	NOS	12	0	2	14						
9.2	D/I WITH SINGLE EARTH SWITCH	NOS	4	0	2	6						
9.3	D/I WITHOUT EARTH SWITCH	NOS	4	0	0	4						
10	145 KV,6600pF,3CORE,SINGLE PHASE CAPACITOR VOLTAGE TRANSFORMER	NOS	12	0	6	18						
11	120 KV METAL OXIDE SURGE ARRESTOR, 10 KA, Class III	NOS	24	0	6	30						
12	145 KV ,2 CORE,SINGLE PHASE,IVT	NOS	3	0	0	3						
13	132 KV Bus Post Insulators	NOS	26	0	4	30						
14	145KV,3150A,40KA,SF6,CIRCUIT BREAKER WITH SUPPORTING STRUCTURE	NOS	9	0	2	11						
15	36 KV,800-400-200,25KA,3CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	24	0	0	24						
16	36 KV CLASS NCT FOR AUTO TRANSFORMER REF PROTECTION (RATIO 1200-600-300 A) & HAVING TWO CORE(P.S CLASS) (IN EACH AUTO TRANSFORMER 1 No. NCT)	NOS	2	0	0	2						
17	36 KV CLASS NCT FOR POWER TRANSFORMER REF PROTECTION (RATIO 800-400-200 A) & HAVING TWO CORE (PS CLASS) (IN EACH POWER TRANSFORMER 132 KV SIDE: 1 NO, & 33 KV SIDE:1 NO)	NOS	4	0	0	4						

PART-I, SCHEDULE-2A (FOR SUBSTATION SUPPLY)			TO BE QUOTED IN INR									
SL NO	SUPPLY OF FOLLOWING EQUIPMENTS (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Unit Ex-works Price	Total Ex-works Price	Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(9) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(9)]		
										Excise Duty	Sales Tax	Other Levies(if any)
1	2	3	4	5	6	7	8	9=8X7	10	11	12	13
18	36 KV,800A,25KA,ISOLATORS											
18.1	S/I WITH OUT EARTH SWITCH	NOS	9	0	0	9						
18.2	D/I WITH SINGLE EARTH SWITCH	NOS	5	0	0	5						
18.3	D/I WITHOUT EARTH SWITCH	NOS	2	0	0	2						
18.4	S/I WITH BEAM MOUNTED	NOS	2	0	0	2						
19	30 KV, METAL OXIDE SURGE ARRESTOR, 10KA, class II	NOS	27	0	0	27						
20	36 KV ,2 CORE,SINGLE PHASE,IVT	NOS	3	0	0	3						
21	36KV,1250A,25KA,VACUUM CIRCUIT BREAKER WITH SUPPORTING STRUCTURE	NOS	8	0	0	8						
22	33 KV Bus Post Insulators	NOS	28	0	0	28						
23	<b>BUS BAR &amp; CIRCUIT MATERIALS</b>											
23.1	TENSION & SUSPENSION ANTI FOG TYPE INSULATOR STRING											
23.1.1	160 kN ANTIFOG INSULATOR STRINGS for twin Moose cond ( TENSION)-220 KV	SET	48	12	0	60						
23.1.2	160 kN ANTIFOG INSULATOR STRINGS for single Moose cond (TENSION)-220 KV	SET	105	19	0	124						
23.1.3	120 kN ANTIFOG INSULATOR STRINGS for Double Moose cond (TENSION)-132 KV	SET	54	0	6	60						
23.1.4	120 kN ANTIFOG INSULATOR STRINGS for Single Moose cond( TENSION)-132 KV	SET	66	0	24	90						
23.1.5	120 kN ANTIFOG INSULATOR STRINGS for Double Moose cond ( TENSION)-33 KV	SET	18	0	0	18						
23.1.6	120 kN ANTIFOG INSULATOR STRINGS for Single Moose cond(TENSION)-33 KV	SET	42	0	0	42						
23.1.7	90 kN ANTIFOG INSULATOR STRINGS for Double/ Single Moose cond ( SUSPENSION)-220 KV	SET	60	13	13	86						
23.1.8	90 kN ANTIFOG INSULATOR STRINGS for Double/ Single Moose cond ( SUSPENSION)-132 KV	SET	24	0	12	36						
23.1.9	90 kN ANTIFOG INSULATOR STRINGS for Double/ Single Moose cond (SUSPENSION)-33 KV	SET	15	0	0	15						
23.2	ACSR MOOSE CONDUCTOR	LOT	1	1	1	3						
23.3	IPS 4" ALUMINIUM TUBES(114.2 mm OD, & 8.51mm Thickness) for equipment to equipment connection in 220 KV side.	LOT	1	1	0	2						
23.4	HARDWARES & FITTINGS/SPACERS/CLAMP & CONNECTORS	LOT	1	1	1	3						
23.5	EARTH WIRES & IT'S HARDWARES & FITTING	LOT	1	1	1	3						
24	<b>SUBSTATION EARTHING SYSTEMS</b>											
24.1	EARTHING CONDUCTOR FOR BURRIAL : 75X10 mm GI Flat for laying (spacing maximum 5m both way)	LOT	1	1	1	3						
24.2	EARTHING CONDUCTOR: 50X6 mm GI Flat for Raiser from the burial earth mat to equipment,structure etc)	LOT	1	1	1	3						
24.3	EARTHING DEVICE & ASSOCIATED ACCESSORIES (50 mm heavy duty GI PERFORATED PIPE 3 mtrs long for treated earth pit)	LOT	1	1	1	3						
24.4	EARTHING DEVICE & ASSOCIATED ACCESSORIES 40mm MS rod 3 mtrs long for non treated earth pit)	LOT	1	1	1	3						
25	G.I Cable Trays including support GI angle suitable for different sections i.e. Section:1-1,2-2,3-3 & 4-4 along with its accessories as per TS.	LOT	1	1	1	3						

PART-I, SCHEDULE-2A (FOR SUBSTATION SUPPLY)			TO BE QUOTED IN INR									
SL NO	SUPPLY OF FOLLOWING EQUIPMENTS (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Unit Ex-works Price	Total Ex-works Price	Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(9) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(9)]		
										Excise Duty	Sales Tax	Other Levies(if any)
1	2	3	4	5	6	7	8	9=8X7	10	11	12	13
26	SUB STATION SWITCHYARD BMK,AC CONSOLE & OTHER MARSHALLING BOXES											
26.1	BAY MARSHALLING KIOSK (07 nos on 220 kV bay, 05 Nos 132 kv bay & 04 Nos 33 KV bay & 2 Nos for 220 KV bay extension,1 No for 132 KV bay Extension )	NOS	18	2	1	21						
26.2	SWITCH YARD AC CONSOLE FOR LIGHTING (01 nos on 220 kV bay, 01 Nos 132 kv bay & 01 No in 33KV bay & 1 NO. Each at Bay Extension)	NOS	3	1	1	5						
26.3	SWITCH YARD RECEPTACLE BOARD FOR TFR OIL FILTERATION (01 no. near 220/132 KV Auto Tfr & 1 No near 132/33 KV power Transformer)	NOS	2	0	0	2						
26.4	SWITCH YARD RECEPTACLE BOARD FOR WELDING & OTHER EMERGENCY (01 nos on 220,132 & 33 kV bay )	NOS	3	0	0	3						
27	SWITCH YARD STRUCTURES (LATTICE TYPE) FOR 220/132/33 KV CLASS INCLUDING FOUNDATION BOLTS & NUTS.											
27.1	DIFFERENT TYPES OF COLUMNS WITH DETAILS											
27.1.1	P1S-220 KV (NOMINAL UNIT WT- 4.5 MT)	NOS	28	8	0	36						
27.1.2	P2A-220 KV (NOMINAL UNIT WT- 1.5 MT)	NOS	8	3	0	11						
27.1.3	T1S - 132 KV(NOMINAL UNIT WT- 1.2 MT)	NOS	24	0	4	28						
27.1.4	T4S - 132KV (NOMINAL UNIT WT- 0.95 MT)	NOS	6	0	1	7						
27.1.5	T8S - 33KV(NOMINAL UNIT WT- 0.8 MT)	NOS	9	0	0	9						
27.1.6	T9S - 33KV(NOMINAL UNIT WT- 0.6 MT)	NOS	11	0	0	11						
27.2	DIFFERENT TYPE OF BEAMS WITH DETAILS											
27.2.1	Q1-220KV (NOMINAL UNIT WT- 1.5 MT)	NOS	22	6	0	28						
27.2.2	Q3-220KV (NOMINAL UNIT WT-2.5 MT)	NOS	6	2	0	8						
27.2.3	Q4-220KV (NOMINAL UNIT WT- 0.9 MT)	NOS	4	0	0	4						
27.2.4	G1 - 132 KV(NOMINAL UNIT WT- 0.62 MT)	NOS	22	0	4	26						
27.2.5	G1X - 132 KV (NOMINAL UNIT WT- 1.4 MT)	NOS	2	0	2	4						
27.2.6	G2 - 132 KV(NOMINAL UNIT WT- 0.91 MT)	NOS	4	0	0	4						
27.2.7	G1,2 - 132 KV(Each two beams of G1 type) (NOMINAL UNIT WT- 1.25 MT)	NOS	2	0	0	2						
27.2.8	G6 - 33KV (NOMINAL UNIT WT- 0.53 MT)	NOS	9	0	0	9						
27.2.9	G4 - 33KV(NOMINAL UNIT WT- 0.4 MT)	NOS	2	0	0	2						
27.2.10	G4X - 33KV (NOMINAL UNIT WT- 0.4 MT)	NOS	3	0	0	3						
27.3	TOTAL WEIGHT OF COLUMN & BEAM	MT				340.00						
27.4	SUPPORT STRUCTURES (LATTICE/PIPE TYPE) FOR ALL 220KV, 132 KV & 33KV EQUIPMENTS											
27.4.1	ISOLATORS-220KV	LOT	24	8	8	40						

PART-I, SCHEDULE-2A (FOR SUBSTATION SUPPLY)			TO BE QUOTED IN INR									
SL NO	SUPPLY OF FOLLOWING EQUIPMENTS (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASHAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASHAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASHAN S/S	TOTAL QUANTITY	Unit Ex-works Price	Total Ex-works Price	Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(9) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(9)]		
										Excise Duty	Sales Tax	Other Levies(if any)
1	2	3	4	5	6	7	8	9=8X7	10	11	12	13
27.4.2	ISOLATORS-132KV	LOT	20	0	0	20						
27.4.3	ISOLATORS-33 KV	LOT	18	0	0	18						
27.4.4	CTS-220 KV	LOT	18	6	6	30						
27.4.5	CTS-132 KV	LOT	27	0	0	27						
27.4.6	CTS-33 KV	LOT	30	0	0	30						
27.4.7	CVTS-220 KV	LOT	6	6	6	18						
27.4.8	CVTS-132 KV	LOT	12	0	0	12						
27.4.9	IVTS-220 KV	LOT	6	0	0	6						
27.4.10	IVTS-132 KV	LOT	3	0	0	3						
27.4.11	IVTS-33 KV	LOT	3	0	0	3						
27.4.12	Surge Arrester-220 Kv	LOT	12	6	6	24						
27.4.13	Surge Arrester-132 kv	LOT	24	0	0	24						
27.4.14	Surge Arrester-33 kv	LOT	27	0	0	27						
27.4.15	Wave Trap-220 KV	LOT	4	4	4	12						
27.4.16	Wave Trap-132 KV	LOT	8	0	0	8						
27.4.17	BPI-220 KV	LOT	35	20	20	75						
27.4.18	BPI-132 KV	LOT	26	0	0	26						
27.4.19	BPI-33 KV	LOT	28	0	0	28						
27.4.20	NCTS	LOT	6	0	0	6						
27.5	<b>TOTAL WEIGHT OF EQUIPMENT STRUCTURE</b>	MT				150						
27.6	<b>Total weight of GI Nuts and bolts for the above structures</b>	MT				40						
28	<b>GENERAL EQUIPMENT &amp; SUBSTATION ACCESSORIES</b>											
28.1	<b>POWER CABLES,1.1KV,XLPE,ARMOURED, ALUMINIUM CONDUCTOR (As per Specification)</b>											
28.1.1	3.5 CX300 mm <sup>2</sup>	LOT	1	0	0	1						
28.1.2	3.5 CX185 mm <sup>2</sup>	LOT	1	0	0	1						
28.1.3	3.5 CX120 mm <sup>2</sup>	LOT	1	0	0	1						
28.1.4	3.5 CX70 mm <sup>2</sup>	LOT	1	1	1	3						
28.1.5	3.5 CX35 mm <sup>2</sup>	LOT	1	1	1	3						
28.1.6	4 CX 16 mm <sup>2</sup>	LOT	1	1	1	3						
28.1.7	4 CX 6 mm <sup>2</sup>	LOT	1	1	1	3						
28.1.8	2CX 6 mm <sup>2</sup>	LOT	1	1	1	3						
28.2	<b>CONTROL CABLES,1.1 KV, PVC,STRANDED COPPER(As per specification)</b>											
28.2.1	4 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3						
28.2.2	5 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3						

PART-I, SCHEDULE-2A (FOR SUBSTATION SUPPLY)			TO BE QUOTED IN INR									
SL NO	SUPPLY OF FOLLOWING EQUIPMENTS (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Unit Ex-works Price	Total Ex-works Price	Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(9) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(9)]		
										Excise Duty	Sales Tax	Other Levies(if any)
1	2	3	4	5	6	7	8	9=8X7	10	11	12	13
28.2.3	7CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3						
28.2.4	10 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3						
28.2.5	12 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3						
28.2.6	16 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3						
28.2.7	19 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3						
28.2.8	1CX 120 mm <sup>2</sup> BAT to BAT CHARGER & CHARGER TO DCDB	LOT	1	1	1	3						
29	<b>ACCESSORIES FOR PLCC SYSTEM AS PER TECHNICAL SPECIFICATION</b>											
29.1	220 KV WAVE TRAP for Pedestal mounting with complete accessories :1600A, 1.0 mH, (90-500kHz),Isc=40kA compatible to IEC 353 specifications	NOS	8	4	0	12						
29.2	132 KV Line Trap for Pedestal mounting with complete accessories :800A, 0.5 mH, (90-500kHz),Isc=31.5kA compatible to IEC 353 specifications	NOS	8	0	4	12						
29.3	LINE MATCHING UNIT & LINE MATCHING DISTRIBUTION UNIT	SET	8	2	2	12						
29.4	12.5 mm OD armoured Co-axial Cable; Impedance: 75 ohms, Insulation Resistance: 100 Meg Ohms Dielectric strength: 5 kV, Signal attenuation: 6 dB/KM (Max) at 500 kHz	MTRS	1000	1000	500	2500						
29.5	EPAX standard complied to ITU-T, G-711,G-712,Q507,Q-517 capacity 16lines/Trunks, specification transducers and interfacing cards for Analog input and Digital output (Optional)	NO	1	0	0	1						
29.6	25 PAIR ARMoured JELLY FILLED CABLE	MTRS	1000	0	0	1000						
29.7	10 PAIR ARMoured TELEPHONE CABLES	MTRS	500	0	0	500						
29.8	4 PAIR NON ARMoured TELEPHONE CABLES	MTRS	300	300	200	800						
29.9	4 WIRE TELEPHONE SET	NO	4	1	1	6						
29.10	2 WIRE TELEPHONE SET	NO	20	2	2	24						
29.11	FAX MACHINE	NO	1	0	0	1						
29.12	PLANTE TYPE BATTERY 350 AH(FOR 48 V)	SET	2	0	0	2						
29.13	BATTERY CHARGER FOR 48 V, 350 AH 70 AMP FLOAT CUM BOOST CHARGER	SET	2	0	0	2						
29.14	48 V DCDB(DCDB-I & DCDB-II)	SET	1	0	0	1						
30	<b>SUPPLY OF STATION TRANSFORMER &amp; OTHER MATERIALS FOR MEETING THE AUXILIARY SUPPLY OF THE SUB-STATION AS PER TECHNICAL SPECIFICATION</b>											
30.1	STATION TRANSFORMER 33KV/433V,315 KVA (AS PER SPECIFICATION)	NOS	2	0	0	2						
30.2	33 KV AB SWITCH IN 33 KV SIDE(600AMP),HG FUSE, DP STRUCTURE(preferably by using 200X100 mm RS Joist),ANGLE FOR BRACING OF DP STRUCTURE,POWER CABLES, CHANEL, FOR ERECTION OF TRANSFORMER INCLUDING INSULATORS, CONDUCTOR, CLAMPS & CONNECTOR, JUMPERING AND OTHER ACCESSORIES FOR COMMISSIONING OF THE STN TRANSFORMER.IT INCLUDES LT OUT DOOR KIOSK MADE OUT OF 14 SWG GI MARSH-ALLING BOX OR BETTER , HAVING CABLE TERMINATING FACILITY FOR INCOMING & OUT GOING TO THE BOX. THE RATING OF THE BUS BAR, TERMINAL BOX & STUDS TO BE USED SHALL HAVE CONTINEOUS RATING OF 1000 AMP. MARSHALLING BOXES ARE TO BE INSTALLED NEAR TO THE AUXILIARY STATION TRANSFORMERS.	SETS	2	0	0	2						

PART-I, SCHEDULE-2A (FOR SUBSTATION SUPPLY)			TO BE QUOTED IN INR									
SL NO	SUPPLY OF FOLLOWING EQUIPMENTS (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Unit Ex-works Price	Total Ex-works Price	Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(9) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(9)]		
1	2	3	4	5	6	7	8	9=8X7	10	Excise Duty	Sales Tax	Other Levies(if any)
11	12	13										
31	SUB STATION LIGHTING (AS PER SPECIFICATION AND APPROVED DRAWINGS )(Switch yard and other street area)											
31.1	SUB-STATION SWITCH YARD LIGHTING,IT INCLUDES SUPPLY OF FIXTURES & LAMPS (LED) of reputed make (Philips/CGL/Bajaj) with switch gear,GI Conduit etc.(Lighting fixtures are to be fixed rigidly on the Column at a suitable height so that the required lux can be maintained).	LOT	1	1	1	3						
31.2	STREET LIGHTING, IT INCLUDES SUPPLY OF GI TUBULAR POLE, WITH LED LIGHTING FIXTURES WITH LAMPS of reputed make (Philips/CGL/Bajaj)(TO BE PROVIDED IN THE SWITCH YARD, ALONG THE ROADS (APPROACH INSIDE YARD AND OTHER ROADS).	LOT	1	0	0	1						
31.3	ELECTRICAL SUPPLY TO STREET LIGHTING, COLONY QUARTERS:- > 1 NO. OUTDOOR KIOSK FOR STREET LIGHTING PURPOSE HAVING 2 NOS 200 AMP SWITCH FUSE UNITS AND , 6 NOS.OUT LETS OF 32 AMP MCB FOR STREET LIGHTING. (XLPE CABLES(3.5 CORE 120 SQMM) FROM MAIN ACDB FROM CONTROL ROOM TO THE OUT DOOR KIOSK. XLPE CABLE OF 4C X 16 SQMM FROM OUTDOOR KIOSK TO THE STREET LIGHT POLES AND 4CX6 SQMM FROM POLE TO POLE AND 2CX6 SQMM FROM POLE TO LIGHTING FIXTURES.) > 1 NO. OUTDOOR KIOSK FOR COLONY SUPPLY PURPOSE HAVING 2 NOS. 200 A SWITCH FUSE UNITS, 6 NOS.OUT LETS OF 32 AMP MCB FOR COLONY QUARTES.( XLPE CABLES(3.5 CORE 120 SQM) FROM MAIN ACDB FROM CONTROL ROOM TO THE OUT DOOR KIOSK. 4CX16 SQMM FROM KIOSK TO EACH QUARTER. PROVISION OF CABLE(2C/4C-6 SQM) FROM THE OUT DOOR KIOSK INSTALLED NEAR THE QUARTER TO THE RESPECTIVE QUARTERS UP TO THE SWITCH FUSE UNIT PROVIDED INSIDE THE QUARTERS. INDIVIDUAL CABLES FOR INDIVIDUAL QUARTERS. IT ALSO INCLUDES PROPER EARTHING OF THE QUARTER AS PER THE STANDARD PRACTICE AND SPECIFICATION.) > ALL THE STREET LIGHT POLE SHALL BE OF GI TUBULAR POLE AND PROVISION OF A GI JUNCTION BOX WITH SUITABLE COVERS AT A HEIGHT OF 1 METRE FROM THE GROUND. (LT UNDER GROUND POWER CABLES OF 4CX6/16 SQMM SHALL BE CONNECTED TO THE JUNCTION BOX.) THE JUNCTION BOX SHALL HAVE PROVISION OF FUSES, BUSES, CONNECTORS FOR CABLE IN AND OUT. THIS INCLUDES SUPPLY OF ALL MATERIALS(EXCEPT CABLES) AS PER APPROVED DRAWING AND SPECIFICATION TO COMPLETE THE STREET LIGHTING SYSTEM. PROPER EARTHING AS PER STANDARD PRACTICE FOR STRRET LIGHT POLES AND OUTDOOR KIOSKS ARE ALSO INCLUDED IN THE SCOPE OF WORKS. THE STREET LIGHT SHALL BE OF LED LAMP FITTINGS INCLUDING LAMPS. (* REMARKS : FOR SUPPLY OF ALL THE CABLES AS INDICATED ARE COVERED IN THE CABLE ITEMS AS INDICATED ABOVE AT 28.1)	LOT	1	0	0	1						
32	2 TR CAPACITY SPLIT AIR CONDITIONING UNITS WITH REMOTE CONTROL FACILITY; INCLUDING SUPPLY OF AIR CONDITIONERS,VOLTAGE STABILISER,CONTROL BOXES ETC FOR COMPLETING THE A.C SCHEME.(AS PER SPECIFICATION ) FOR CONTROL ROOM, CARRIER ROOM & CONFERENCE ROOM.(*SUPPLY OF CABLES ARE COVERED IN CABLE ITEMS AS INDICATED ABOVE AT 28.1)	LOT	1	0	0	1						
33	FIRE FIGHTING SYSTEM(PORTABLE AND WHEEL MOUNTED SETS FOR CONTROL ROOM,EQUIPMENT LIKE TRANSFORMER AND OTHER AREAS AS PER TECH SPEC(REFER TS- INST TO BIDDER BEFORE DESIGN-SL NO 16-ANNEXURE - I)											

PART-I, SCHEDULE-2A (FOR SUBSTATION SUPPLY)			TO BE QUOTED IN INR									
SL NO	SUPPLY OF FOLLOWING EQUIPMENTS (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Unit Ex-works Price	Total Ex-works Price	Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(9) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(9)]		
										Excise Duty	Sales Tax	Other Levies(if any)
1	2	3	4	5	6	7	8	9=8X7	10	11	12	13
33.1	FOAM TYPE-9 LTRS	NOS	4	0	0	4						
33.2	DRY CHEMICAL POWDER(TROLLEY MOUNTED)- 22.5 KGS	NOS	4	0	0	4						
33.3	DRY POWDER TYPE - 5 KGS	NOS	4	1	1	6						
33.4	CO <sub>2</sub> - 4.5 KGS	NOS	10	1	1	12						
33.5	CO <sub>2</sub> - 9 KGS	NOS	10	1	1	12						
33.6	CO <sub>2</sub> (TROLLY MOUNTED)- 22.5 KGS	NOS	4	0	0	4						
33.7	FIRE BUCKET (6 NOS IN EACH STAND) WITH STAND	SET	5	0	0	5						
34	PROTECTION,CONTROL METERING, EVENT LOGGER,BUS BAR PROT N PAN,COMM PAN, RELAY TOOL KITS AS PER TECH SPEC											
34.1	220 KV SIDE											
34.1.1	FEEDER CONTROL PANEL(CPF-2D)	NOS	4	2	0	6						
34.1.2	TRANSFORMER CONTROL PANEL(CPL-2D)(FOR 220/132/33 KV AUTO TRANSFORMER)	NOS	2	0	0	2						
34.1.3	BUS TRANSFER CONTROL PANEL(CPT-2D)	NOS	1	0	0	1						
34.1.4	BUSCOUPLER CONTROL PANEL (CPB-2D)	NOS	1	0	0	1						
34.1.5	FEEDER RELAY PANEL(RPF-2D)	NOS	4	2	0	6						
34.1.6	TRANSFORMER RELAY PANEL(RPL-2D)	NOS	2	0	0	2						
34.1.7	BUS TRANSFER RELAY PANEL(RPT-2D)	NOS	1	0	0	1						
34.1.8	BUSCOUPLER RELAY PANEL (RPB-2D)	NOS	1	0	0	1						
34.1.9	COMMON PANEL (KP-2)	NOS	1	0	0	1						
34.1.10	SYNCHRONOUS TROLLY	NOS	1	0	0	1						
34.1.11	BUS-BAR RELAY PANEL(RBB-2D)	NOS	1	0	0	1						
34.1.12	BUS BAR PROTECTION BAY MODULES ETC TO MATCH WITH THE EXISTING 220 KV BUS-BAR SYSTEM TO ACCOMMODATE TWO NOS 220 KV FEEDER BAYS.	SET	0	2	0	2						
34.1.13	TIME SYNCH EQUIPMENT	NOS	1	0	0	1						
34.1.14	EVENT LOGGER PANEL	NOS	1	0	0	1						
34.2	132 KV SIDE											
34.2.1	FEEDER CONTROL PANEL(CPF-1M)	NOS	4	0	2	6						
34.2.2	TRANSFORMER CONTROL PANEL(CPL-1M)(02 NOS FOR 132 KV SIDE OF220/132/33 AUTO TRANSFORMER)	NOS	2	0	0	2						
34.2.3	TRANSFORMER CONTROL PANEL(CPL-1M)(02 NOS FOR 132 KV SIDE OF 132/33 KV POWER TRANSFORMER)	NOS	2	0	0	2						
34.2.4	BUSCOUPLER CONTROL PANEL (CPB-1M)	NOS	1	0	0	1						
34.2.5	FEEDER RELAY PANEL(RPF-1M)	NOS	4	0	2	6						
34.2.6	TRANSFORMER RELAY PANEL(CPL-1M)(02 NOS FOR 132 KV SIDE OF220/132/33 AUTO TRANSFORMER)	NOS	2	0	0	2						

PART-I, SCHEDULE-2A (FOR SUBSTATION SUPPLY)			TO BE QUOTED IN INR									
SL NO	SUPPLY OF FOLLOWING EQUIPMENTS (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Unit Ex-works Price	Total Ex-works Price	Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(9) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(9)]		
										Excise Duty	Sales Tax	Other Levies(if any)
1	2	3	4	5	6	7	8	9=8X7	10	11	12	13
34.2.7	TRANSFORMER RELAY PANEL(CPL-1M)(02 NOS FOR 132 KV SIDE OF 132/33 KV POWER TRANSFORMER)	NOS	2	0	0	2						
34.2.8	BUSCOUPLER RELAY PANEL (RPB-1M)	NOS	1	0	0	1						
34.2.9	COMMON PANEL (KP-1)	NOS	1	0	0	1						
34.3	<b>33 KV SIDE</b>											
34.3.1	FEEDER CONTROL & RELAY PANEL(CPF/RPF-0M)	NOS	5	0	0	5						
34.3.2	TRANSFORMER CONTROL & RELAY PANEL(CPL/RPL-0M)	NOS	2	0	0	2						
34.3.3	BUSCOUPLER CONTROL & RELAY PANEL (CPB/RPB-0M)	NOS	1	0	0	1						
35	<b>AC &amp; DC SYSTEM</b>											
35.1	<b>AC SYSTEM</b>											
35.1.1	MAIN AC DB,(HAVING 800 A,50KA,DRAWOUT TYPE ACB WITH 3 O/C,E/F,U/V RELAYING FACILITY INDOOR TYPE AS PER SPECIFICATION,(MAIN DB-1,MAIN DB-2 WITH B/C)	SET	1	0	0	1						
35.1.2	ACDB (HAVING 400A MCCB) AS PER SPECIFICATION (AC DB-1,AC DB-2 WITH B/C)	SET	1	0	0	1						
35.1.3	MAIN LIGHTING DISTRIBUTION BOARD (HAVING 250A MCCB AS INCOMER)AS PER SPECIFICATION (WITH DB-1,DB-2 & B/C)	SET	1	0	0	1						
35.1.4	INDOOR LIGHTING DISTRIBUTION BOARD AS PER SPECIFICATION. (WITH DB-1,DB-2 & B/C)	SET	1	0	0	1						
35.1.5	EMERGENCY LIGHTING DISTRIBUTION BOARD	SET	1	0	0	1						
35.1.6	INDOOR RECEPTACLE BOARD	SET	1	0	0	1						
35.2	<b>DC SYSTEM</b>											
35.2.1	220 V DC BOARD (HAVING 100A DC MCCB AS INCOMER, E/F (EARTH LEAKAGE), UNDER & OVER VOLTAGE AS PER SPECIFICATION (DC DB-1,DC DB-2 & B/C)	SET	1	0	0	1						
35.2.2	220 V DC EMERGENCY DISTRIBUTION BOARD	SET	1	0	0	1						
36	BATTERY (350 AH PLANTE TYPE) FOR 220 V DC	SET	2	0	0	2						
37	BATTERY CHARGER FOR 220 V, 350 AH BATTERY (FLOAT AND FLOAT CUM BOOST)	SET	2	0	0	2						
38	DISTLED WATER PLANT OF 10 LTR/HR FOR BATTERY BANKS	SET	1	0	0	1						
39	WALKIE TALKIE SET	SET /PAIR	2	0	0	2						
40	PORTABLE ALUMINIUM LADDER EXTENDABLE TYPE OF ADEQUATE HEIGHT TO BE USED FOR MAINTENANCE OF EQUIPMENT INSIDE SWITCH YARD.	NOS	2	0	0	2						
41	PEDESTAL MOUNTED WHEEL FITTED DERRICK FOR LIFTING/ LOWERING OF MATERIALS UP TO 1.5 TON CAPACITY.	SET	1	0	0	1						
42	POWER WINCH NEAR STORE SHED FOR HANDLING MATERIALS UPTO 5 TON CAPACITY.	SET	1	0	0	1						
43	WATER COOLER WITH WATER PURIFIER SYSTEM	NOS	1	0	0	1						
44	MAINTENANCE TESTING EQUIPMENT (AS PER ANNEXURE - I ,INDICATED IN TS-TIMK-SCHEDULE OF REQUIREMENTS OF MAINTENANCE EQUIPMENT)	LOT	1	0	0	1						
45	OTHER TOOLS AND PLANTS (T&P's) REQUIREMENT (AS PER ANNEXURE - II ,INDICATED IN TS-TIMK-SCHEDULE OF REQUI-REMENTS OTHER T&P's)	LOT	1	0	0	1						



PART-I, SCHEDULE-2A (FOR SUBSTATION SUPPLY)							TO BE QUOTED IN INR					
SL NO	SUPPLY OF FOLLOWING EQUIPMENTS (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Unit Ex-works Price	Total Ex-works Price	Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(9) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(9)]		
										Excise Duty	Sales Tax	Other Levies(if any)
1	2	3	4	5	6	7	8	9=8X7	10	11	12	13
46	OFFICE FURNITURE (AS PER ANNEXURE - III ,INDICATED IN TS-TIMK-SCHEDULE OF REQUIREMENTS OFFICE FURNITURE)-PLACING IN CONTROL ROOM,CONFERENCE ROOM,OFFICE ROOMS,LIBRARY,TESTING LAB,etc.	LOT	1	0	0	1						
47	BEST QUALITY &APPROVED MAKE RUBBER MAT TO BE KEPT INFRONT OF ALL PANELS,BOARDS ETC.	LOT	1	1	1	3						
<b>TOTAL (Part-I):2A (SS SUPPLY)</b>												

Note:

- 1 Before filling up rate/amount etc. in the schedules bidders are requested to read carefully the instruction given in Vol-I of Bidding Document.
- 2 Bidders are required to fill up amount in all column except shaded portion.
- 3 Bidders are requested not to leave any column blank. If any column is left blank it shall be considered that amount against those items are included in any other item and the total amount for that item shall be calculated as free of cost (Zero value). No rate shall be furnished/obtained after bid opening (Ref clause no 33.4.1 of INB vol-I)
- 4 Kindly enclose soft copy of the duly filled schedule in a CD with the priced copy of Bid.
- 5 In mode of transaction column please indicate Direct/Bought-Out. For Taxes & Duties on Direct/Bought-out items ref clause 6.0 of SCC (Vol-IA)

Date :

Place :

(Signature) .....

( Name ) .....

( Designation ) .....

(Common Seal) .....

**ODISHA POWER TRANSMISSION CORPORATION LIMITED**

**Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN along with 220 KV D.C Transmission Line from Proposed Pratapsasan S/S to Nuapada,Cuttack 220/132/33 KV S/S & 132 KVDC Transmission line from proposed Pratapsasan S/S to 132/33 S/S at Phulnakhara & 2 Nos 132 KV Feeder Bay extension at 132/33 KV S/S at Phulnakhara**

**BID DOCUMENT No.: Sr.G.M-CPC-TENDER- PRATAPSASAN PACKAGE- 08 / 2012-13**

**NOTICE INVITING TENDER-NIT NO. 08 /2012-13**

**(Equipment/Materials Supply Price Break-up of Ex-works Prices against PRATAPSASAN PACKAGE)**

PART-II SCHEDULE-2A (FOR LINE)											
Sl. No.	DESCRIPTION OF ITEMS	UNITS	Quantity for :Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-33 Kms(APPOX)	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-15 Kms(APPOX)	TOTAL QUANTITY	Unit Ex-works Price	Total Ex-works Price	TO BE QUOTED IN INR			
								Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(8) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(8)]		
1	2	3	4	5	6	7	8=7X6	9	10	11	12
1	<b>SUPPLY of Following type tested Lattice type Galvanized steel tangent / Angle tower with stubs and cleats , different type of G.I HT Nuts &amp; Bolts, washer, spring washer for the towers ,hanger and all accessories, tower super structure complete including step bolts. Supply of black bituminous paint for three coats up to a height of 500mm above the cooping(legs &amp; bracing members). All Supply should confirm to the Technical Specification.</b>										
1.1	OA TYPE (SUSPENSION) TOWERS (NOMINAL UNIT WEIGHT 4.35 MT)	Nos.	73	0	73						
1.1.1	+3 EXTENSION (NOMINAL UNIT WEIGHT 0.725MT)	Nos.	7	0	7						
1.1.2	+6 EXTENSION (NOMINAL UNIT WEIGHT 1.448 MT)	Nos.	7	0	7						
1.2	OB TYPE (30 deg ANGLE ) TOWERS (NOMINAL UNIT WEIGHT 6.575 MT)	Nos.	31	0	31						
1.2.1	+3 EXTENSION (NOMINAL UNIT WEIGHT 1.242 MT)	Nos.	8	0	8						
1.2.2	+6 EXTENSION (NOMINAL UNIT WEIGHT 2.132 MT)	Nos.	4	0	4						
1.3	OC TYPE (60 deg ANGLE ) TOWERS (NOMINAL UNIT WEIGHT 9.8398MT)	Nos.	15	2	17						
1.3.1	+3 EXTENSION (NOMINAL UNIT WEIGHT 1.474MT)	Nos.	3	0	3						
1.3.2	+6 EXTENSION (NOMINAL UNIT WEIGHT 2.597 MT)	Nos.	2	0	2						
1.3.3	+15 EXTENSION (NOMINAL UNIT WEIGHT 8.555 MT)	Nos.	2	2	4						
1.4	UR TYPE (60 deg ANGLE ) TOWERS (NOMINAL UNIT WEIGHT 13.585 MT)	Nos.	2	0	2						
1.4.1	+6 EXTENSION (NOMINAL UNIT WEIGHT 4.249 MT)	Nos.	2	0	2						
1.5	PA TYPE (SUSPENSION ) TOWERS (Nominal unit weight 3.430 MT)	Nos.	0	40	40						
1.5.1	+3 EXTENSION (Nominal unit weight 0.537 MT)	Nos.	0	6	6						
1.5.2	+6 EXTENSION (Nominal unit weight 1.349 MT)	Nos.	0	3	3						

Sl. No.	DESCRIPTION OF ITEMS  SUPPLY OF FOLLOWING EQUIPMENT,STRUCTURES & MATERIALS (As per Technical Specification)	UNITS	Quantity for :Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION ATPRATAPSASHAN (Line length-33 Kms(APPOX)	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION ATPRATAPSASHAN (Line length-15 Kms(APPOX)	TOTAL QUANTITY	TO BE QUOTED IN INR					
						Unit Ex-works Price	Total Ex-works Price	Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(8) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(8)]		
1	2	3	4	5	6	7	8=7X6	9	10	11	12
1.6	PBTYPE (30 deg ANGLE ) TOWERS (Nominal unit weight 4.973 MT)	Nos.	0	6	6						
1.6.1	+3 EXTENSION (Nominal unit weight 1.018 MT)	Nos.	0	1	1						
1.6.2	+6 EXTENSION (Nominal unit weight 2.104 MT)	Nos.	0	1	1						
1.7	PC TYPE (60 deg ANGLE ) TOWERS (Nominal unit weight 6.214 MT)	Nos.	0	6	6						
1.7.1	+3 EXTENSION (Nominal unit weight 1.119 MT)	Nos.	0	0	0						
1.7.2	+6 EXTENSION (Nominal unit weight 2.342 MT)	Nos.	0	0	0						
1.8	TEMPLATES										
1.8.1	OA (NOMINAL UNIT WEIGHT 0.579 MT)	Nos.	7	0	7						
1.8.2	OB (NOMINAL UNIT WEIGHT 0.815 MT)	Nos.	3	0	3						
1.8.3	OC (NOMINAL UNIT WEIGHT 0.984 MT)	Nos.	2	0	2						
1.8.4	UR (NOMINAL UNIT WEIGHT 1.507 MT)	Nos.	1	1	2						
1.8.5	PA (Nominal unit weight 0.665 MT)	Nos.	0	1	1						
1.8.6	PB (Nominal unit weight 0.602 MT)	Nos.	0	1	1						
1.8.7	PC (Nominal unit weight 0.904 MT)	Nos.	0	1	1						
1.9	WEIGHT OF THE STRUCTURES (including Tower stubs, Templates & Foundation Nut and Bolts)	MT			1050						
1.10	Weight of different type G.I Nuts and Bolts	MT			75						
2.0	Supply of the following tower accessories as per technical specification and as directed by the engineer in charge.										
2.1	EARTHING DEVICE	Nos.	117	54	171						
2.2	DANGER BOARD	Nos.	121	54	175						
2.3	NUMBER PLATE	Nos.	121	54	175						
2.4	PHASE PLATE	Nos.	726	324	1050						
2.5	BIRD GUARD	Nos.	438	240	678						
2.6	ANTICLIMBING DEVICE	Nos.	115	54	169						

Sl. No.	DESCRIPTION OF ITEMS  SUPPLY OF FOLLOWING EQUIPMENT,STRUCTURES & MATERIALS (As per Technical Specification)	UNITS	Quantity for :Construction of 220 KV DC LINE FROM NIAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION ATPRATAPSASHAN (Line length-33 Kms(APPOX)	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION ATPRATAPSASHAN (Line length-15 Kms(APPOX)	TOTAL QUANTITY	TO BE QUOTED IN INR					
						Unit Ex-works Price	Total Ex-works Price	Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(8) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(8)]		
1	2	3	4	5	6	7	8=7X6	9	10	11	12
2.7	CIRCUIT PLATE	Nos.	242	108	350						
3.0	<b>Supply of following POWER CONDUCTORS in the proposed 220kV lines with 1.5% provision for sag and wastage as per the technical specification and as per the instruction of the engineer in charge.</b>										
3.1	ACSR Zebra (54/7/3.18mm)	Kms.	200	0	200						
3.2	ACSR Panther (30/7/3.0 mm)	Kms.	0	90	90						
4.0	<b>POWER CONDUCTOR ACESSORIES</b>										
4.1	For ACSR ZEBRA										
4.1.1	VIBRATION DAMPER	Nos.	1452	0	1452						
4.1.2	MID SPAN JOINT	Nos.	200	0	200						
4.1.3	Repair Sleeve	Nos.	100	0	100						
4.1.4	Performed Armoured Rod	Set	438	0	438						
4.2	For ACSR PANTHER										
4.2.1	VIBRATION DAMPER	Nos.	0	660	660						
4.2.2	MID SPAN JOINT	Nos.	0	90	90						
4.2.3	Repair Sleeve	Nos.	0	50	50						
4.2.4	Performed Armoured Rod	Set	0	240	240						
5.0	<b>Supply of the GI earth wire of size 7/3.15 mm as per the technical specification, with 1.5% provision for Sag &amp; Wastage and as per the direction of Engineer in charge.</b>	Kms.	33	15	48						
6.0	<b>EARTH CONDUCTOR ACESSORIES</b>										
6.1	VIBRATION DAMPER	Nos.	242	108	350						
6.2	FLEXIBLE COPPER EARTH BOND	Nos.	100	28	128						
6.3	SUSPENSION CLAMP	Nos.	75	40	115						
6.4	TENSION CLAMP	Nos.	96	28	124						
6.5	MID SPAN JOINT	Nos.	30	15	45						
6.6	Repair Sleeve	Nos.	10	5	15						

Sl. No.	DESCRIPTION OF ITEMS  SUPPLY OF FOLLOWING EQUIPMENT,STRUCTURES & MATERIALS (As per Technical Specification)	UNITS	Quantity for :Construction of 220 KV DC LINE FROM NIJAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION ATPRATAPSASHAN (Line length-33 Kms(APPOX)	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION ATPRATAPSASHAN (Line length-15 Kms(APPOX)	TOTAL QUANTITY	Unit Ex-works Price	Total Ex-works Price	TO BE QUOTED IN INR			
								Mode of Transaction (Direct or Bought-out item)	Total Taxes & Duties applicable for transaction between bidder and OPTCL and not included in the price at Column(8) [For bought-out items, taxes & duties excluding Octroi/Entry Tax are invariably included in the price quoted at column(8)]		
1	2	3	4	5	6	7	8=7X6	9	10	11	12
7.0	Supply of the following Anti Fog Type DISC insulators as per the technical specification and as per the instruction of the Engineer in charge.										
7.1	120KN Insulator (taking 5% extra towards wastage)	Nos.	6970	2270	9240						
7.2	160KN Insulator (taking 5% extra towards wastage)	Nos.	11340	0	11340						
7.3	90 KN Insulator (taking 5% extra towards wastage)	Nos.	0	2280	2280						
8.0	Supply of the following hard ware fittings suitable for following conductors as per the technical specification.										
8.1	For ACSR ZEBRA										
8.1.1	Single suspension Hard wares fittings.(AGS type) suitable for 120 KN insulator.	Set	420	0	420						
8.1.2	Double suspension Hard wares fittings.(AGS type) suitable for 120 KN insulator.	Set	50	0	50						
8.1.3	Single tension Hard wares fittings, suitable for 160 KN insulator.	Set	450	0	450						
8.1.4	Double tension Hard wares fittings, suitable for 160 KN insulator.	Set	150	0	150						
8.1.5	Single tension Hard wares fittings, suitable for 120 KN insulator.	Set	0	120	120						
8.1.6	Double tension Hard wares fittings, suitable for 120 KN insulator.	Set	0	50	50						
8.1.7	Single suspension Hard wares fittings.(AGS type) suitable for 90 KN insulator.	Set	0	200	200						
8.1.8	Double suspension Hard wares fittings.(AGS type) suitable for 90 KN insulator.	Set	0	50	50						
<b>TOTAL (Part-II)-2A-LINE</b>											

Note:

- 1 Before filling up rate/amount etc. in the schedules bidders are requested to read carefully the instruction given in Vol-I of Bidding Document.
- 2 Bidders are required to fill up amount in all column except shaded portion.
- 3 Bidders are requested not to leave any column blank. If any column is left blank it shall be considered that amount against those items are included in any other item and the total amount for that item shall be calculated as free of cost (Zero value). No rate shall be furnished/obtained after bid opening (Ref clause no 33.4.1 of INB vol-I)
- 4 Kindly enclose soft copy of the duly filled schedule in a CD with the priced copy of Bid.
- 5 In mode of transaction column please indicate Direct/Bought-Out. For Taxes & Duties on Direct/Bought-out items ref clause 6.0 of SCC (Vol-IA)

Date :  
Place :

(Signature) .....  
( Name ) .....  
( Designation ) .....  
(Common Seal) .....

**ODISHA POWER TRANSMISSION CORPORATION LIMITED**

**Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN along with 220 KV D.C Transmission Line from Proposed Pratapsasan S/S to Nuapada,Cuttack 220/132/33 KV S/S & 132 KVDC Transmission line from proposed Pratapsasan S/S to 132/33 S/S at Phulnakhara & 2 Nos 132 KV Feeder Bay extension at 132/33 KV S/S at Phulnakhara**

**BID DOCUMENT No.: Sr.G.M-CPC-TENDER- PRATAPSASAN PACKAGE- 08 / 2012-13  
NOTICE INVITING TENDER-NIT NO. 08 /2012-13**

**(Equipment/Materials Supply Price Break-up of F&I Prices against PRATAPSASAN PACKAGE)**

<b>PART-I, SCHEDULE-2B ( FOR SUBSTATION- F &amp; I)</b>							<b>TO BE QUOTED IN INR</b>	
<b>SL NO</b>	<b>DESCRIPTION OF ITEMS</b>	<b>Unit</b>	<b>Quantity for: Construction of 2x160 MVA, 220/132/33 KV &amp; 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN</b>	<b>Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S</b>	<b>Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S</b>	<b>TOTAL QUANTITY</b>	<b>Freight &amp; Insurance Charges</b>	
	<b>F&amp;I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)</b>						<b>Unit Charges</b>	<b>Total Price</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9=8X7</b>
1	245 KV,1200-600-300A,40KA,5CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	24	6	0	30		
<b>2</b>	<b>245 KV,2000A,40KA,ISOLATORS</b>							
2.1	WITH OUT EARTH SWITCH	NOS	18	6	0	24		
2.2	WITH SINGLE EARTH SWITCH	NOS	6	2	0	8		
2.3	BEAM MOUNTED WITHOUT EARTH SWITCH	NOS	6	2	0	8		
2.4	TANDEM WITHOUT EARTH SWITCH	NOS	0	0	0	0		
3	245 KV,4400pF,3CORE,SINGLE PHASE CAPACITOR VOLTAGE TRANSFORMER	NOS	12	6	0	18		
4	245KV,3150A,40KA,SF6,CIRCUIT BREAKER WITH SUPPORTING STRUCTURE	NOS	7	2	0	9		
5	216 KV, METAL OXIDE SURGE ARRESTOR,10 KA, class III	NOS	18	6	0	24		
6	245 KV ,2 CORE,SINGLE PHASE,IVT	NOS	6	0	0	6		
7	220 KV Bus Post Insulators	NOS	49	14	0	63		
8	145 KV,800-400-200 A,31.5 KA,4CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	27	0	6	33		
<b>9</b>	<b>145 KV,1200A,31.5KA,ISOLATORS</b>							
9.1	S/I WITH OUT EARTH SWITCH	NOS	12	0	2	14		
9.2	D/I WITH SINGLE EARTH SWITCH	NOS	4	0	2	6		
9.3	D/I WITHOUT EARTH SWITCH	NOS	4	0	0	4		
10	145 KV,6600pF,3CORE,SINGLE PHASE CAPACITOR VOLTAGE TRANSFORMER	NOS	12	0	6	18		

<b>PART-I, SCHEDULE-2B ( FOR SUBSTATION- F &amp; I)</b>							<b>TO BE QUOTED IN INR</b>	
<b>SL NO</b>	<b>DESCRIPTION OF ITEMS</b>	<b>Unit</b>	<b>Quantity for: Construction of 2x160 MVA, 220/132/33 KV &amp; 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN</b>	<b>Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S</b>	<b>Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S</b>	<b>TOTAL QUANTITY</b>	<b>Freight &amp; Insurance Charges</b>	
	<b>F&amp;I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)</b>						<b>Unit Charges</b>	<b>Total Price</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9=8X7</b>
11	120 KV METAL OXIDE SURGE ARRESTOR, 10 KA, Class III	NOS	24	0	6	30		
12	145 KV ,2 CORE,SINGLE PHASE,IVT	NOS	3	0	0	3		
13	132 KV Bus Post Insulators	NOS	26	0	4	30		
14	145KV,3150A,40KA,SF6,CIRCUIT BREAKER WITH SUPPORTING STRUCTURE	NOS	9	0	2	11		
15	36 KV,800-400-200,25KA,3CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	24	0	0	24		
16	36 KV CLASS NCT FOR AUTO TRANSFORMER REF PROTECTION (RATIO 1200-600-300 A) & HAVING TWO CORE(PS CLASS) (IN EACH AUTO TRANSFORMER 1 No. NCT)	NOS	2	0	0	2		
17	36 KV CLASS NCT FOR POWER TRANSFORMER REF PROTECTION (RATIO 800-400-200 A) & HAVING TWO CORE (PS CLASS) (IN EACH POWER TRANSFORMER 132 KV SIDE: 1 NO, & 33 KV SIDE:1 NO)	NOS	4	0	0	4		
18	<b>36 KV,800A,25KA,ISOLATORS</b>							
18.1	S/I WITH OUT EARTH SWITCH	NOS	9	0	0	9		
18.2	D/I WITH SINGLE EARTH SWITCH	NOS	5	0	0	5		
18.3	D/I WITHOUT EARTH SWITCH	NOS	2	0	0	2		
18.4	S/I WITH BEAM MOUNTED	NOS	2	0	0	2		
19	30 KV, METAL OXIDE SURGE ARRESTOR, 10KA, class II	NOS	27	0	0	27		
20	36 KV ,2 CORE,SINGLE PHASE,IVT	NOS	3	0	0	3		
21	36KV,1250A,25KA,VACUUM CIRCUIT BREAKER WITH SUPPORTING STRUCTURE	NOS	8	0	0	8		
22	33 KV Bus Post Insulators	NOS	28	0	0	28		
23	<b>BUS BAR &amp; CIRCUIT MATERIALS</b>							
23.1	<b>TENSION &amp; SUSPENSION ANTI FOG TYPE INSULATOR STRING</b>							
23.1.1	160 kN ANTIFOG INSULATOR STRINGS <i>for twin Moose cond</i> ( TENSION)-220 KV	SET	48	12	0	60		
23.1.2	160 kN ANTIFOG INSULATOR STRINGS <i>for single Moose cond</i> (TENSION)-220 KV	SET	105	19	0	124		
23.1.3	120 kN ANTIFOG INSULATOR STRINGS <i>for Double Moose cond</i> (TENSION)-132 KV	SET	54	0	6	60		
23.1.4	120 kN ANTIFOG INSULATOR STRINGS <i>for Single Moose cond</i> ( TENSION)-132 KV	SET	66	0	24	90		
23.1.5	120 kN ANTIFOG INSULATOR STRINGS <i>for Double Moose cond</i> ( TENSION)-33 KV	SET	18	0	0	18		

<b>PART-I, SCHEDULE-2B ( FOR SUBSTATION- F &amp; I)</b>							<b>TO BE QUOTED IN INR</b>	
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Freight & Insurance Charges	
	F&I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)						Unit Charges	Total Price
1	2	3	4	5	6	7	8	9=8X7
23.1.6	120 kN ANTIFOG INSULATOR STRINGS <i>for Single Moose cond</i> (TENSION)-33 KV	SET	42	0	0	42		
23.1.7	90 kN ANTIFOG INSULATOR STRINGS <i>for Double/ Single Moose cond</i> ( SUSPENSION)-	SET	60	13	13	86		
23.1.8	90 kN ANTIFOG INSULATOR STRINGS <i>for Double/ Single Moose cond</i> ( SUSPENSION)-132 KV	SET	24	0	12	36		
23.1.9	90 kN ANTIFOG INSULATOR STRINGS <i>for Double/ Single Moose cond</i> (SUSPENSION)-33 KV	SET	15	0	0	15		
23.2	ACSR MOOSE CONDUCTOR	LOT	1	1	1	3		
23.3	IPS 4" ALUMINIUM TUBES(114.2 mm OD, & 8.51mm Thickness) for equipment to equipment connection in 220 KV side.	LOT	1	1	0	2		
23.4	HARDWARES & FITTINGS/SPACERS/CLAMP & CONNECTORS	LOT	1	1	1	3		
23.5	EARTH WIRES & IT'S HARDWARES & FITTING	LOT	1	1	1	3		
24	SUBSTATION EARTHING SYSTEMS							
24.1	EARTHING CONDUCTOR FOR BURRIAL : 75X10 mm GI Flat for laying ( <i>spacing maximum 5m both way</i> )	LOT	1	1	1	3		
24.2	EARTHING CONDUCTOR: 50X6 mm GI Flat for Raiser from the burial earth mat to equipment,structure etc)	LOT	1	1	1	3		
24.3	EARTHING DEVICE & ASSOCIATED ACCESSORIES (50 mm heavy duty GI PERFORATED PIPE 3 mtrs long for treated earth pit)	LOT	1	1	1	3		
24.4	EARTHING DEVICE & ASSOCIATED ACCESSORIES 40mm MS rod 3 mtrs long for non treated earth pit)	LOT	1	1	1	3		
25	G.I Cable Trays including support GI angle suitable for different sections i.e. Section:1-1,2-2,3-3 & 4-4 along with its accessories as per TS.	LOT	1	1	1	3		
26	SUB STATION SWITCHYARD BMK,AC CONSOLE & OTHER MARSHALLING BOXES							
26.1	BAY MARSHALLING KIOSK ( <i>07 nos on 220 kV bay, 05 Nos 132 kv bay &amp; 04 Nos 33 KV bay &amp; 2 Nos for 220 KV bay extension,1 No for 132 KV bay Extension</i> )	NOS	18	2	1	21		
26.2	SWITCH YARD AC CONSOLE FOR LIGHTING ( <i>01 nos on 220 kV bay, 01 Nos 132 kv bay &amp; 01 No in 33KV bay &amp; 1 NO. Each at Bay Extension</i> )	NOS	3	1	1	5		



PART-I, SCHEDULE-2B ( FOR SUBSTATION- F & I)							TO BE QUOTED IN INR	
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Freight & Insurance Charges	
	F&I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)						Unit Charges	Total Price
1	2	3	4	5	6	7	8	9=8X7
26.3	SWITCH YARD RECEPTACLE BOARD FOR TFR OIL FILTERATION (01 no. near 220/132 KV Auto Tfr & 1 No near 132/33 KV power Transformer)	NOS	2	0	0	2		
26.4	SWITCH YARD RECEPTACLE BOARD FOR WELDING & OTHER EMERGENCY (01 nos on 220,132 & 33 kV bay )	NOS	3	0	0	3		
27	SWITCH YARD STRUCTURES (LATTICE TYPE) FOR 220/132/33 KV CLASS INCLUDING FOUNDATION BOLTS & NUTS.							
27.1	DIFFERENT TYPES OF COLUMNS WITH DETAILS							
27.1.1	P1S-220 KV (NOMINAL UNIT WT- 4.5 MT)	NOS	28	8	0	36		
27.1.2	P2A-220 KV (NOMINAL UNIT WT- 1..5 MT)	NOS	8	3	0	11		
27.1.3	T1S - 132 KV(NOMINAL UNIT WT- 1.2 MT)	NOS	24	0	4	28		
27.1.4	T4S - 132KV (NOMINAL UNIT WT- 0.95 MT)	NOS	6	0	1	7		
27.1.5	T8S - 33KV(NOMINAL UNIT WT- 0.8 MT)	NOS	9	0	0	9		
27.1.6	T9S - 33KV(NOMINAL UNIT WT- 0.6 MT)	NOS	11	0	0	11		
27.2	DIFFERENT TYPE OF BEAMS WITH DETAILS							
27.2.1	Q1-220KV (NOMINAL UNIT WT- 1.5 MT)	NOS	22	6	0	28		
27.2.2	Q3-220KV (NOMINAL UNIT WT-2.5 MT)	NOS	6	2	0	8		
27.2.3	Q4-220KV (NOMINAL UNIT WT- 0.9 MT)	NOS	4	0	0	4		
27.2.4	G1 - 132 KV(NOMINAL UNIT WT- 0.62 MT)	NOS	22	0	4	26		
27.2.5	G1X - 132 KV (NOMINAL UNIT WT- 1.4 MT)	NOS	2	0	2	4		
27.2.6	G2 - 132 KV(NOMINAL UNIT WT- 0.91 MT)	NOS	4	0	0	4		
27.2.7	G1,2 - 132 KV(Each two beams of G1 type) (NOMINAL UNIT WT- 1.25 MT)	NOS	2	0	0	2		
27.2.8	G6 - 33KV (NOMINAL UNIT WT- 0.53 MT)	NOS	9	0	0	9		
27.2.9	G4 - 33KV(NOMINAL UNIT WT- 0.4 MT)	NOS	2	0	0	2		
27.2.10	G4X - 33KV (NOMINAL UNIT WT- 0.4 MT)	NOS	3	0	0	3		
27.3	TOTAL WEIGHT OF COLUMN & BEAM	MT				340.00		

<b>PART-I, SCHEDULE-2B ( FOR SUBSTATION- F &amp; I)</b>							<b>TO BE QUOTED IN INR</b>	
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Freight & Insurance Charges	
	F&I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)						Unit Charges	Total Price
1	2	3	4	5	6	7	8	9=8X7
27.4	<b>SUPPORT STRUCTURES (LATTICE/PIPE TYPE) FOR ALL 220KV, 132 KV &amp; 33KV EQUIPMENTS</b>							
27.4.1	ISOLATORS-220KV	LOT	24	8	8	40		
27.4.2	ISOLATORS-132KV	LOT	20	0	0	20		
27.4.3	ISOLATORS-33 KV	LOT	18	0	0	18		
27.4.4	CTS-220 KV	LOT	18	6	6	30		
27.4.5	CTS-132 KV	LOT	27	0	0	27		
27.4.6	CTS-33 KV	LOT	30	0	0	30		
27.4.7	CVTS-220 KV	LOT	6	6	6	18		
27.4.8	CVTS-132 KV	LOT	12	0	0	12		
27.4.9	IVTS-220 KV	LOT	6	0	0	6		
27.4.10	IVTS-132 KV	LOT	3	0	0	3		
27.4.11	IVTS-33 KV	LOT	3	0	0	3		
27.4.12	Surge Arrester-220 Kv	LOT	12	6	6	24		
27.4.13	Surge Arrester-132 kV	LOT	24	0	0	24		
27.4.14	Surge Arrester-33 kV	LOT	27	0	0	27		
27.4.15	Wave Trap-220 KV	LOT	4	4	4	12		
27.4.16	Wave Trap-132 KV	LOT	8	0	0	8		
27.4.17	BPI-220 KV	LOT	35	20	20	75		
27.4.18	BPI-132 KV	LOT	26	0	0	26		
27.4.19	BPI-33 KV	LOT	28	0	0	28		
27.4.20	NCTS	LOT	6	0	0	6		
27.5	<b>TOTAL WEIGHT OF EQUIPMENT STRUCTURE</b>	MT				150		
27.6	<b>Total weight of GI Nuts and bolts for the above structures</b>	MT				40		
28	<b>GENERAL EQUIPMENT &amp; SUBSTATION ACCESSORIES</b>							

<b>PART-I, SCHEDULE-2B ( FOR SUBSTATION- F &amp; I)</b>							<b>TO BE QUOTED IN INR</b>	
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Freight & Insurance Charges	
	F&I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)						Unit Charges	Total Price
1	2	3	4	5	6	7	8	9=8X7
<b>28.1</b>	<b>POWER CABLES,1.1KV,XLPE,ARMOURED, ALUMINIUM CONDUCTOR (As per Specification)</b>							
28.1.1	3.5 CX300 mm <sup>2</sup>	LOT	1	0	0	1		
28.1.2	3.5 CX185 mm <sup>2</sup>	LOT	1	0	0	1		
28.1.3	3.5 CX120 mm <sup>2</sup>	LOT	1	0	0	1		
28.1.4	3.5 CX70 mm <sup>2</sup>	LOT	1	1	1	3		
28.1.5	3.5 CX35 mm <sup>2</sup>	LOT	1	1	1	3		
28.1.6	4 CX 16 mm <sup>2</sup>	LOT	1	1	1	3		
28.1.7	4 CX 6 mm <sup>2</sup>	LOT	1	1	1	3		
28.1.8	2CX 6 mm <sup>2</sup>	LOT	1	1	1	3		
<b>28.2</b>	<b>CONTROL CABLES,1.1 KV, PVC,STRANDED COPPER(As per specification)</b>							
28.2.1	4 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.2	5 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.3	7CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.4	10 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.5	12 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.6	16 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.7	19 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.8	1CX 120 mm <sup>2</sup> BAT TO BAT CHARGER & CHARGER TO DCDB	LOT	1	1	1	3		
<b>29</b>	<b>ACCESSORIES FOR PLCC SYSTEM AS PER TECHNICAL SPECIFICATION</b>							
29.1	220 KV WAVE TRAP for Pedestal mounting with complete accessories :1600A, 1.0 mH, (90-500kHz),Isc=40kA compatible to IEC 353 specifications	NOS	8	4	0	12		
29.2	132 kV Line Trap for Pedestal mounting with complete accessories :800A, 0.5 mH, (90-500kHz),Isc=31.5kA compatible to IEC 353 specifications	NOS	8	0	4	12		
29.3	LINE MATCHING UNIT & LINE MATCHING DISTRIBUTION UNIT	SET	8	2	2	12		

<b>PART-I, SCHEDULE-2B ( FOR SUBSTATION- F &amp; I)</b>							<b>TO BE QUOTED IN INR</b>	
<b>SL NO</b>	<b>DESCRIPTION OF ITEMS</b>	<b>Unit</b>	<b>Quantity for: Construction of 2x160 MVA, 220/132/33 KV &amp; 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN</b>	<b>Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S</b>	<b>Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S</b>	<b>TOTAL QUANTITY</b>	<b>Freight &amp; Insurance Charges</b>	
	<b>F&amp;I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)</b>						<b>Unit Charges</b>	<b>Total Price</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9=8X7</b>
29.4	12.5 mm OD armoured Co-axial Cable; Impedance: 75 ohms, Insulation Resistance: 100 Meg Ohms Dielectric strength: 5 kV, Signal attenuation: 6 dB/KM (Max) at 500 kHz	MTRS	1000	1000	500	2500		
29.5	EPAX standard complied to ITU-T, G-711,G-712,Q507,Q-517 capacity 16lines/Trunks, specification transducers and interfacing cards for Analog input and Digital output (Optional)	NO	1	0	0	1		
29.6	25 PAIR ARMOURED JELLY FILLED CABLE	MTRS	1000	0	0	1000		
29.7	10 PAIR ARMOURED TELEPHONE CABLES	MTRS	500	0	0	500		
29.8	4 PAIR NON ARMOURED TELEPHONE CABLES	MTRS	300	300	200	800		
29.9	4 WIRE TELEPHONE SET	NO	4	1	1	6		
29.10	2 WIRE TELEPHONE SET	NO	20	2	2	24		
29.11	FAX MACHINE	NO	1	0	0	1		
29.12	PLANTE TYPE BATTERY 350 AH(FOR 48 V)	SET	2	0	0	2		
29.13	BATTERY CHARGER FOR 48 V, 350 AH 70 AMP FLOAT CUM BOOST CHARGER	SET	2	0	0	2		
29.14	48 V DCDB(DCDB-I & DCDB-II)	SET	1	0	0	1		
<b>30</b>	<b>SUPPLY OF STATION TRANSFORMER &amp; OTHER MATERIALS FOR MEETING THE AUXILIARY SUPPLY OF THE SUB-STATION AS PER TECHNICAL SPECIFICATION</b>							
30.1	STATION TRANSFORMER 33KV/433V,315 KVA (AS PER SPECIFICATION)	NOS	2	0	0	2		
30.2	33 KV AB SWITCH IN 33 KV SIDE(600AMP),HG FUSE, DP STRUCTURE(preferably by using 200X100 mm RS Joist),ANGLE FOR BRACING OF DP STRUCTURE,POWER CABLES, CHANEL, FOR ERECTION OF TRANSFORMER INCLUDING INSULATORS, CONDUCTOR, CLAMPS & CONNECTOR, JUMPERING AND OTHER ACCESSORIES FOR COMMISSIONING OF THE STN TRANSFORMER.IT INCLUDES LT OUT DOOR KIOSK MADE OUT OF 14 SWG GI MARSH-ALLING BOX OR BETTER , HAVING CABLE TERMINATING FACILITY FOR INCOMING & OUT GOING TO THE BOX. THE RATING OF THE BUS BAR, TERMINAL BOX & STUDS TO BE USED SHALL HAVE CONTINEOUS RATING OF 1000 AMP. MARSHALLING BOXES ARE TO BE INSTALLED NEAR TO THE AUXILIARY STATION TRANSFORMERS.	SETS	2	0	0	2		

<b>PART-I, SCHEDULE-2B ( FOR SUBSTATION- F &amp; I)</b>							<b>TO BE QUOTED IN INR</b>	
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Freight & Insurance Charges	
	F&I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)						Unit Charges	Total Price
1	2	3	4	5	6	7	8	9=8X7
31	SUB STATION LIGHTING (AS PER SPECIFICATION AND APPROVED DRAWINGS ) (Switch yard and other street area)							
31.1	<i>SUB-STATION SWITCH YARD LIGHTING,IT INCLUDES SUPPLY OF FIXTURES &amp; LAMPS (LED) of reputed make (Philips/CGL/Bajaj) with switch gear,GI Conduit etc.(Lighting fixtures are to be fixed rigidly on the Column at a suitable height so that the required lux can be maintained).</i>	LOT	1	1	1	3		
31.2	STREET LIGHTING, IT INCLUDES SUPPLY OF GI TUBULAR POLE, WITH LED LIGHTING FIXTURES WITH LAMPS of reputed make (Philips/CGL/Bajaj)(TO BE PROVIDED IN THE SWITCH YARD, ALONG THE ROADS (APPROACH INSIDE YARD AND OTHER ROADS).	LOT	1	0	0	1		

<b>PART-I, SCHEDULE-2B ( FOR SUBSTATION- F &amp; I)</b>							<b>TO BE QUOTED IN INR</b>	
<b>SL NO</b>	<b>DESCRIPTION OF ITEMS</b>	<b>Unit</b>	<b>Quantity for: Construction of 2x160 MVA, 220/132/33 KV &amp; 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN</b>	<b>Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S</b>	<b>Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S</b>	<b>TOTAL QUANTITY</b>	<b>Freight &amp; Insurance Charges</b>	
	<b>F&amp;I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)</b>						<b>Unit Charges</b>	<b>Total Price</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9=8X7</b>
31.3	<p><b>ELECTRICAL SUPPLY TO STREET LIGHTING, COLONY QUARTERS:-</b></p> <p>&gt; 1 NO. OUTDOOR KIOSK FOR STREET LIGHTING PURPOSE HAVING 2 NOS 200 AMP SWITCH FUSE UNITS AND , 6 NOS.OUT LETS OF 32 AMP MCB FOR STREET LIGHTING. (XLPE CABLES(3.5 CORE 120 SQMM) FROM MAIN ACDB FROM CONTROL ROOM TO THE OUT DOOR KIOSK. XLPE CABLE OF 4C X 16 SQMM FROM OUTDOOR KIOSK TO THE STREET LIGHT POLES AND 4CX6 SQMM FROM POLE TO POLE AND 2CX6 SQMM FROM POLE TO LIGHTING FIXTURES.)</p> <p>&gt; 1 NO. OUTDOOR KIOSK FOR COLONY SUPPLY PURPOSE HAVING 2 NOS. 200 A SWITCH FUSE UNITS, 6 NOS.OUT LETS OF 32 AMP MCB FOR COLONY QUARTES. ( XLPE CABLES(3.5 CORE 120 SQM) FROM MAIN ACDB FROM CONTROL ROOM TO THE OUT DOOR KIOSK. 4CX16 SQMM FROM KIOSK TO EACH QUARTER. PROVISION OF CABLE(2C/4C-6 SQM) FROM THE OUT DOOR KIOSK INSTALLED NEAR THE QUARTER TO THE RESPECTIVE QUARTERS UP TO THE SWITCH FUSE UNIT PROVIDED INSIDE THE QUARTERS. INDIVIDUAL CABLES FOR INDIVIDUAL QUARTERS. IT ALSO INCLUDES PROPER EARTHING OF THE QUARTER AS PER THE STANDARD PRACTICE AND SPECIFICATION.)</p> <p>&gt; ALL THE STREET LIGHT POLE SHALL BE OF GI TUBULAR POLE AND PROVISION OF A GI JUNCTION BOX WITH SUITABLE COVERS AT A HEIGHT OF 1 METRE FROM THE GROUND. (LT UNDER GROUND POWER CABLES OF 4CX6/16 SQMM SHALL BE CONNECTED TO THE JUNCTION BOX.) THE JUNCTION BOX SHALL HAVE PROVISION OF FUSES, BUSES, CONNECTORS FOR CABLE IN AND OUT. THIS INCLUDES SUPPLY OF ALL MATERIALS(EXCEPT CABLES) AS PER APPROVED DRAWING AND SPECIFICATION TO COMPLETE THE STREET LIGHTING SYSTEM. PROPER EARTHING AS PER STANDARD PRACTICE FOR STRRET LIGHT POLES AND OUTDOOR KIOSKS ARE ALSO INCLUDED IN THE SCOPE OF WORKS. THE STREET LIGHT SHALL BE OF LED LAMP FITTINGS INCLUDING LAMPS.</p> <p>(* REMARKS : FOR SUPPLY OF ALL THE CABLES AS INDICATED ARE COVERED IN THE CABLE ITEMS AS INDICATED ABOVE AT 28.1)</p>	LOT	1	0	0	1		

<b>PART-I, SCHEDULE-2B ( FOR SUBSTATION- F &amp; I)</b>							<b>TO BE QUOTED IN INR</b>	
<b>SL NO</b>	<b>DESCRIPTION OF ITEMS</b>	<b>Unit</b>	<b>Quantity for: Construction of 2x160 MVA, 220/132/33 KV &amp; 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN</b>	<b>Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S</b>	<b>Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S</b>	<b>TOTAL QUANTITY</b>	<b>Freight &amp; Insurance Charges</b>	
	<b>F&amp;I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)</b>						<b>Unit Charges</b>	<b>Total Price</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9=8X7</b>
<b>32</b>	2 TR CAPACITY SPLIT AIR CONDITIONING UNITS WITH REMOTE CONTROL FACILITY: INCLUDING SUPPLY OF AIR CONDITIONERS,VOLTAGE STABILISER,CONTROL BOXES ETC FOR COMPLETING THE A.C SCHEME.(AS PER SPECIFICATION ) FOR CONTROL ROOM, CARRIER ROOM & CONFERENCE ROOM>(*SUPPLY OF CABLES ARE COVERED IN CABLE ITEMS AS INDICATED ABOVE AT 28.1)	LOT	1	0	0	1		
<b>33</b>	<b>FIRE FIGHTING SYSTEM(PORTABLE AND WHEEL MOUNTED SETS FOR CONTROL ROOM,EQUIPMENT LIKE TRANSFORMER AND OTHER AREAS AS PER TECH SPEC(REFER TS-INST TO BIDDER BEFORE DESIGN-SL NO 16-ANNEXURE - I)</b>							
<b>33.1</b>	FOAM TYPE-9 LTRS	NOS	4	0	0	4		
<b>33.2</b>	DRY CHEMICAL POWDER(TROLLEY MOUNTED)- 22.5 KGS	NOS	4	0	0	4		
<b>33.3</b>	DRY POWDER TYPE - 5 KGS	NOS	4	1	1	6		
<b>33.4</b>	CO <sub>2</sub> - 4.5 KGS	NOS	10	1	1	12		
<b>33.5</b>	CO <sub>2</sub> - 9 KGS	NOS	10	1	1	12		
<b>33.6</b>	CO <sub>2</sub> (TROLLY MOUNTED)- 22.5 KGS	NOS	4	0	0	4		
<b>33.7</b>	FIRE BUCKET (6 NOS IN EACH STAND) WITH STAND	SET	5	0	0	5		
<b>34</b>	<b>PROTECTION,CONTROL METERING, EVENT LOGGER,BUS BAR PROT N PAN,COMM PAN, RELAY TOOL KITS AS PER TECH SPEC</b>							
<b>34.1</b>	<b>220 KV SIDE</b>							
<b>34.1.1</b>	FEEDER CONTROL PANEL(CPF-2D)	NOS	4	2	0	6		
<b>34.1.2</b>	TRANSFORMER CONTROL PANEL(CPL-2D)(FOR 220/132/33 KV AUTO TRANSFORMER)	NOS	2	0	0	2		
<b>34.1.3</b>	BUS TRANSFER CONTROL PANEL(CPT-2D)	NOS	1	0	0	1		
<b>34.1.4</b>	BUSCOUPLER CONTROL PANEL (CPB-2D)	NOS	1	0	0	1		
<b>34.1.5</b>	FEEDER RELAY PANEL(RPF-2D)	NOS	4	2	0	6		
<b>34.1.6</b>	TRANSFORMER RELAY PANEL(RPL-2D)	NOS	2	0	0	2		
<b>34.1.7</b>	BUS TRANSFER RELAY PANEL(RPT-2D)	NOS	1	0	0	1		
<b>34.1.8</b>	BUSCOUPLER RELAY PANEL (RPB-2D)	NOS	1	0	0	1		

<b>PART-I, SCHEDULE-2B ( FOR SUBSTATION- F &amp; I)</b>							<b>TO BE QUOTED IN INR</b>	
<b>SL NO</b>	<b>DESCRIPTION OF ITEMS</b>	<b>Unit</b>	<b>Quantity for: Construction of 2x160 MVA, 220/132/33 KV &amp; 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN</b>	<b>Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S</b>	<b>Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S</b>	<b>TOTAL QUANTITY</b>	<b>Freight &amp; Insurance Charges</b>	
	<b>F&amp;I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)</b>						<b>Unit Charges</b>	<b>Total Price</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9=8X7</b>
34.1.9	COMMON PANEL (KP-2)	NOS	1	0	0	1		
34.1.10	SYNCHRONOUS TROLLY	NOS	1	0	0	1		
34.1.11	BUS-BAR RELAY PANEL(RBB-2D)	NOS	1	0	0	1		
34.1.12	BUS BAR PROTECTION BAY MODULES ETC TO MATCH WITH THE EXISTING 220 KV BUS-BAR SYSTEM TO ACCOMMODATE TWO NOS 220 KV FEEDER BAYS.	SET	0	2	0	2		
34.1.13	TIME SYNCH EQUIPMENT	NOS	1	0	0	1		
34.1.14	EVENT LOGGER PANEL	NOS	1	0	0	1		
<b>34.2</b>	<b>132 KV SIDE</b>							
34.2.1	FEEDER CONTROL PANEL(CPF-1M)	NOS	4	0	2	6		
34.2.2	TRANSFORMER CONTROL PANEL(CPL-1M)(02 NOS FOR 132 KV SIDE OF220/132/33 AUTO TRANSFORMER)	NOS	2	0	0	2		
34.2.3	TRANSFORMER CONTROL PANEL(CPL-1M)(02 NOS FOR 132 KV SIDE OF 132/33 KV POWER TRANSFORMER)	NOS	2	0	0	2		
34.2.4	BUSCOUPLER CONTROL PANEL (CPB-1M)	NOS	1	0	0	1		
34.2.5	FEEDER RELAY PANEL(RPF-1M)	NOS	4	0	2	6		
34.2.6	TRANSFORMER RELAY PANEL(CPL-1M)(02 NOS FOR 132 KV SIDE OF220/132/33 AUTO TRANSFORMER)	NOS	2	0	0	2		
34.2.7	TRANSFORMER RELAY PANEL(CPL-1M)(02 NOS FOR 132 KV SIDE OF 132/33 KV POWER TRANSFORMER)	NOS	2	0	0	2		
34.2.8	BUSCOUPLER RELAY PANEL (RPB-1M)	NOS	1	0	0	1		
34.2.9	COMMON PANEL (KP-1)	NOS	1	0	0	1		
<b>34.3</b>	<b>33 KV SIDE</b>							
34.3.1	FEEDER CONTROL & RELAY PANEL(CPF/RPF-0M)	NOS	5	0	0	5		
34.3.2	TRANSFORMER CONTROL & RELAY PANEL(CPL/RPL-0M)	NOS	2	0	0	2		
34.3.3	BUSCOUPLER CONTROL & RELAY PANEL (CPB/RPB-0M)	NOS	1	0	0	1		
<b>35</b>	<b>AC &amp; DC SYSTEM</b>							



<b>PART-I, SCHEDULE-2B ( FOR SUBSTATION- F &amp; I)</b>							<b>TO BE QUOTED IN INR</b>	
<b>SL NO</b>	<b>DESCRIPTION OF ITEMS</b>	<b>Unit</b>	<b>Quantity for: Construction of 2x160 MVA, 220/132/33 KV &amp; 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN</b>	<b>Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S</b>	<b>Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S</b>	<b>TOTAL QUANTITY</b>	<b>Freight &amp; Insurance Charges</b>	
	<b>F&amp;I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)</b>						<b>Unit Charges</b>	<b>Total Price</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9=8X7</b>
<b>35.1</b>	<b>AC SYSTEM</b>							
<b>35.1.1</b>	MAIN AC DB,(HAVING 800 A,50KA,DRAWOUT TYPE ACB WITH 3 O/C,E/F,U/V RELAYING FACILITY INDOOR TYPE AS PER SPECIFICATION.(MAIN DB-1,MAIN DB-2 WITH B/C)	SET	1	0	0	1		
<b>35.1.2</b>	ACDB (HAVING 400A MCCB) AS PER SPECIFICATION (AC DB-1,AC DB-2 WITH B/C)	SET	1	0	0	1		
<b>35.1.3</b>	MAIN LIGHTING DISTRIBUTION BOARD (HAVING 250A MCCB AS INCOMER)AS PER SPECIFICATION (WITH DB-1,DB-2 & B/C)	SET	1	0	0	1		
<b>35.1.4</b>	INDOOR LIGHTING DISTRIBUTION BOARD AS PER SPECIFICATION. (WITH DB-1,DB-2 & B/C)	SET	1	0	0	1		
<b>35.1.5</b>	EMERGENCY LIGHTING DISTRIBUTION BOARD	SET	1	0	0	1		
<b>35.1.6</b>	INDOOR RECEPTACLE BOARD	SET	1	0	0	1		
<b>35.2</b>	<b>DC SYSTEM</b>							
<b>35.2.1</b>	220 V DC BOARD (HAVING 100A DC MCCB AS INCOMER, E/F (EARTH LEAKAGE), UNDER & OVER VOLTAGE AS PER SPECIFICATION (DC DB-1,DC DB-2 & B/C)	SET	1	0	0	1		
<b>35.2.2</b>	220 V DC EMERGENCY DISTRIBUTION BOARD	SET	1	0	0	1		
<b>36</b>	BATTERY (350 AH PLANTE TYPE) FOR 220 V DC	SET	2	0	0	2		
<b>37</b>	BATTERY CHARGER FOR 220 V, 350 AH BATTERY (FLOAT AND FLOAT CUM BOOST)	SET	2	0	0	2		
<b>38</b>	DISTLED WATER PLANT OF 10 LTR/HR FOR BATTERY BANKS	SET	1	0	0	1		
<b>39</b>	WALKIE TALKIE SET	SET /PAIR	2	0	0	2		
<b>40</b>	PORTABLE ALUMINIUM LADDER EXTENDABLE TYPE OF ADEQUATE HEIGHT TO BE USED FOR MAINTENANCE OF EQUIPMENT INSIDE SWITCH YARD.	NOS	2	0	0	2		
<b>41</b>	PEDESTAL MOUNTED WHEEL FITTED DERRICK FOR LIFTING/ LOWERING OF MATERIALS UP TO 1.5 TON CAPACITY.	SET	1	0	0	1		
<b>42</b>	POWER WINCH NEAR STORE SHED FOR HANDLING MATERIALS UPTO 5 TON CAPACITY.	SET	1	0	0	1		
<b>43</b>	WATER COOLER WITH WATER PURIFIER SYSTEM	NOS	1	0	0	1		
<b>44</b>	MAINTENANCE TESTING EQUIPMENT (AS PER ANNEXURE - I ,INDICATED IN TS-TIMK-SCHEDULE OF REQUIREMENTS OF MAINTENANCE EQUIPMENT)	LOT	1	0	0	1		

PART-I, SCHEDULE-2B ( FOR SUBSTATION- F & I)							TO BE QUOTED IN INR	
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Freight & Insurance Charges	
	F&I TOWARDS SUPPLY OF FOLLOWING EQUIPMENT (As per Technical Specification)						Unit Charges	Total Price
1	2	3	4	5	6	7	8	9=8X7
45	OTHER TOOLS AND PLANTS (T&P's) REQUIREMENT (AS PER ANNEXURE - II ,INDICATED IN TS-TIMK-SCHEDULE OF REQUI-REMENTS OTHER T&P's)	LOT	1	0	0	1		
46	OFFICE FURNITURE (AS PER ANNEXURE - III ,INDICATED IN TS-TIMK-SCHEDULE OF REQUIREMENTS OFFICE FURNITURE)-PLACING IN CONTROL ROOM,CONFERENCE ROOM,OFFICE ROOMS,LIBRARY,TESTING LAB,etc.	LOT	1	0	0	1		
47	BEST QUALITY &APPROVED MAKE RUBBER MAT TO BE KEPT INFRONT OF ALL PANELS,BOARDS ETC.	LOT	1	1	1	3		
<b>TOTAL (Part-I):2B (SS F &amp; I)</b>								

**Note:**

- 1 Before filling up rate/amount etc. in the schedules bidders are requested to read carefully the instruction given in Vol-I of Bidding Document.
- 2 Bidders are required to fill up amount in all column except shaded portion.
- 3 Bidders are requested not to leave any column blank. If any column is left blank it shall be considered that amount against those items are included in any other item and the total amount for that item shall be calculated as free of cost (Zero value). No rate shall be furnished/obtained after bid opening (Ref clause no 33.4.1 of INB vol-I)
- 4 Kindly enclose soft copy of the duly filled schedule in a CD with the priced copy of Bid.
- 5 Bidder should be quoted **including** service tax, no service tax shall be paid/reimbursed.

Date :

(Signature) .....

Place :

( Name) .....

( Designation ) .....

(Common Seal) .....

**ODISHA POWER TRANSMISSION CORPORATION LIMITED**

**Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN along with 220 KV D.C Transmission Line from Proposed Pratapsasan S/S to Nuapada,Cuttack 220/132/33 KV S/S & 132 KVDC Transmission line from proposed Pratapsasan S/S to 132/33 S/S at Phulnakhara & 2 Nos 132 KV Feeder Bay extension at 132/33 KV S/S at Phulnakhara**

**BID DOCUMENT No.: Sr.G.M-CPC-TENDER- PRATAPSASAN PACKAGE- 08 / 2012-13**

**NOTICE INVITING TENDER-NIT NO. 08 /2012-13**

**(F & I FOR Supply Equipment/Materials Price Break-up against PRATAPSASHAN PACKAGE)**

<b>PART-II, SCHEDULE-2B (FOR LINE)</b>							
<b>DESCRIPTION OF ITEMS</b>						<b>TO BE QUOTED IN INR</b>	
<b>S. No.</b>	<b>F&amp;I FOR SUPPLY OF FOLLOWING EQUIPMENT,STRUCTURES &amp; MATERIALS (As per Technical Specification)</b>	<b>UNITS</b>	<b>Quantity for :Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB- STATION ATPRATAPSASHAN (Line length- 33 Kms(APPOX))</b>	<b>Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION ATPRATAPSASHAN (Line length-15 Kms(APPOX))</b>	<b>TOTAL QUANTITY</b>	<b>Unit F&amp;I Charges</b>	<b>Total F&amp;I Charges</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8=6X7</b>
<b>1</b>	<b>SUPPLY of Following type tested Lattice type Galvanized steel tangent / Angle tower with stubs and cleats , different type of G.I HT Nuts &amp; Bolts, washer, spring washer for the towers ,hanger and all accessories, tower super structure complete including step bolts. Supply of black bituminous paint for three coats up to a height of 500mm above the cooping(legs &amp; bracing members). All Supply should confirm to the Technical Specification.</b>						
1.1	OA TYPE (SUSPENSION) TOWERS (NOMINAL UNIT WEIGHT 4.35 MT)	Nos.	73	0	73		
1.1.1	+3 EXTENSION (NOMINAL UNIT WEIGHT 0.725MT)	Nos.	7	0	7		
1.1.2	+6 EXTENSION (NOMINAL UNIT WEIGHT 1.448 MT)	Nos.	7	0	7		
1.2	OB TYPE (30 deg ANGLE ) TOWERS (NOMINAL UNIT WEIGHT 6.575 MT)	Nos.	31	0	31		
1.2.1	+3 EXTENSION (NOMINAL UNIT WEIGHT 1.242 MT)	Nos.	8	0	8		
1.2.2	+6 EXTENSION (NOMINAL UNIT WEIGHT 2.132 MT)	Nos.	4	0	4		
1.3	OC TYPE (60 deg ANGLE ) TOWERS (NOMINAL UNIT WEIGHT 9.8398MT)	Nos.	15	2	17		
1.3.1	+3 EXTENSION (NOMINAL UNIT WEIGHT 1.474MT)	Nos.	3	0	3		
1.3.2	+6 EXTENSION (NOMINAL UNIT WEIGHT 2.597 MT)	Nos.	2	0	2		
1.3.3	+15 EXTENSION (NOMINAL UNIT WEIGHT 8.555 MT)	Nos.	2	2	4		
1.4	UR TYPE (60 deg ANGLE ) TOWERS (NOMINAL UNIT WEIGHT 13.585 MT)	Nos.	2	0	2		
1.4.1	+6 EXTENSION (NOMINAL UNIT WEIGHT 4.249 MT)	Nos.	2	0	2		
1.5	PA TYPE (SUSPENSION ) TOWERS (Nominal unit weight 3.430 MT)	Nos.	0	40	40		
1.5.1	+3 EXTENSION (Nominal unit weight 0.537 MT)	Nos.	0	6	6		
1.5.2	+6 EXTENSION (Nominal unit weight 1.349 MT)	Nos.	0	3	3		

PART-II, SCHEDULE-2B (FOR LINE)							
DESCRIPTION OF ITEMS		TO BE QUOTED IN INR					
S. No.	F&I FOR SUPPLY OF FOLLOWING EQUIPMENT,STRUCTURES & MATERIALS (As per Technical Specification)	UNITS	Quantity for :Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB- STATION ATPRATAPSASHAN (Line length- 33 Kms(APPOX))	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION ATPRATAPSASHAN (Line length-15 Kms(APPOX))	TOTAL QUANTITY	Unit F&I Charges	Total F&I Charges
1	2	3	4	5	6	7	8=6X7
1.6	PBTYPE (30 deg ANGLE ) TOWERS (Nominal unit weight 4.973 MT)	Nos.	0	6	6		
1.6.1	+3 EXTENSION (Nominal unit weight 1.018 MT)	Nos.	0	1	1		
1.6.2	+6 EXTENSION (Nominal unit weight 2.104 MT)	Nos.	0	1	1		
1.7	PC TYPE (60 deg ANGLE ) TOWERS (Nominal unit weight 6.214 MT)	Nos.	0	6	6		
1.7.1	+3 EXTENSION (Nominal unit weight 1.119 MT)	Nos.	0	0	0		
1.8.1	OA (NOMINAL UNIT WEIGHT 0.579 MT)	Nos.	7	0	7		
1.8.2	OB (NOMINAL UNIT WEIGHT 0.815 MT)	Nos.	3	0	3		
1.8.3	OC (NOMINAL UNIT WEIGHT 0.984 MT)	Nos.	2	0	2		
1.8.4	UR (NOMINAL UNIT WEIGHT 1.507 MT)	Nos.	1	1	2		
1.8.5	PA (Nominal unit weight 0.665 MT)	Nos.	0	1	1		
1.8.6	PB (Nominal unit weight 0.602 MT)	Nos.	0	1	1		
1.8.7	PC (Nominal unit weight 0.904 MT)	Nos.	0	1	1		
1.9	WEIGHT OF THE STRUCTURES (including Tower stubs, Templates & Foundation Nut and Bolts)	MT			1050		
1.10	Weight of different type G.I Nuts and Bolts	MT			75		
2.0	<b>Supply of the following tower accessories as per technical specification and as directed by the engineer in charge.</b>						
2.1	EARTHING DEVICE	Nos.	117	54	171		
2.2	DANGER BOARD	Nos.	121	54	175		
2.3	NUMBER PLATE	Nos.	121	54	175		
2.4	PHASE PLATE	Nos.	726	324	1050		
2.5	BIRD GUARD	Nos.	438	240	678		
2.6	ANTICLIMBING DEVICE	Nos.	115	54	169		
2.7	CIRCUIT PLATE	Nos.	242	108	350		
3.0	<b>Supply of following POWER CONDUCTORS in the proposed 220kV lines with 1.5% provision for sag and wastage as per the technical specification and as per the instruction of the engineer in charge.</b>						
3.1	ACSR Zebra (54/7/3.18mm)	Kms.	200	0	200		

PART-II, SCHEDULE-2B (FOR LINE)							
S. No.	DESCRIPTION OF ITEMS  F&I FOR SUPPLY OF FOLLOWING EQUIPMENT,STRUCTURES & MATERIALS (As per Technical Specification)	UNITS	Quantity for :Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB- STATION ATPRATAPSASHAN (Line length- 33 Kms(APPOX))	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION ATPRATAPSASHAN (Line length-15 Kms(APPOX))	TOTAL QUANTITY	TO BE QUOTED IN INR	
						Unit F&I Charges	Total F&I Charges
1	2	3	4	5	6	7	8=6X7
3.2	ACSR Panther (30/7/3.0 mm)	Kms.	0	90	90		
<b>4.0</b>	<b>POWER CONDUCTOR ACESSORIES</b>						
4.1	For ACSR ZEBRA						
4.1.1	VIBRATION DAMPER	Nos.	1452	0	1452		
4.1.2	MID SPAN JOINT	Nos.	200	0	200		
4.1.3	Repair Sleeve	Nos.	100	0	100		
4.1.4	Performed Armoured Rod	Set	438	0	438		
4.2	For ACSR PANTHER						
4.2.1	VIBRATION DAMPER	Nos.	0	660	660		
4.2.2	MID SPAN JOINT	Nos.	0	90	90		
4.2.3	Repair Sleeve	Nos.	0	50	50		
4.2.4	Performed Armoured Rod	Set	0	240	240		
<b>5.0</b>	<b>Supply of the GI earth wire of size 7/3.15 mm as per the technical specification, with 1.5% provision for Sag &amp; Wastage and as per the direction of Engineer in charge.</b>	Kms.	33	15	48		
<b>6.0</b>	<b>EARTH CONDUCTOR ACESSORIES</b>						
6.1	VIBRATION DAMPER	Nos.	242	108	350		
6.2	FLEXIBLE COPPER EARTH BOND	Nos.	100	28	128		
6.3	SUSPENSION CLAMP	Nos.	75	40	115		
6.4	TENSION CLAMP	Nos.	96	28	124		
6.5	MID SPAN JOINT	Nos.	30	15	45		
6.6	Repair Sleeve	Nos.	10	5	15		
<b>7.0</b>	<b>Supply of the following Anti Fog Type DISC insulators as per the technical specification and as per the instruction of the Engineer in charge.</b>						
7.1	120KN Insulator (taking 5% extra towards wastage)	Nos.	6970	2270	9240		
7.2	160KN Insulator (taking 5% extra towards wastage)	Nos.	11340	0	11340		
7.3	90 KN Insulator (taking 5% extra towards wastage)	Nos.	0	2280	2280		
<b>8.0</b>	<b>Supply of the following hard ware fittings suitable for following conductors as per the technical specification.</b>						
<b>8.1</b>	<b>For ACSR ZEBRA</b>						

PART-II, SCHEDULE-2B (FOR LINE)							
DESCRIPTION OF ITEMS							
S. No.	F&I FOR SUPPLY OF FOLLOWING EQUIPMENT,STRUCTURES & MATERIALS (As per Technical Specification)	UNITS	Quantity for :Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB- STATION ATPRATAPSASHAN (Line length- 33 Kms(APPOX))	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION ATPRATAPSASHAN (Line length-15 Kms(APPOX))	TOTAL QUANTITY	TO BE QUOTED IN INR	
						Unit F&I Charges	Total F&I Charges
1	2	3	4	5	6	7	8=6X7
8.1.1	Single suspension Hard wares fittings.(AGS type) suitable for 120 KN insulator.	Set	420	0	420		
8.1.2	Double suspension Hard wares fittings.(AGS type) suitable for 120 KN insulator.	Set	50	0	50		
8.1.3	Single tension Hard wares fittings, suitable for 160 KN insulator.	Set	450	0	450		
8.1.4	Double tension Hard wares fittings, suitable for 160 KN insulator.	Set	150	0	150		
8.1.5	Single tension Hard wares fittings, suitable for 120 KN insulator.	Set	0	120	120		
8.1.6	Double tension Hard wares fittings, suitable for 120 KN insulator.	Set	0	50	50		
8.1.7	Single suspension Hard wares fittings.(AGS type) suitable for 90 KN insulator.	Set	0	200	200		
8.1.8	Double suspension Hard wares fittings.(AGS type) suitable for 90 KN insulator.	Set	0	50	50		
<b>TOTAL (Part-II)-2B-LINE</b>							

Note:

**Before filling up rate/amount etc. in the schedules bidders are requested to read carefully the instruction given in Vol-I of Bidding Document.**

**1**

**2 Bidders are required to fill up amount in all column except shaded portion.**

**3 Bidders are requested not to leave any column blank. If any column is left blank it shall be considered that amount against those items are included in any other item and the total amount for that item shall be calculated as free of cost (Zero value). No rate shall be furnished/obtained after bid opening (Ref clause no 33.4.1 of INB vol-I)**

**4 Kindly enclose soft copy of the duly filled schedule in a CD with the priced copy of Bid.**

**5 Bidder should be quoted including service tax, no service tax shall be paid/reimbursed.**

Date :

Place :

(Signature) .....

( Name) .....

( Designation ) .....

(Common Seal) .....

**ODISHA POWER TRANSMISSION CORPORATION LIMITED**

**Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN along with 220 KV D.C Transmission Line from Proposed Pratapsasan S/S to Nuapada,Cuttack  
220/132/33 KV S/S & 132 KVDC Transmission line from proposed Pratapsasan S/S to 132/33 S/S at Phulnakhara & 2 Nos 132 KV Feeder Bay extension at 132/33 KV S/S at Phulnakhara**

**BID DOCUMENT No.: Sr.G.M-CPC-TENDER- PRATAPSASAN PACKAGE- 08 / 2012-13**

**NOTICE INVITING TENDER-NIT NO. 08 /2012-13**

**(Equipment/Materials Supply Price Break-up of ERECTION & CIVIL WORKS Prices against PRATAPSASHAN S/S PACKAGE)**

<b>PART-I, SCHEDULE-2C (FOR SUBSTATION)</b>								
SL NO	DESCRIPTION OF ITEMS  ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
							Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
<b>A</b>	<b>ELECTRICAL WORKS</b>							
1	245 KV,1200-600-300A,40KA,5CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	24	6	0	30		
2	<b>245 KV,2000A,40KA,ISOLATORS</b>							
2.1	WITH OUT EARTH SWITCH	NOS	18	6	0	24		
2.2	WITH SINGLE EARTH SWITCH	NOS	6	2	0	8		
2.3	BEAM MOUNTED WITHOUT EARTH SWITCH	NOS	6	2	0	8		
2.4	TANDEM WITHOUT EARTH SWITCH	NOS	0	0	0	0		
3	245 KV,4400pF,3CORE,SINGLE PHASE CAPACITOR VOLTAGE TRANSFORMER	NOS	12	6	0	18		
4	245KV,3150A,40KA,SF6,CIRCUIT BREAKER WITH SUPPORTING STRUCTURE	NOS	7	2	0	9		
5	216 KV, METAL OXIDE SURGE ARRESTOR,10 KA, class III	NOS	18	6	0	24		
6	245 KV ,2 CORE,SINGLE PHASE,IVT	NOS	6	0	0	6		
7	220 KV Bus Post Insulators	NOS	49	14	0	63		
8	145 KV,800-400-200 A,31.5 KA,4CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	27	0	6	33		
9	145 KV,1200A,31.5KA,ISOLATORS							
9.1	S/I WITH OUT EARTH SWITCH	NOS	12	0	2	14		
9.2	D/I WITH SINGLE EARTH SWITCH	NOS	4	0	2	6		
9.3	D/I WITHOUT EARTH SWITCH	NOS	4	0	0	4		
10	145 KV,6600pF,3CORE,SINGLE PHASE CAPACITOR VOLTAGE TRANSFORMER	NOS	12	0	6	18		
11	120 KV METAL OXIDE SURGE ARRESTOR, 10 KA, Class III	NOS	24	0	6	30		
12	145 KV ,2 CORE,SINGLE PHASE,IVT	NOS	3	0	0	3		
13	132 KV Bus Post Insulators	NOS	26	0	4	30		
14	145KV,3150A,40KA,SF6,CIRCUIT BREAKER WITH SUPPORTING STRUCTURE	NOS	9	0	2	11		
15	36 KV,800-400-200,25KA,3CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	24	0	0	24		
16	36 KV CLASS NCT FOR AUTO TRANSFORMER REF PROTECTION (RATIO 1200-600-300 A) & HAVING TWO CORE(PCLASS) (IN EACH AUTO TRANSFORMER 1 No. NCT)	NOS	2	0	0	2		
17	36 KV CLASS NCT FOR POWER TRANSFORMER REF PROTECTION (RATIO 800-400-200 A) & HAVING TWO CORE (PCLASS) (IN EACH POWER TRANSFORMER 132 KV SIDE: 1 NO, & 33 KV SIDE:1 NO)	NOS	4	0	0	4		
18	<b>36 KV,800A,25KA,ISOLATORS</b>							

PART-I, SCHEDULE-2C (FOR SUBSTATION)								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
18.1	S/I WITH OUT EARTH SWITCH	NOS	9	0	0	9		
18.2	D/I WITH SINGLE EARTH SWITCH	NOS	5	0	0	5		
18.3	D/I WITHOUT EARTH SWITCH	NOS	2	0	0	2		
18.4	S/I WITH BEAM MOUNTED	NOS	2	0	0	2		
19	30 KV, METAL OXIDE SURGE ARRESTOR, 10KA, class II	NOS	27	0	0	27		
20	36 KV ,2 CORE,SINGLE PHASE,IVT	NOS	3	0	0	3		
21	36KV,1250A,25KA,VACUUM CIRCUIT BREAKER WITH SUPPORTING STRUCTURE	NOS	8	0	0	8		
22	33 KV Bus Post Insulators	NOS	28	0	0	28		
23	<b>BUS BAR &amp; CIRCUIT MATERIALS</b>							
23.1	TENSION & SUSPENSION ANTI FOG TYPE INSULATOR STRING							
23.1.1	160 kN ANTIFOG INSULATOR STRINGS <i>for twin Moose cond</i> ( TENSION)-220 KV	SET	48	12	0	60		
23.1.2	160 kN ANTIFOG INSULATOR STRINGS <i>for single Moose cond</i> (TENSION)-220 KV	SET	105	19	0	124		
23.1.3	120 kN ANTIFOG INSULATOR STRINGS <i>for Double Moose cond</i> (TENSION)-132 KV	SET	54	0	6	60		
23.1.4	120 kN ANTIFOG INSULATOR STRINGS <i>for Single Moose cond</i> (TENSION)-132 KV	SET	66	0	24	90		
23.1.5	120 kN ANTIFOG INSULATOR STRINGS <i>for Double Moose cond</i> ( TENSION)-33 KV	SET	18	0	0	18		
23.1.6	120 kN ANTIFOG INSULATOR STRINGS <i>for Single Moose cond</i> (TENSION)-33 KV	SET	42	0	0	42		
23.1.7	90 kN ANTIFOG INSULATOR STRINGS <i>for Double/ Single Moose cond</i> ( SUSPENSION)-220 KV	SET	60	13	13	86		
23.1.8	90 kN ANTIFOG INSULATOR STRINGS <i>for Double/ Single Moose cond</i> ( SUSPENSION)-132 KV	SET	24	0	12	36		
23.1.9	90 kN ANTIFOG INSULATOR STRINGS <i>for Double/ Single Moose cond</i> (SUSPENSION)-33 KV	SET	15	0	0	15		
23.2	ACSR MOOSE CONDUCTOR	LOT	1	1	1	3		
23.3	IPS 4" ALUMINIUM TUBES(114.2 mm OD, & 8.51mm Thickness) for equipment to equipment connection in 220 KV side.	LOT	1	1	0	2		
23.4	HARDWARES & FITTINGS/SPACERS/CLAMP & CONNECTORS	LOT	1	1	1	3		
23.5	EARTH WIRES & IT'S HARDWARES & FITTING	LOT	1	1	1	3		
24	<b>SUBSTATION EARTHING SYSTEMS</b>							
24.1	EARTHING CONDUCTOR FOR BURIAL : 75X10 mm GI Earth Flat for laying ( <i>spacing maximum 5m</i> ) (Substation earth mat): Design, engineering, supply (except the 75X10 mm GI Earth Flat, only erection) inclusive of corrosion protection measures if any,laying of earth mat conductors of size 75X10 mm GI Flat as per the approval of Engineer in charge, excavation, welding/jointing of ground conductors along with risers (a) up to Finished level from the mat size 75X10 mm GI Flat with back filling and good compaction,The spacing between the earth conductor not more than 5 mtrs (both way) and to be buried at depth of 700 mm from the finished ground level as per the practice and as per specification.	LOT	1	1	1	3		
24.3	EARTHING CONDUCTOR: 50x6 mm GI Flat for Raiser from the burial earth mat to equipment,structure including proper welding, bending and anti corrosive painting etc from the finished ground level to the top of the structure and equipment shall be with 50X6 mm GI Flats, as per approved drawing and specification.	LOT	1	1	1	3		



PART-I, SCHEDULE-2C (FOR SUBSTATION)								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
24.4	EARTHING DEVICE & ASSOCIATED ACCESSORIES (50 mm heavy duty GI PERFORATED PIPE 3 mtrs long for treated earth pit): perforated 50 mm Heavy duty GI pipes for treated earth pits (with details of treatment as per IS) including, excavation, supply of Bentonate powder and other materials for the treated earth pit as per standard practice and as per specification.	LOT	1	1	1	3		
24.5	EARTHING DEVICE & ASSOCIATED ACCESSORIES 40mm MS rod 3 mtrs long for non treated earth pit) to be inserted directly inside the soil.	LOT	1	1	1	3		
25	G.I Cable Trays including support GI angle suitable for different sections i.e. Section:1-1,2-2,3-3 & 4-4 along with its accessories as per TS.	LOT	1	1	1	3		
26	SUB STATION SWITCHYARD BMK, AC CONSOLE & OTHER MARSHALLING BOXES							
26.1	BAY MARSHALLING KIOSK (07 nos on 220 kV bay, 05 Nos 132 kv bay & 04 Nos 33 KV bay & 2 Nos for 220 KV bay extension, 1 No for 132 KV bay Extension )	NOS	18	2	1	21		
26.2	SWITCH YARD AC CONSOLE FOR LIGHTING. (01 nos on 220 kV bay, 01 Nos 132 kv bay & 01 No in 33KV bay & 1 NO. Each at Bay Extension)	NOS	3	1	1	5		
26.3	SWITCH YARD RECEPTACLE BOARD FOR TFR OIL FILTERATION (01 no. near 220/132 KV Auto Tfr & 1 No near 132/33 KV power Transformer)	NOS	2	0	0	2		
26.4	SWITCH YARD RECEPTACLE BOARD FOR WELDING & OTHER EMERGENCY (01 nos on 220, 132 & 33 kV bay )	NOS	3	0	0	3		
27	SWITCH YARD STRUCTURES (LATTICE TYPE) FOR 220/132/33 KV CLASS INCLUDING FOUNDATION BOLTS & NUTS.							
27.1	DIFFERENT TYPES OF COLUMNS WITH DETAILS							
27.1.1	P1S-220 KV (NOMINAL UNIT WT- 4.5 MT)	NOS	28	8	0	36		
27.1.2	P2A-220 KV (NOMINAL UNIT WT- 1..5 MT)	NOS	8	3	0	11		
27.1.3	T1S - 132 KV(NOMINAL UNIT WT- 1.2 MT)	NOS	24	0	4	28		
27.1.4	T4S - 132KV (NOMINAL UNIT WT- 0.95 MT)	NOS	6	0	1	7		
27.1.5	T8S - 33KV(NOMINAL UNIT WT- 0.8 MT)	NOS	9	0	0	9		
27.1.6	T9S - 33KV(NOMINAL UNIT WT- 0.6 MT)	NOS	11	0	0	11		
27.2	DIFFERENT TYPE OF BEAMS WITH DETAILS							
27.2.1	Q1-220KV (NOMINAL UNIT WT- 1.5 MT)	NOS	22	6	0	28		
27.2.2	Q3-220KV (NOMINAL UNIT WT-2.5 MT)	NOS	6	2	0	8		
27.2.3	Q4-220KV (NOMINAL UNIT WT- 0.9 MT)	NOS	4	0	0	4		
27.2.4	G1 - 132 KV(NOMINAL UNIT WT- 0.62 MT)	NOS	22	0	4	26		
27.2.5	G1X - 132 KV (NOMINAL UNIT WT- 1.4 MT)	NOS	2	0	2	4		
27.2.6	G2 - 132 KV(NOMINAL UNIT WT- 0.91 MT)	NOS	4	0	0	4		
27.2.7	G1,2 - 132 KV(Each two beams of G1 type) (NOMINAL UNIT WT- 1.25 MT)	NOS	2	0	0	2		
27.2.8	G6 - 33KV (NOMINAL UNIT WT- 0.53 MT)	NOS	9	0	0	9		

<b>PART-I, SCHEDULE-2C (FOR SUBSTATION)</b>								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
27.2.9	G4 - 33KV(NOMINAL UNIT WT- 0.4 MT)	NOS	2	0	0	2		
27.2.10	G4X - 33KV(NOMINAL UNIT WT- 0.4 MT)	NOS	3	0	0	3		
27.3	<b>TOTAL WEIGHT OF COLUMN &amp; BEAM</b>	MT				340.00		
27.4	<b>SUPPORT STRUCTURES (LATTICE/PIPE TYPE) FOR ALL 220KV, 132 KV &amp; 33KV EQUIPMENTS</b>							
27.4.1	ISOLATORS-220KV	LOT	24	8	8	40		
27.4.2	ISOLATORS-132KV	LOT	20	0	0	20		
27.4.3	ISOLATORS-33 KV	LOT	18	0	0	18		
27.4.4	CTS-220 KV	LOT	18	6	6	30		
27.4.5	CTS-132 KV	LOT	27	0	0	27		
27.4.6	CTS-33 KV	LOT	30	0	0	30		
27.4.7	CVTS-220 KV	LOT	6	6	6	18		
27.4.8	CVTS-132 KV	LOT	12	0	0	12		
27.4.9	IVTS-220 KV	LOT	6	0	0	6		
27.4.10	IVTS-132 KV	LOT	3	0	0	3		
27.4.11	IVTS-33 KV	LOT	3	0	0	3		
27.4.12	Surge Arrester-220 Kv	LOT	12	6	6	24		
27.4.13	Surge Arrester-132 kV	LOT	24	0	0	24		
27.4.14	Surge Arrester-33 kV	LOT	27	0	0	27		
27.4.15	Wave Trap-220 KV	LOT	4	4	4	12		
27.4.16	Wave Trap-132 KV	LOT	8	0	0	8		
27.4.17	BPI-220 KV	LOT	35	20	20	75		
27.4.18	BPI-132 KV	LOT	26	0	0	26		
27.4.19	BPI-33 KV	LOT	28	0	0	28		
27.4.20	NCTS	LOT	6	0	0	6		
27.5	<b>TOTAL WEIGHT OF EQUIPMENT STRUCTURE</b>	MT				150		
27.6	<b>Total weight of GI Nuts and bolts for the above structures</b>	MT				40		
28	<b>GENERAL EQUIPMENT &amp; SUBSTATION ACCESSORIES</b>							
28.1	<b>POWER CABLES,1.1KV,XLPE,ARMOURED, ALUMINIUM CONDUCTOR (As per Specification)</b>							
28.1.1	3.5 CX300 mm <sup>2</sup>	LOT	1	0	0	1		
28.1.2	3.5 CX185 mm <sup>2</sup>	LOT	1	0	0	1		
28.1.3	3.5 CX120 mm <sup>2</sup>	LOT	1	0	0	1		
28.1.4	3.5 CX70 mm <sup>2</sup>	LOT	1	1	1	3		
28.1.5	3.5 CX35 mm <sup>2</sup>	LOT	1	1	1	3		
28.1.6	4 CX 16 mm <sup>2</sup>	LOT	1	1	1	3		

<b>PART-I, SCHEDULE-2C (FOR SUBSTATION)</b>								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
28.1.7	4 CX 6 mm <sup>2</sup>	LOT	1	1	1	3		
28.1.8	2CX 6 mm <sup>2</sup>	LOT	1	1	1	3		
28.2	<b>CONTROL CABLES, 1.1 KV, PVC, STRANDED COPPER (As per specification)</b>							
28.2.1	4 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.2	5 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.3	7CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.4	10 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.5	12 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.6	16 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.7	19 CX 2.5 mm <sup>2</sup>	LOT	1	1	1	3		
28.2.8	1CX 120 mm <sup>2</sup> BAT TO BAT CHARGER & CHARGER TO DCDB	LOT	1	1	1	3		
29	<b>ACCESSORIES FOR PLCC SYSTEM AS PER TECHNICAL SPECIFICATION</b>							
29.1	220 KV WAVE TRAP for Pedestal mounting with complete accessories :1600A, 1.0 mH, (90-500kHz),Isc=40kA compatible to IEC 353 specifications	NOS	8	4	0	12		
29.2	132 kV Line Trap for Pedestal mounting with complete accessories :800A, 0.5 mH, (90-500kHz),Isc=31.5kA compatible to IEC 353 specifications	NOS	8	0	4	12		
29.3	LINE MATCHING UNIT & LINE MATCHING DISTRIBUTION UNIT	SET	8	2	2	12		
29.4	12.5 mm OD armoured Co-axial Cable; Impedance: 75 ohms, Insulation Resistance: 100 Meg Ohms Dielectric strength: 5 kV, Signal attenuation: 6 dB/KM (Max) at 500 kHz	MTRS	1000	1000	500	2500		
29.5	EPAX standard complied to ITU-T, G-711,G-712,Q507,Q-517 capacity 16lines/Trunks, specification transducers and interfacing cards for Analog input and Digital output (Optional)	NO	1	0	0	1		
29.6	25 PAIR ARMoured JELLY FILLED CABLE	MTRS	1000	0	0	1000		
29.7	10 PAIR ARMoured TELEPHONE CABLES	MTRS	500	0	0	500		
29.8	4 PAIR NON ARMoured TELEPHONE CABLES	MTRS	300	300	200	800		
29.9	4 WIRE TELEPHONE SET	NO	4	1	1	6		
29.10	2 WIRE TELEPHONE SET	NO	20	2	2	24		
29.11	FAX MACHINE	NO	1	0	0	1		
29.12	PLANTE TYPE BATTERY 350 AH(FOR 48 V)	SET	2	0	0	2		
29.13	BATTERY CHARGER FOR 48 V, 350 AH 70 AMP FLOAT CUM BOOST CHARGER	SET	2	0	0	2		
29.14	48 V DCDB(DCDB-I & DCDB-II)	SET	1	0	0	1		
30	<b>SUPPLY OF STATION TRANSFORMER &amp; OTHER MATERIALS FOR MEETING THE AUXILIARY SUPPLY OF THE SUB-STATION AS PER TECHNICAL SPECIFICATION</b>							
30.1	STATION TRANSFORMER 33KV/433V,315 KVA (AS PER SPECIFICATION)	NOS	2	0	0	2		

<b>PART-I, SCHEDULE-2C (FOR SUBSTATION)</b>								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
30.2	33 KV AB SWITCH IN 33 KV SIDE(400AMP),HG FUSE, DP STRUCTURE(preferably by using 200X100 mm RS Joist),ANGLE FOR BRACING OF DP STRUCTURE,POWER CABLES, CHANEL, FOR ERECTION OF TRANSFORMER INCLUDING INSULATORS, CONDUCTOR, CLAMPS & CONNECTOR, JUMPERING AND OTHER ACCESSORIES FOR COMMISSIONING OF THE STN TRANSFORMER.IT INCLUDES LT OUT DOOR KIOSK MADE OUT OF 14 SWG GI MARSH-ALLING BOX OR BETTER , HAVING CABLE TERMINATING FACILITY FOR INCOMING & OUT GOING TO THE BOX. THE RATING OF THE BUS BAR, TERMINAL BOX & STUDS TO BE USED SHALL HAVE CONTINEOUS RATING OF 1000 AMP. MARSHALLING BOXES ARE TO BE INSTALLED NEAR TO THE AUXILIARY STATION TRANSFORMERS.	SETS	2	0	0	2		
31	SUB STATION LIGHTING (AS PER SPECIFICATION AND APPROVED DRAWINGS )(Switch yard and other street area)							
31.1	<b>SUB-STATION SWITCH YARD LIGHTING,IT INCLUDES SUPPLY OF FIXTURES &amp; LAMPS (LED) of reputed make (Philips/CGL/Bajaj) with switch gear,Gi Conduit etc.(Lighting fixtures are to be fixed rigidly on the Column at a suitable height so that the required lux can be maintained).</b>	LOT	1	1	1	3		
31.2	STREET LIGHTING, IT INCLUDES SUPPLY OF GI TUBULAR POLE, WITH LED LIGHTING FIXTURES WITH LAMPS of reputed make (Philips/CGL/Bajaj)(TO BE PROVIDED IN THE SWITCH YARD, ALONG THE ROADS (APPROACH INSIDE YARD AND OTHER ROADS).	LOT	1	0	0	1		
31.3	<b>ELECTRICAL SUPPLY TO STREET LIGHTING, COLONY QUARTERS:-</b> > 1 NO. OUTDOOR KIOSK FOR STREET LIGHTING PURPOSE HAVING 2 NOS 200 AMP SWITCH FUSE UNITS AND , 6 NOS.OUT LETS OF 32 AMP MCB FOR STREET LIGHTING. (XLPE CABLES(3.5 CORE 120 SQMM) FROM MAIN ACDB FROM CONTROL ROOM TO THE OUT DOOR KIOSK. XLPE CABLE OF 4C X 16 SQMM FROM OUTDOOR KIOSK TO THE STREET LIGHT POLES AND 4CX6 SQMM FROM POLE TO POLE AND 2CX6 SQMM FROM POLE TO LIGHTING FIXTURES.) > 1 NO. OUTDOOR KIOSK FOR COLONY SUPPLY PURPOSE HAVING 2 NOS. 200 A SWITCH FUSE UNITS, 6 NOS.OUT LETS OF 32 AMP MCB FOR COLONY QUARTES.( XLPE CABLES(3.5 CORE 120 SQM) FROM MAIN ACDB FROM CONTROL ROOM TO THE OUT DOOR KIOSK. 4CX16 SQMM FROM KIOSK TO EACH QUARTER. PROVISION OF CABLE(2C/4C-6 SQM) FROM THE OUT DOOR KIOSK INSTALLED NEAR THE QUARTER TO THE RESPECTIVE QUARTERS UP TO THE SWITCH FUSE UNIT PROVIDED INSIDE THE QUARTERS. INDIVIDUAL CABLES FOR INDIVIDUAL QUARTERS. IT ALSO INCLUDES PROPER EARTHING OF THE QUARTER AS PER THE STANDARD PRACTICE AND SPECIFICATION.) > ALL THE STREET LIGHT POLE SHALL BE OF GI TUBULAR POLE AND PROVISION OF A GI JUNCTION BOX WITH SUITABLE COVERS AT A HEIGHT OF 1 METRE FROM THE GROUND. (LT UNDER GROUND POWER CABLES OF 4CX6/16 SQMM SHALL BE CONNECTED TO THE JUNCTION BOX.) THE JUNCTION BOX SHALL HAVE PROVISION OF FUSES, BUSES, CONNECTORS FOR CABLE IN AND OUT. THIS INCLUDES SUPPLY OF ALL MATERIALS(EXCEPT CABLES) AS PER APPROVED DRAWING AND SPECIFICATION TO COMPLETE THE STREET LIGHTING SYSTEM. PROPER EARTHING AS PER STANDARD PRACTICE FOR STRRET LIGHT POLES AND OUTDOOR KIOSKS ARE ALSO INCLUDED IN THE SCOPE OF WORKS. THE STREET LIGHT SHALL BE OF LED LAMP FITTINGS INCLUDING LAMPS. (* REMARKS : FOR ERECTION OF ALL THE CABLES AS INDICATED ARE COVERED IN THE CABLE ITEMS AS INDICATED ABOVE AT 28.1)	LOT	1	0	0	1		

<b>PART-I, SCHEDULE-2C (FOR SUBSTATION)</b>								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
32	2 TR CAPACITY SPLIT AIR CONDITIONING UNITS WITH REMOTE CONTROL FACILITY: INCLUDING SUPPLY OF AIR CONDITIONERS,VOLTAGE STABILISER,CONTROL BOXES ETC FOR COMPLETING THE A.C SCHEME.(AS PER SPECIFICATION ) FOR CONTROL ROOM, CARRIER ROOM & CONFERENCE ROOM.( <b>ERECTION OF CABLES ARE COVERED IN CABLE ITEMS AS INDICATED ABOVE AT 28.1</b> )	LOT	1	0	0	1		
33	<b>FIRE FIGHTING SYSTEM(PORTABLE AND WHEEL MOUNTED SETS FOR CONTROL ROOM,EQUIPMENT LIKE TRANSFORMER AND OTHER AREAS AS PER TECH SPEC(REFER TS-INST TO BIDDER BEFORE DESIGN-SL NO 16-ANNEXURE - I)</b>							
33.1	FOAM TYPE-9 LTRS	NOS	4	0	0	4		
33.2	DRY CHEMICAL POWDER(TROLLEY MOUNTED)- 22.5 KGS	NOS	4	0	0	4		
33.3	DRY POWDER TYPE - 5 KGS	NOS	4	1	1	6		
33.4	CO <sub>2</sub> - 4.5 KGS	NOS	10	1	1	12		
33.5	CO <sub>2</sub> - 9 KGS	NOS	10	1	1	12		
33.6	CO <sub>2</sub> (TROLLY MOUNTED)- 22.5 KGS	NOS	4	0	0	4		
33.7	FIRE BUCKET (6 NOS IN EACH STAND) WITH STAND	SET	5	0	0	5		
34	<b>PROTECTION,CONTROL METERING, EVENT LOGGER,BUS BAR PROT N PAN,COMM PAN, RELAY TOOL KITS AS PER TECH SPEC</b>							
34.1	<b>220 KV SIDE</b>							
34.1.1	FEEDER CONTROL PANEL(CPF-2D)	NOS	4	2	0	6		
34.1.2	TRANSFORMER CONTROL PANEL(CPL-2D)(FOR 220/132/33 KV AUTO TRANSFORMER)	NOS	2	0	0	2		
34.1.3	BUS TRANSFER CONTROL PANEL(CPT-2D)	NOS	1	0	0	1		
34.1.4	BUSCOUPLER CONTROL PANEL (CPB-2D)	NOS	1	0	0	1		
34.1.5	FEEDER RELAY PANEL(RPF-2D)	NOS	4	2	0	6		
34.1.6	TRANSFORMER RELAY PANEL(RPL-2D)	NOS	2	0	0	2		
34.1.7	BUS TRANSFER RELAY PANEL(RPT-2D)	NOS	1	0	0	1		
34.1.8	BUSCOUPLER RELAY PANEL (RPB-2D)	NOS	1	0	0	1		
34.1.9	COMMON PANEL (KP-2)	NOS	1	0	0	1		
34.1.10	SYNCHRONOUS TROLLY	NOS	1	0	0	1		
34.1.11	BUS-BAR RELAY PANEL(RBB-2D)	NOS	1	0	0	1		
34.1.12	BUS BAR PROTECTION BAY MODULES ETC TO MATCH WITH THE EXISTING 220 KV BUS-BAR SYSTEM TO ACCOMMODATE TWO NOS 220 KV FEEDER BAYS.	SET	0	2	0	2		
34.1.13	TIME SYNCH EQUIPMENT	NOS	1	0	0	1		
34.1.14	EVENT LOGGER PANEL	NOS	1	0	0	1		
34.2	<b>132 KV SIDE</b>							
34.2.1	FEEDER CONTROL PANEL(CPF-1M)	NOS	4	0	2	6		

<b>PART-I, SCHEDULE-2C (FOR SUBSTATION)</b>								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
34.2.2	TRANSFORMER CONTROL PANEL(CPL-1M)(02 NOS FOR 132 KV SIDE OF220/132/33 AUTO TRANSFORMER)	NOS	2	0	0	2		
34.2.3	TRANSFORMER CONTROL PANEL(CPL-1M)(02 NOS FOR 132 KV SIDE OF 132/33 KV POWER TRANSFORMER)	NOS	2	0	0	2		
34.2.4	BUSCOUPLER CONTROL PANEL (CPB-1M)	NOS	1	0	0	1		
34.2.5	FEEDER RELAY PANEL(RPF-1M)	NOS	4	0	2	6		
34.2.6	TRANSFORMER RELAY PANEL(CPL-1M)(02 NOS FOR 132 KV SIDE OF220/132/33 AUTO TRANSFORMER)	NOS	2	0	0	2		
34.2.7	TRANSFORMER RELAY PANEL(CPL-1M)(02 NOS FOR 132 KV SIDE OF 132/33 KV POWER TRANSFORMER)	NOS	2	0	0	2		
34.2.8	BUSCOUPLER RELAY PANEL (RPB-1M)	NOS	1	0	0	1		
34.2.9	COMMON PANEL (KP-1)	NOS	1	0	0	1		
34.3	<b>33 KV SIDE</b>							
34.3.1	FEEDER CONTROL & RELAY PANEL(CPF/RPF-0M)	NOS	5	0	0	5		
34.3.2	TRANSFORMER CONTROL & RELAY PANEL(CPL/RPL-0M)	NOS	2	0	0	2		
34.3.3	BUSCOUPLER CONTROL & RELAY PANEL (CPB/RPB-0M)	NOS	1	0	0	1		
35	<b>AC &amp; DC SYSTEM</b>							
35.1	<b>AC SYSTEM</b>							
35.1.1	MAIN AC DB,(HAVING 800 A,50KA,DRAWOUT TYPE ACB WITH 3 O/C,E/F,U/V RELAYING FACILITY INDOOR TYPE AS PER SPECIFICATION.(MAIN DB-1,MAIN DB-2 WITH B/C)	SET	1	0	0	1		
35.1.2	ACDB (HAVING 400A MCCB) AS PER SPECIFICATION (AC DB-1,AC DB-2 WITH B/C)	SET	1	0	0	1		
35.1.3	MAIN LIGHTING DISTRIBUTION BOARD (HAVING 250A MCCB AS INCOMER)AS PER SPECIFICATION (WITH DB-1,DB-2 & B/C)	SET	1	0	0	1		
35.1.4	INDOOR LIGHTING DISTRIBUTION BOARD AS PER SPECIFICATION. (WITH DB-1,DB-2 & B/C)	SET	1	0	0	1		
35.1.5	EMERGENCY LIGHTING DISTRIBUTION BOARD	SET	1	0	0	1		
35.1.6	INDOOR RECEPTACLE BOARD	SET	1	0	0	1		
35.2	<b>DC SYSTEM</b>							
35.2.1	220 V DC BOARD (HAVING 100A DC MCCB AS INCOMER, E/F (EARTH LEAKAGE), UNDER & OVER VOLTAGE AS PER SPECIFICATION (DC DB-1,DC DB-2 & B/C)	SET	1	0	0	1		
35.2.2	220 V DC EMERGENCY DISTRIBUTION BOARD	SET	1	0	0	1		
36	BATTERY (350 AH PLANTE TYPE) FOR 220 V DC	SET	2	0	0	2		
37	BATTERY CHARGER FOR 220 V, 350 AH BATTERY (FLOAT AND FLOAT CUM BOOST)	SET	2	0	0	2		
38	DISTLED WATER PLANT OF 10 LTR/HR FOR BATTERY BANKS	SET	1	0	0	1		
39	WALKIE TALKIE SET	SET /PAIR	2	0	0	2		
40	PORTABLE ALUMINIUM LADDER EXTENDABLE TYPE OF ADEQUATE HEIGHT TO BE USED FOR MAINTENANCE OF EQUIPMENT INSIDE SWITCH YARD.	NOS	2	0	0	2		

<b>PART-I, SCHEDULE-2C (FOR SUBSTATION)</b>								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
41	PEDESTAL MOUNTED WHEEL FITTED DERRICK FOR LIFTING/ LOWERING OF MATERIALS UP TO 1.5 TON CAPACITY.	SET	1	0	0	1		
42	POWER WINCH NEAR STORE SHED FOR HANDLING MATERIALS UPTO 5 TON CAPACITY.	SET	1	0	0	1		
43	WATER COOLER WITH WATER PURIFIER SYSTEM	NOS	1	0	0	1		
44	MAINTENANCE TESTING EQUIPMENT (AS PER ANNEXURE - I ,INDICATED IN TS-TIMK-SCHEDULE OF REQUIREMENTS OF MAINTENANCE EQUIPMENT)	LOT	1	0	0	1		
45	OTHER TOOLS AND PLANTS (T&P's) REQUIREMENT (AS PER ANNEXURE - II ,INDICATED IN TS-TIMK-SCHEDULE OF REQUI-REMENTS OTHER T&P's)	LOT	1	0	0	1		
46	OFFICE FURNITURE (AS PER ANNEXURE - III ,INDICATED IN TS-TIMK-SCHEDULE OF REQUIREMENTS OFFICE FURNITURE)>PLACING IN CONTROL ROOM,CONFERENCE ROOM,OFFICE ROOMS,LIBRARY,TESTING LAB,etc.	LOT	1	0	0	1		
47	BEST QUALITY &APPROVED MAKE RUBBER MAT TO BE KEPT INFRONT OF ALL PANELS,BOARDS ETC.	LOT	1	1	1	3		
48	ERECTION OF PLCC EQUIPMENT SUPPLIED BY OWNER INCLUDING DISMANTLING FROM EXISTING SUBSTATION ( AS PER THE DETAILS SLD GIVEN IN TS) AND TRANSPORTATION AS REQUIRED	LOT	1	1	1	3		
49	RECEIVING THE TRANSFORMERS AND ITS ACCESSORIES FROM NEAREST OPTCL STORES,DRAGGING AND INSTALLING ON THE PLINTH AND PLACING IN POSITION, ERECTION OF ACCESSORIES OF THE TRANSFORMERS, EART-HING AS PER STANDARD(INCLUDING SUPPLY OF MATERIALS),VACUUM TREATMENT OF THE TANK AND WINDING,OIL FILTRATION(INCLUDING SUPPLY OF VACUUM CUM OIL FILTER MACHINE),SUPPLY & LAYING OF ALL TYPES OF CONTROL & POWER CABLES PERTAINING TO TRANSFORMERS ,TESTING AND COMMISSIONING INCLUDING ALL TESTS OF THE OILS AS PER STIPULATION IN THE STANDARD APPROVED TESTING LABORATORY AND AS PER THE INSTRUCTION OF THE ENGINEER IN CHARGE.THIS INCLUDE ALL RELATED WORKS FOR ERECTION(Transformer and its accessories,RTCC Panel etc),TESTING AND COMMISSIONING OF THE POWER TRANSFORMERS,(CONTRACTOR TO ARRANGE POWER SUPPLY FOR FILTRATION AND VACUUM TREATMENT WORKS).IT ALSO INCLUDES SUPPLY OF ALL MATERIALS FOR ERECTION INCLUDING T&P's. <b>1. 220/132/33 KV 160/100 MVA: 02 Nos</b>	NOS	2	0	0	2		
50	RECEIVING THE TRANSFORMERS AND ITS ACCESSORIES FROM NEAREST OPTCL STORES,DRAGGING AND INSTALLING ON THE PLINTH AND PLACING IN POSITION, ERECTION OF ACCESSORIES OF THE TRANSFORMERS, EART-HING AS PER STANDARD(INCLUDING SUPPLY OF MATERIALS),VACUUM TREATMENT OF THE TANK AND WINDING,OIL FILTRATION(INCLUDING SUPPLY OF VACUUM CUM OIL FILTER MACHINE),SUPPLY & LAYING OF ALL TYPES OF CONTROL & POWER CABLES PERTAINING TO TRANSFORMERS ,TESTING AND COMMISSIONING INCLUDING ALL TESTS OF THE OILS AS PER STIPULATION IN THE STANDARD APPROVED TESTING LABORATORY AND AS PER THE INSTRUCTION OF THE ENGINEER IN CHARGE.THIS INCLUDE ALL RELATED WORKS FOR ERECTION(Transformer and its accessories,RTCC Panel etc),TESTING AND COMMISSIONING OF THE POWER TRANSFORMERS,(CONTRACTOR TO ARRANGE POWER SUPPLY FOR FILTRATION AND VACUUM TREATMENT WORKS).IT ALSO INCLUDES SUPPLY OF ALL MATERIALS FOR ERECTION INCLUDING T&P's. <b>1. 132/33 KV 40 MVA: 02 Nos</b>	NOS	2	0	0	2		
<b>TOTAL of Part-I (A)</b>								
<b>B</b>	<b>CIVIL WORKS</b>							

PART-I, SCHEDULE-2C (FOR SUBSTATION)								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
1	<b>Foundations : Design, engineering, supply of all labour, material (Cement-OPC-43 Grade, MS Rod, coarse and fine aggregates (Sand and Metal Chips) etc) for construction of RCC ( 1:1.5:3) &amp; PCC (1:3:6), RCC footings of any depth, pedestal and piling as per requirement including soil investigation, excavation, concreting, shuttering, grouting, underpinning and back filling of foundations etc complete for the following switch yard gantry/ portal structures and equipment support &amp; others as per the technical specification and approved drawings. (RCC RATIO 1:1.5:3). This also includes excavation in all types of soil or rocks, back filling, and disposal of excess earth as per the direction of Engineer In charge.</b>							
1.1	Switch yard gantry/portal structure foundations							
1.1.1	P1S-220 KV	Nos	28	8	0	36		
1.1.2	P2A-220 KV	Nos	8	3	0	11		
1.1.3	T1S - 132 KV	Nos	24	0	4	28		
1.1.4	T4S - 132KV	Nos	6	0	1	7		
1.1.5	T8S – 33KV	Nos	9	0	0	9		
1.1.6	T9S – 33KV	Nos	11	0	0	11		
1.2	<b>Equipment foundations :</b>							
1.2.1	245 KV, 1200-600-300A, 40KA, 5CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	24	6	0	30		
1.2.2	<b>245 KV, 2000A, 40KA, ISOLATORS</b>							
1.2.2.1	WITH OUT EARTH SWITCH	NOS	18	6	0	24		
1.2.2.2	WITH SINGLE EARTH SWITCH	NOS	6	2	0	8		
1.2.2.3	BEAM MOUNTED WITHOUT EARTH SWITCH	NOS	6	2	0	8		
1.2.2.4	TANDEM WITHOUT EARTH SWITCH	NOS	0	0	0	0		
1.2.3	245 KV, 4400pF, 3CORE, SINGLE PHASE CAPACITOR VOLTAGE TRANSFORMER	NOS	12	6	0	18		
1.2.4	245KV, 3150A, 40KA, SF6, CIRCUIT BREAKER WITH SUPPORTING STRUCTURE	NOS	7	2	0	9		
1.2.5	216 KV, METAL OXIDE SURGE ARRESTOR, 10 KA, class III	NOS	18	6	0	24		
1.2.6	245 KV, 2 CORE, SINGLE PHASE, IVT	NOS	6	0	0	6		
1.2.7	220 KV Bus Post Insulators	NOS	49	14	0	63		
1.2.8	145 KV, 800-400-200 A, 31.5 KA, 4CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	27	0	6	33		
1.2.9	145 KV, 1200A, 31.5KA, ISOLATORS							
1.2.9.1	S/I WITH OUT EARTH SWITCH	NOS	12	0	2	14		



PART-I, SCHEDULE-2C (FOR SUBSTATION)								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
1.2.9.2	D/I WITH SINGLE EARTH SWITCH	NOS	4	0	2	6		
1.2.9.3	D/I WITHOUT EARTH SWITCH	NOS	4	0	0	4		
1.2.10	145 KV,6600pF,3CORE,SINGLE PHASE CAPACITOR VOLTAGE TRANSFORMER	NOS	12	0	6	18		
1.2.11	120 KV METAL OXIDE SURGE ARRESTOR, 10 KA, Class III	NOS	24	0	6	30		
1.2.12	145 KV ,2 CORE,SINGLE PHASE,IVT	NOS	3	0	0	3		
1.2.13	132 KV Bus Post Insulators	NOS	26	0	4	30		
1.2.14	145KV,3150A,40KA,SF6,CIRCUIT BREAKER WITH SUPPORTING STRUCTURE	NOS	9	0	2	11		
1.2.15	36 KV,800-400-200,25KA,3CORE SINGLE PHASE CURRENT TRANSFORMER	NOS	24	0	0	24		
1.2.16	36 KV CLASS NCT FOR AUTO TRANSFORMER REF PROTECTION (RATIO 1200-600-300 A) & HAVING TWO CORE(P.S CLASS) (IN EACH AUTO TRANSFORMER 1 No. NCT)	NOS	2	0	0	2		
1.2.17	36 KV CLASS NCT FOR POWER TRANSFORMER REF PROTECTION (RATIO 800-400-200 A) & HAVING TWO CORE (PS CLASS) (IN EACH POWER TRANSFORMER 132 KV SIDE: 1 NO. & 33 KV SIDE:1 NO)	NOS	4	0	0	4		
1.2.18	<b>36 KV,800A,25KA,ISOLATORS</b>							
1.2.18.1	S/I WITH OUT EARTH SWITCH	NOS	9	0	0	9		
1.2.18.2	D/I WITH SINGLE EARTH SWITCH	NOS	5	0	0	5		
1.2.18.3	D/I WITHOUT EARTH SWITCH	NOS	2	0	0	2		
1.2.19	30 KV, METAL OXIDE SURGE ARRESTOR, 10KA, class II	NOS	27	0	0	27		
1.2.20	36 KV ,2 CORE,SINGLE PHASE,IVT	NOS	3	0	0	3		
1.2.21	36KV,1250A,25KA,VACUUM CIRCUIT BREAKER WITH SUPPORTING STRUCTURE	NOS	8	0	0	8		
1.2.22	33 KV Bus Post Insulators	NOS	28	0	0	28		
1.2.23	SUB STATION SWITCHYARD BMK,AC CONSOLE & OTHER MARSHALLING BOXES							
1.2.23.1	BAY MARSHALLING KIOSK (07 nos on 220 kV bay, 05 Nos 132 kv bay & 04 Nos 33 KV bay & 2 Nos for 220 KV bay extension,1 No for 132 KV bay Extension )	NOS	18	2	1	21		
1.2.23.2	SWITCH YARD AC CONSOLE FOR LIGHTING (01 nos on 220 kV bay, 01 Nos 132 kv bay & 01 No in 33KV bay & 1 NO. Each at Bay Extension)	NOS	3	1	1	5		
1.2.23.3	SWITCH YARD RECEPTACLE BOARD FOR TFR OIL FILTERATION (01 no. near 220/132 KV Auto Tr & 1 No near 132/33 KV power Transformer)	NOS	2	0	0	2		
1.2.23.4	SWITCH YARD RECEPTACLE BOARD FOR WELDING & OTHER EMERGENCY (01 nos on 220,132 & 33 kV bay )	NOS	3	0	0	3		
1.2.24	EXCAVATION.:This also includes excavation in all types of soil or rocks,backfilling,and disposal of excess earth as per the direction of Enginer In charge.							
1.2.24.1	Norma Soil(SOFT/LOOSE)	Cum	2000	1800	80	3880		
1.2.24.2	Hard Soil	Cum	3000	0	160	3160		
1.2.24.3	Soft Rock	Cum	2500	0	100	2600		
1.2.24.4	Hard Rock required blasting	Cum	2012	0	0	2012		

PART-I, SCHEDULE-2C (FOR SUBSTATION)								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
1.2.25	<i>Design, Engineering, Providing and laying of plain cement concrete (PCC 1:3:6) of grade M10 with approved quality coarse aggregates (Nominal size 12mm to 20mm) , fine aggregates, cement in column and equipment foundation as blind layer inclusive of labour charges for concrete mixing &amp; curing. This includes supply of all labourers, T&amp;P and dewatering wherever required as per Technical specification and instruction of Engineer In charge.</i>	Cum	350	60	15	425		
1.2.26	<i>Open cast foundation for the above column/equipment/marshalling box foundations with RCC: 1:1.5:3 (Grade M-20),including supply of Labour all materials like MS Rod (Supply,Cutting,Bending,Binding (including supply of binding wire) and placing in position of steel rods of different size as per design in the foundation pit as required for the above foundations),Cement, coarse and fine aggregates,shuttering,proper curing of the foundations/concrete and T&amp;P in line with the Specification and as per direction of Engineer in Charge.</i>	Cum	3700	100	170	3970		
1.2.27	Supply of all materials like cement, steel, all coarse aggregates, fine aggregates and making pile foundations with boring of piles (pile bore as per required depth, basing on design),preparation of cage,lowering and positioning(cutting,bending,binding of M.S.Rod including supply of binding wire) for Switch yard column foundation, Equipment foundation, Marshaling boxes foundation as indicated above FOR 220 KV BAY EXTN AT NUAPADA and as per requirement, including supply of all materials,labours, de-watering,proper curing of the foundations and T&P as per specification in the RCC :1:1.5:3 (Grade M-20.) including stabilization of bore :- Pile diameter (375 MM) and approximate length of the bore is 15 Mtrs.	mtrs	0	1050	0	1050		
1.2.28	Pile riser,cap,tie-beam with RCC: 1:1.5:3 (Grade M-20) ,including supply of all materials like MS Rod,Cement, coarse and fine aggregates,shuttering,cutting,bending,binding of M.S.Rod including supply of binding wire and supply of labours, de-watering,proper curing of the foundations/concrete and T&P in line with the Specification and as per direction of Engineer in Charge.	Cum	0	100	0	100		

PART-I, SCHEDULE-2C (FOR SUBSTATION)								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
2	<p><b>Cable Trenches:</b> Design, engineering, and construction of RCC cable trenches and all associated works for cable trench and cable trench crossings as per technical specifications and approved drawings and as per direction of the Engineer in Charge.</p> <p>(1) This also includes excavation in all types of soil or rocks, back filling, and disposal of excess earth as per the direction of Engineer In charge.</p> <p>(2) Design, Engineering, Providing and laying of plain cement concrete (PCC 1:3:6) of grade M10 with approved quality coarse aggregates (Nominal size 12mm to 20mm), fine aggregates, cement in cable trench as blind layer inclusive of labour charges for concrete mixing &amp; curing. This includes supply of all labourers, T&amp;P and dewatering wherever required as per Technical specification and instruction of Engineer In charge.</p> <p>(3) Open cast foundation for the cable trench with RCC: 1:1.5:3 (Grade M-20 Nominal mixing), including supply of Labour all materials like MS Rod, Cement, coarse and fine aggregates, shuttering, cutting, bending, binding of M.S. Rod including supply of binding wire proper curing of the foundations/concrete and T&amp;P in line with the Specification and as per direction of Engineer in Charge.</p> <p>(4) Brickwork with KB brick, plastering (1:6 Ratio) &amp; curing, wherever required including the supply of labour, material, cement, etc.</p> <p>(5) Supply, fabrication &amp; Fixing of MS Angle (G.I) for cable tray support (as per specification). The cable tray support frame shall be pre fabricated GI angle as per requirement and to be welded with the plate fixed on the trench wall for better rigidity. The plate (6mm) fixed on the wall are also to be welded with the MS rods provided for the trench wall before concreting.</p> <p>(6) Precast of RCC covers (1:1.5:3) and its fixing on the cable trench as per spec and instruction of Engg. In Charge.</p> <p>(7) CABLE TRENCHES INSIDE THE CONTROL ROOM SHALL BE COVERED WITH M.S CHEQUERED PLATE (Duly painted as per instruction of Engg in charge) INCLUDING STANDARD SUPPORT STAND {HD Galvanised (M.S JOIST ,CHANNEL,ANGLE)}.</p>							
2.1	Section 1-1	Mtrs	600	50	25	675		
2.2	Section 2-2	Mtrs	400	75	30	505		
2.3	Section 3-3	Mtrs	200	75	50	325		
2.4	Section 4-4	Mtrs	200	75	50	325		
3	<b>Rain water harvesting</b> system as per Technical specification and approval of drawing and as per the direction of the Engineer in charge.	Nos	6	0	0	6		
4	<b>Cable trench crossing:</b> Design, engineering, construction including supply of labour, materials, cement, reinforcement steel, formwork etc, and all associated works for construction of trench crossing as per technical specification and approved drawing. (Road crossing)							
4.1	Section 1-1	Lot	1	1	1	3		
4.2	Section 2-2	Lot	1	1	1	3		
4.3	Section 3-3	Lot	1	1	1	3		

PART-I, SCHEDULE-2C (FOR SUBSTATION)								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
5	<p><b>Switchyard buildings:</b> Design, engineering and construction of switchyard buildings including the piling where required, the cost of material, supply of labour, cement, reinforcement- steel, form work and excavation as per the approved drawing and technical specification ( The RCC structure frame should be in the ratio 1:1.5:3).This also includes excavation in all types of soil or rocks,backfilling,and disposal of excess earth as per the direction of Engineer In charge.As per approved drawings and specification. CONTROL ROOM BUILDING:(one building)</p> <p>A) Area of the Ground floor with portico at front side, stair case to first floor and top of the building , and a ramp(for 220/132 KV S/S) at the backside for easy transportation of panels to the control room to be located at the first floor.The details of rooms to be provided are as per the Tech spec.</p> <p>B) Area of the first floor.The details of rooms to be provided are as per the Tech spec.</p> <p>Size of Ground floor. Nos./ area of ground floor/area of first floor . 01 No/ Area of Ground Floor 50mtrsX25mtrs (1250sq mtrs) / Area of first floor 25mtrsX25mtrs (625 sq mtrs)</p>							
5.1	RCC volume including MS rods(including column ,Beams and roofs etc) as per technical spec & approved drawings.	Lot	1	0	0	1		
5.2	Brick masonry work in cement sand mortar 1: 6 with bricks of class designation 75 as per technical spec & approved drawings.	Lot	1	0	0	1		
5.3	Flooring with vitrified tiles with dado in all the rooms,Bath and toilets shall be provided with anti skid ceramic tiles(wall of the same also to be provided with ceramic tiles),Acid proof industrial tiles to be provided on the floor and wall of the battery room as per technical spec & approved drawings.	Lot	1	0	0	1		
5.4	External and internal wall and ceiling paintings as per technical spec mentioned in the civil section.The left over portion of walls and ceiling of Battery room shall be acid proof paints as per specification & approved drawings.	Lot	1	0	0	1		
5.5	Provision of ceiling in the control room area as per specification mentioned in the civil section & approved drawings.	Lot	1	0	0	1		
5.6	Doors and windows shall be of sliding type with locking facility and shall be of aluminium with glaze of 6mm & windows shall have aluminium grills. As per technical spec & approved drawing.	Lot	1	0	0	1		
5.7	Provision of PHD and other fittings of reputed make,provision of rain water discharge pipes at different locations and etc as per requirement and approved drawing. There shall be septic tank and soak pit of required capacity including complete sewage system as per approved drawing & technical specification & as per instruction of Engg- in-Charge. It includes supply of all types of materials of reputed make, labour etc to complete the work.	Lot	1	0	0	1		
5.8	Internal concealed wiring,fixing of lighting fixtures ,fans and regulators ,exhaust fan,D.C emergency lighting as per spec & approved drawing.	Lot	1	0	0	1		
5.9	Provision of smoke and fire detection system of the building.	Lot	1	0	0	1		
6	<b>Roads:</b> Design, construction of roads and walkways/ shoulders within sub-station( <b>Switch yard area,approach road, control room area, main gate to the switch yard gate etc</b> ) as per specification, layout and approved drawings complete. This also includes excavation in all types of soil or rocks, back filling,and disposal of excess earth as per the direction of Engineer In charge. Provision of drains on both the side of the roads for easy discharge of rain water.(Refer the indicative drawing of s/s layout)							
6.1	3.75 mtrs Bituminus road with shoulder at both the side as per technical specification indicated in the civil section & shall have drain on both side of the road.	Lots	1	0	0	1		
6.2	3.75 mtrs Bituminus road with shoulder at both the side as per technical specification indicated in the civil section & shall have drain on both side of the road.(FOR 220 KV BAY EXTENSION AT NUAPADA)	MTRS	0	30	0	30		

PART-I, SCHEDULE-2C (FOR SUBSTATION)								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
6.3	7 mtrs wide Concrete roads with shoulder as per specification indicated in the civil section. & shall have drain on both side of the road. 7 Mtrs wide road inside the switchyard to be connected to switch yard main gate.	Lots	1	0	0	1		
6.4	7 mtrs wide Bituminous roads with shoulder as per specification indicated in the civil section.( for main and approach roads).Shall have drain on both side of the road.	Lots	1	0	0	1		
7	<b>Drainage system:Collection of rainfall data</b> , Design, construction of storm water drainage scheme, road-culverts, and drains crossing cable trenches etc. as per specification and approved drawing.This also includes excavation in all types of soil or rocks,backfilling,and disposal of excess earth as per the direction of Engineer In charge.All the switchyard bays , roads water drainage shall be connected to the mainsurface drain.As per approved drawing and specification.							
7.1	Storm water drain	Lots	1	1	0	2		
7.2	Road-culverts, drain crossings	Lots	1	0	0	1		
7.3	Cable trench crossing	Lots	1	1	0	2		
8	Foundations for transformers :Design, engineering, supply of labour, material, equipments and construction of Auto-transformer/Transformer foundation including piling if any, all associated works, rail tracks, jacking pads,anchor block RCC and PCC, miscellaneous structural steel including oil collection pits, MS grating(if required), gravel filling, and other items etc. not mentioned herein, but specifically required for the completion of the work as per technical specification and approved drawing. (Rate shall be inclusive of cement, reinforcement steel, angles,flats and form work etc.)(all cement concrete shall have RCC ratio 1:1.5:3). Transformer RCC foundation and Rail Track should be extended upto the approaching road (However,the height of RCC foundation beyond transformer main plinth area should be same as height of concrete road as per item under 4.1). This also includes excavation in all types of soil or rocks,back filling,and disposal of excess earth as per the direction of Engineer In charge. 1. 220/132/33 KV, 160 MVA(2 Nos) 2. 132/33 KV 40 MVA Transformer (2 Nos)							
8.1	160 MVA,100 MVA, 220/ 132kV transformers a) Overall dimension of transformer(appox) Length:11500 mmX Width 7000 mmX Height 7500 mm b) Total weight with oil and tank: 195 MT (appox)	Nos	2	0	0	2		
8.2	12.5/ 20 /40 MVA, 132/ 33kV transformers a) Overall dimension of transformer(appox) Length:7200 mmX Width 6000 mmX Height 6200 mm b) Total weight with oil and tank: 97.5 MT (appox)	Nos	2	0	0	2		
8.3	<b>OIL SUMP PIT:</b> Oil collection (from transformers)sump pit with provision of pump(5 HP, with auto level control , including cabling, fixing of control gear )as per CIGRE. As per spec and approved drawing. >Oil capacity of each Transformer in ltrs appox. a) 160 MVA,220/132/33 KV: 68000 ltrs.	Nos	1	0	0	1		
8.4	<b>OIL SUMP PIT:</b> Oil collection (from transformers)sump pit with provision of pump(5 HP, with auto level control , including cabling, fixing of control gear )as per CIGRE. As per spec and approved drawing. >Oil capacity of each Transformer in ltrs appox. a) 20/40 MVA,132/33 KV: 26500 ltrs.	Nos	1	0	0	1		

<b>PART-I, SCHEDULE-2C (FOR SUBSTATION)</b>								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
9	<b>PCC before site surfacing</b> :Providing and supplying all labour, material, equipments etc. required for proper leveling of earth after erection of structures and equipments and proper compaction by using roller of adequate capacity(minimum 3 Ton capacity) with water sprinkling of switch yard area. After proper leveling of the switch yard area (after anti-weed treatment), spreading of plain cement concrete with mixing ratio 1:4:8 (M10) and maintaining proper sloping for easy discharge of storm water having concrete thickness of 75 mm. including rolling , dressing, compacting,the area. As per technical specification and approved drawing, and as per the instruction of the <b>Engg-in-Charge</b> . This also includes excavation in all types of soil or rocks,back-filling,and disposal of excess earth as per the direction of <b>Engineer in charge</b> and approved drawing. (Switch yard area)	Lots	1	1	1	3		
10	<b>Metal Spreading</b> : Providing supplying and laying two layers of machine crushed metals (gravel) fill, the first layer after compaction shall make minimum 50 mm thickness coarse/ layer of 20 mm nominal size consolidated/ compacted and (by using roller as specified in the specification).A final layer of 50 mm thickness of machine crushed 20 mm nominal size of metals(gravel) above the first layer of 50 mm thickness and as per the technical specification and instruction of Engineer in charge above the PCC(1:4:8). The total compacted thickness of the metals(20 mm Nominal) 100mm above the PCC.	Lots	1	1	1	3		
11	<b>Boundary wall</b> : Soil investigation,Design, engineering, procurement of material, labour including all associated works for construction of boundary-wall along the property line of the sub-station as per technical specification and instruction of the Engineer in Charge.(the size of the bricks shall be 250mm having 1st class kiln burn having compressive strength with 75kg/cm2). This also includes excavation in all types of soil or rocks,backfilling,and disposal of excess earth as per the direction of Engineer In charge.(**APPROXIMATE LENGHTH OF THE BOUNDARY WALL) and approved drawing. Appox. <b>(1) Area of the sub-station land in sq mtrs = 68797(17 Acres).</b>							
11.1	<b>Appox. Area of the sub-station land in sq mtrs and length of the boundary walls in mtrs</b>	RM	1,800	0	0	1800		
12	<b>LEVELLING OF S/S AREA</b> :Providing, neatly dressing up and leveling of substation area including switch yard area to a required level as decided by the Engineer in Charge, the work includes removal, clearing of the entire area from vegetation, trees, bushes, uprooting of plants and disposal of surplus earth and unusable material from the site by means of any mechanical transport, if required as per direction of the Project In charge, with all labours, tools, tackles and plants complete as per approved drawing and specification. This also includes excavation in all type of soils or rocks, back filling and disposal of excess earth or rocks to make the area to a level for construction as per scope and as per approved drawing and specification.							
12.1	<b>Contour survey of the entire sub-station area including Supply of all labour &amp; T&amp;P by contractor.</b>	SQM	50000	6000	80	56080		
12.2	<b>Cutting of sub-station area of the as per the direction of Engineer in Charge.</b>	Cum	10000	300	30	10330		
12.3	<b>Filling with borrowed earth beyond 30 mtrs lead as per the direction of Engineer in Charge.</b>	Cum	10000	400	40	10440		
13	<b>PROVISION OF PLANTATIONS</b> :Provision of plantation of 100 nos fruit bearing plants and 100 nos decorative plants at different locations, a garden in front of the control room including supply of plants,soil treatment and its plantation including materials,labour and T&P.As per the instruction of Engineer in Charge and specification.	Lot	1	0	0	1		

<b>PART-I, SCHEDULE-2C (FOR SUBSTATION)</b>								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
14	<b>STONE PITCHING &amp; TOE WALL:</b> Stone pitching including making of toe walls both at top and bottom, including surface drain both at top and bottom and partition wall in every 10 mtrs by using boulders and RR masonry walls respectively. This also includes excavation in all types of soil or rocks, backfilling, and disposal of excess earth and supply of materials and labour as per the direction of Engineer In charge and as per approved drawing and specification.	Lot	1	1	1	3		
15	Switch yard fencing: Providing and fixing of G.I Goat mesh (2.5 mm dia) fencing (the posts and links shall be of HD Galvanized) in switch yard and other areas of the substation with a total fence height complete as per specification and approved drawings, and as required under the safety regulation of local, state and central government bodies and as per instruction of the Engineer-in-Charge. (The PCC work for grouting the post shall be 1:2:4 and a continuous Brick masonry work with ratio 1:5 and cement pointing of the joints, for the fencing up to a height from the finished ground level). This also includes excavation in all types of soil or rocks, back filling, and disposal of excess earth as per the direction of Engineer In charge. The earthing of the fencing as per specification.	Lots	1	1	1	3		
16	<b>Fire wall:</b> Design, engineering, procurement of labour, material including all associated works for construction of fire-walls as per technical specification and approved drawings (column shall be RCC ratio 1:1.5:3 and the walls are of fire resistant bricks). This also includes excavation in all types of soil or rocks, back filling, and disposal of excess earth as per the direction of Engineer In charge. As per approved drawing and specification. Painting of the walls as per direction of the Site Incharge.	Nos	2	0	0	2		
14	<b>Any other civil work</b> to be included in the schedule by the Bidder if required essential for successful completion of project, including supply of labour, material, cement reinforcement steel, form work etc. Bidder shall also quote the unit rate for the following items of works. (Rate shall be inclusive of supply of labour, material, cement, reinforcement steel, form work etc.)							
14.1	Excavation This also includes excavation in all types of soil or rocks, back filling, and disposal of excess earth as per the direction of Engineer In charge.	Cu.m.	1	1	1	3		
14.2	PCC: M10(1:3:6)	Cu.m.	1	1	1	3		
14.3	RCC M 15(1:2:4)	Cu.m.	1	1	1	3		
14.4	RCC: M 20(1:1.5:3)	Cu.m.	1	1	1	3		
14.5	Brick masonry work in cement sand mortar 1:6 with bricks of class designation 75.	Cu.m.	1	1	1	3		
14.6	12 mm thick plaster in cement sand mortar (1:6).	Sq.m.	1	1	1	3		
14.7	Cutting, bending, binding (supply of binding wires) and fixing of reinforcement (including supply of reinforcement).	M.T.	1	1	1	3		

PART-I, SCHEDULE-2C (FOR SUBSTATION)								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
15	Construction of township/colony (residential quarters) for staff and employees of the employer. Layout, design, survey, leveling, site dressing and clearing of the area, soil investigation, excavation, PCC, RCC, brick work, plastering ,flooring(flooring shall be with vitrified tiles of reputed make with a dado of minimum 6 inches),fixing of doors windows and window grills, including all labour material like cement ,sand aggregate, bricks, reinforcements etc with all bought items required for completion of the quarters as per approved construction drawings with all facilities for supply of drinking water. The outer paint shall be applied with weather coat synthetic enamel paint as per the standard practice of application and the inner paint shall be applied with distemper of approved quality as per the instruction and approval of the same by OPTCL. This also includes excavation in all types of soil or rocks,back filling,and disposal of excess earth as per the direction of Engineer In charge. Internal electrical wiring with fixing of light fixtures and fans with electronic regulators and exhaust fans as per technical specification and approved drawing. Construction of over head RCC tank(1000 ltrs capacity one for each quarters), sewerage disposal and connection with main sewerage/ septic tank and soak pit, storm water and surface drainage, culverts, roads, with suitable radius on the curves and its connection with main road the substation, street lighting, internal lighting, internal plumbing and sanitation including internal/external finishing of quarters etc. required for completion of the town ship.							
15.1	"D" type Plinth area- 100 sq. m	Nos.	1	0	0	1		
15.2	"E" type Plinth area- 61 sq. m (one no. two storied flat with 2 nos "E" type quarters each on ground floor & 1st floor.	Nos.	4	0	0	4		
16	MAIN & SWITCH YARD GATES:Design, engineering, procurement of labour, material including all associated works for construction and fixing of a main gate and one no. switch yard gates with men gates as per specification and approved drawing. This also includes excavation in all types of soil or rocks,back filling,and disposal of excess earth as per the direction of Engineer In charge. Provision of gate lights (Post top lantern type) on each pillar of the gate. It includes supply & fixing of light fixtures including LED Gate lamp, LV XLPE cables, switchgear etc required to complete works as per specification and approved drawings.	Lot	1	0	0.00	1		
17	COLOUR CODING, BAY MARKING Etc:Design, engineering, procurement of labour, material including all associated works for the followings. This should be as per direction of site In charge. a)Color coding (red,Yellow & Blue) for equipments, Bus gantry & column of entire switch yard. Good quality weather proof sticker may be used for identification. b)Each bay should be identified with the help of bay marker sign board, suitably grouted. MS sign board with stand to be installed. Proper painting and lettering to be done of the entire switch yard area.	Lot	1	1	1.00	3		
18	STATION TRANSFORMER:Design, engineering, procurement of labour, material including all associated works for construction of foundation and DP structure for station transformers 33/0.415 KV,315 KVA STN TRANSFORMER as per approved drawing and specification.{33 KV AB Switch (600A),HG Fuse,DP Structure & Angles (duly painted),Chanel,Plinth for erection of the transformer, including fixing and laying of (insulators,surge arresters, XLPE armoured power cables 3.5 core 300 sq mm,LT out door kiosk near transformers and other accessories for complete installation of transformer as per standard) and instruction of Engineer In charge. As per the specification and approved drawing. (* REMARKS : FOR SUPPLY OF ALL THE CABLES ,AB Switch etc AS INDICATED ARE COVERED IN THE supply)}	Lot	1	0	0.00	1		



<b>PART-I, SCHEDULE-2C (FOR SUBSTATION)</b>								
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR	
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price
1	2	3	4	5	6	7	8	9=8X7
19	<b>SECURITY SHED &amp; CUM VISITOR ROOM:</b> Design, engineering, procurement of labour, material including all associated works for construction of Security shed near main gate, watch tower shed at the corners of switch yard as per the approved drawing and instruction of Engineer in charge. This also includes excavation in all types of soil or rocks, back filling, and disposal of excess earth as per the direction of Engineer in charge. Internal electrification including supply of lighting fixtures, fan with regulators and provision of incoming AC supply from the main ACDB/outdoor kiosks installed for street light or colony quarters. Also includes painting of the building (in side and out side) as per recommended for colony building in the specification.							
19.1	<b>SECURITY SHED:</b> The size of the security shed shall be 3.5 mtrsX5mtrs and height of 3.5mtrs RCC roof, brick masonry works, plastering and painting and fixing of MS doors and windows.	Nos	1	0	0.00	1		
20	<b>BORE WELL &amp; PUMP HOUSE:</b> Design, engineering, procurement of labour, material including all associated works for construction of two nos. bore wells for control room building including switch yard and colony quarters as per specification and approved drawing and instruction of Engineer in charge. This includes supply and fixing and commissioning of two nos 5 HP submersible water pump with starter and other protection. Construction of two nos pump house at ideal location for fixing of the electrical starter units. The pump house be of RCC roof and having walls of Brick masonry and plastering and painting with MS door having locking arrangement. The size of the room shall be 2.5mtrsX2.5 mtrs having height of 3 mtrs. as per approved drawing and specification. There shall be approach road to the pump house. This includes supply of materials, labours and T&P & excavation of all type of soils including rock and disposal of excess materials as per instruction of Engineer in charge Supply & laying of LV XLPE 3.5CX.35 sqmm cable from ACDB to pump house, control gear & earthing of the system etc to complete the scheme as per approved drawing & instruction of Engineer-in charge.	Lot	1.00	0.00	0.00	1		
21	Substation earth mat Design, engineering, supply (except the GI Flats, GI Pipe, M.S Rod) inclusive of corrosion protection measures if any, laying of earth mat conductors of Hot dip galvanised flats of size 75X10mm to the approval of Project Manager, excavation, welding/jointing of ground conductors along with risers (a) upto Finished level from the mat size 75X10 mm GI flats & b) from the finished ground level to the top of the structure and equipment shall be with 50X6 mm GI Flats, with back filling and good compaction, grounding driven rods (40 mm MS solid rod for untreated earth pit, perforated 50 mm Mid GI pipes for treated earth pits (with details of treatment as per IS). The spacing between the earth conductor not more than 5 mtrs (both way) and to be buried at depth of 700mm from the finished ground level. For provision of treated earth pit and untreated earth pit, refer the specification for designing. Provision of water taps inside the switch yard areas and peripheral treated and nu-treated earth pit are required to be provided for watering the treated earth pits. The no. of treated and untreated earth pits are to be done as per the practice and as indicated in the drawing for different equipments. This is as per approved drawing and specification.							
21.1	Excavation for laying of EARTHING CONDUCTOR (75x10mm for laying (spacing maximum 5m) (GI FLAT)	Lot	1.00	1.00	1.00	3		
21.3	Excavation for putting the EARTHING DEVICE INCLUDING ITS ASSOCI-ATED ACCESSORIES (50 mm heavy duty GI PIPE 3.0 mtrs long for treated earth pit)	Lot	1.00	1.00	1.00	3		

<b>PART-I, SCHEDULE-2C (FOR SUBSTATION)</b>									
SL NO	DESCRIPTION OF ITEMS	Unit	Quantity for: Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN	Quantity for: Construction of 2 Nos 220 KV Feeder Bay at NUAPADA 220/132/33 KV S/S for PRATAPSASAN S/S	Quantity for: Construction of 2 Nos 132 KV Feeder Bay at PHULNAKHARA 132/33 KV S/S for PRATAPSASAN S/S	TOTAL QUANTITY	Erection & Civil Works charges IN INR		
	ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)						Unit Rate	Total Price	
1	2	3	4	5	6	7	8	9=8X7	
22	STORE SHED:Design, engineering, procurement of labour, material including all associated works for construction of store shed as per specification and approved drawing. This also includes excavation in all types of soil or rocks,back filling,and disposal of excess earth as per the specification,approved drawing and direction of Engineer In charge. One no store shed of floor size 10X10 mtr having brick walls and plastering with RCC roof. The flooring shall be of 75 mm thickness PCC (mix ratio1:2:4) over RR masonry works (as per standard practice of flooring). Provision of adequate nos of MS racks (proper paintings also to be done as per the direction of site in charge) for keeping the spare materials. The height of the shed shall be 4mtrs above the plinth.	Lot	1.00	0.00	0.00	1			
23	PLATFORM FOR STORING EQUIPMENTS:Design, engineering, procurement of labour, material including all associated works for construction of a platform for storing of bushings,Instrument transformers etc, as per specification and approved drawing. This also includes excavation in all types of soil or rocks,back filling,and disposal of excess earth as per the specification,approved drawing and direction of Engineer In charge. One no platform outside the store shed RR masonry (compacted) with PCC at the top for storing the transformer bushings, Instrument transformers, transformer oil drums etc. The floor size of the platform shall be 15mtrX10 mtr with Galvanised Corrugated Sheet (Tata Make) top cover and associated MS supporting structure duly painted.	Lot	1.00	0.00	0.00	1			
24	<b>PROVISION OF RAMP:</b> Design, engineering, procurement of labour, material including all associated works for construction and fixing of Ramp as per specification and approved drawing. This also includes excavation in all types of soil or rocks,back filling,and disposal of excess earth as per the direction of Engineer In charge. Provision of a ramp of adequate size and capable of for loading and unloading of the materials of 5 Ton capacity from the lorry or to the lorry near the store shed. Adequate size of MS frames and RCC (1:1.5:3) based ramps to be used for the said purpose.	Lot	1.00	0.00	0.00	1			
<b>TOTAL of Part-I (B) (Evaluated)</b>									
<b>GRAND TOTAL ( ELECTRICAL WORKS + CIVIL WORKS) (A+B)</b>									

**Note:**

- 1 Before filling up rate/amount etc. in the schedules bidders are requested to read carefully the instruction given in Vol-I of Bidding Document.
- 2 Bidders are required to fill up amount in all column except shaded portion.
- 3 Bidders are requested not to leave any column blank. If any column is left blank it shall be considered that amount against those items are included in any other item and the total amount for that item shall be calculated as free of cost (Zero value). No rate shall be furnished/obtained after bid opening (Ref clause no 33.4.1 of INB vol-I) .
- 4 Kindly enclose soft copy of the duly filled schedule in a CD with the priced copy of Bid.
- 5 Bidder has to quote rates **excluding** service tax (if any), service tax shall be paid/reimbursed as per conditions of Bid Document.

Date :

Place :

(Signature) .....

( Name) .....

( Designation ) .....

(Common Seal) .....

**ODISHA POWER TRANSMISSION CORPORATION LIMITED**

**Construction of 2x160 MVA, 220/132/33 KV & 2x40 MVA 132/33 KV Sub-Station at PRATAPSASAN along with 220 KV D.C Transmission Line from Proposed Pratapsasan S/S to Nuapada,Cuttack  
220/132/33 KV S/S & 132 KVDC Transmission line from proposed Pratapsasan S/S to 132/33 S/S at Phulnakhara & 2 Nos 132 KV Feeder Bay extension at 132/33 KV S/S at Phulnakhara**

**BID DOCUMENT No.: Sr.G.M-CPC-TENDER- PRATAPSASAN PACKAGE- 08 / 2012-13**

**NOTICE INVITING TENDER-NIT NO. 08 /2012-13**

**(Equipment/Materials Supply Price Break-up of ERECTION & CIVIL WORKS Prices against PRATAPSASHAN PACKAGE)**

PART-II, SCHEDULE-2C (FOR LINE)							
S. No.	DESCRIPTION OF ITEMS DESCRIPTION OF ITEMS ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)	UNITS	LINE		TOTAL QUANTITY	TO BE QUOTED IN INR	
			Quantity for :Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION ATPRATAPSASHAN (Line length-33 Kms(APPOX)	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION ATPRATAPSASHAN (Line length-15 Kms(APPOX)		Unit F&I Charges	Total F&I Charges
1	2	3	4	5	6	7	8=6X7
<b>A</b>	<b>ELECTRICAL WORKS</b>						
1.0	<b>ERECTION, TESTING &amp; COMMISSIONING of Following tested Lattice type Galvanized steel tangent / Angle tower with stubs and cleats , different type of G.I HT Nuts &amp; Bolts, washer, spring washer for the above type towers ,hanger and all accessories, tower super structure complete with tightening, punching of bolts including step bolts. All other left out portion of the bolts above bottom cross arm shall be riveted by using suitable hammer. Painting of black bituminous paints three coats shall be provided up to a height of 500mm above the cooping(legs &amp; bracing members. All Erection should confirm to the Technical Specification laid there in the Tender Specification.</b>						
1.1	OA TYPE (SUSPENSION) TOWERS (NOMINAL UNIT WEIGHT 4.35 MT)	Nos.	73	0	73		
1.1.1	+3 EXTENSION (NOMINAL UNIT WEIGHT 0.725MT)	Nos.	7	0	7		
1.1.2	+6 EXTENSION (NOMINAL UNIT WEIGHT 1.448 MT)	Nos.	7	0	7		
1.2	OB TYPE (30 deg ANGLE ) TOWERS (NOMINAL UNIT WEIGHT 6.575 MT)	Nos.	31	0	31		
1.2.1	+3 EXTENSION (NOMINAL UNIT WEIGHT 1.242 MT)	Nos.	8	0	8		
1.2.2	+6 EXTENSION (NOMINAL UNIT WEIGHT 2.132 MT)	Nos.	4	0	4		
1.3	OC TYPE (60 deg ANGLE ) TOWERS (NOMINAL UNIT WEIGHT 9.8398MT)	Nos.	15	2	17		
1.3.1	+3 EXTENSION (NOMINAL UNIT WEIGHT 1.474MT)	Nos.	3	0	3		
1.3.2	+6 EXTENSION (NOMINAL UNIT WEIGHT 2.597 MT)	Nos.	2	0	2		
1.3.3	+15 EXTENSION (NOMINAL UNIT WEIGHT 8.555 MT)	Nos.	2	2	4		
1.4	UR TYPE (60 deg ANGLE ) TOWERS (NOMINAL UNIT WEIGHT 13.585 MT)	Nos.	2	0	2		
1.4.1	+6 EXTENSION (NOMINAL UNIT WEIGHT 4.249 MT)	Nos.	2	0	2		

PART-II, SCHEDULE-2C (FOR LINE)							
S. No.	DESCRIPTION OF ITEMS ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)	UNITS	LINE		TO BE QUOTED IN INR		
			Quantity for :Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-33 Kms(APPOX)	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-15 Kms(APPOX)	TOTAL QUANTITY	Unit F&I Charges	Total F&I Charges
1	2	3	4	5	6	7	8=6X7
1.5	PA TYPE (SUSPENSION ) TOWERS (Nominal unit weight 3.430 MT)	Nos.	0	40	40		
1.5.1	+3 EXTENSION (Nominal unit weight 0.537 MT)	Nos.	0	6	6		
1.5.2	+6 EXTENSION (Nominal unit weight 1.349 MT)	Nos.	0	3	3		
1.6	PBTYPE (30 deg ANGLE ) TOWERS (Nominal unit weight 4.973 MT)	Nos.	0	6	6		
1.6.1	+3 EXTENSION (Nominal unit weight 1.018 MT)	Nos.	0	1	1		
1.6.2	+6 EXTENSION (Nominal unit weight 2.104 MT)	Nos.	0	1	1		
1.7	PC TYPE (60 deg ANGLE ) TOWERS (Nominal unit weight 6.214 MT)	Nos.	0	6	6		
1.7.1	+3 EXTENSION (Nominal unit weight 1.119 MT)	Nos.	0	0	0		
1.7.2	+6 EXTENSION (Nominal unit weight 2.342 MT)	Nos.	0	0	0		
1.8	TEMPLATES						
1.8.1	OA (NOMINAL UNIT WEIGHT 0.579 MT)	Nos.	7	0	7		
1.8.2	OB (NOMINAL UNIT WEIGHT 0.815 MT)	Nos.	3	0	3		
1.8.3	OC (NOMINAL UNIT WEIGHT 0.984 MT)	Nos.	2	0	2		
1.8.4	UR (NOMINAL UNIT WEIGHT 1.507 MT)	Nos.	1	1	2		
1.8.5	PA (Nominal unit weight 0.665 MT)	Nos.	0	1	1		
1.8.6	PB (Nominal unit weight 0.602 MT)	Nos.	0	1	1		
1.8.7	PC (Nominal unit weight 0.904 MT)	Nos.	0	1	1		
1.9	WEIGHT OF THE STRUCTURES (including Tower stubs, Templates & Foundation Nut and Bolts)	MT			1050		
1.10	Weight of different type G.I Nuts and Bolts	MT			75		
2.0	<b>Erection of the following tower accessories as per technical specification and as directed by the engineer in charge.</b>						
2.1	EARTHING DEVICE	Nos.	117	54	171		
2.2	DANGER BOARD	Nos.	121	54	175		
2.3	NUMBER PLATE	Nos.	121	54	175		
2.4	PHASE PLATE	Nos.	726	324	1050		
2.5	BIRD GUARD	Nos.	438	240	678		
2.6	ANTICLIMBING DEVICE	Nos.	115	54	169		

PART-II, SCHEDULE-2C (FOR LINE)							TO BE QUOTED IN INR	
S. No.	DESCRIPTION OF ITEMS DESCRIPTION OF ITEMS ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)	UNITS	LINE		TOTAL QUANTITY	Unit F&I Charges	Total F&I Charges	
			Quantity for :Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-33 Kms)(APPOX)	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-15 Kms)(APPOX)				
1	2	3	4	5	6	7	8=6X7	
2.7	CIRCUIT PLATE	Nos.	242	108	350			
<b>3.0</b>	<b>Erection of following POWER CONDUCTORS in the proposed 220kV lines with 1.5% provision for sag and wastage as per the technical specification and as per the instruction of the engineer in charge.</b>							
3.1	ACSR Zebra (54/7/3.18mm)	Kms.	200	0	200			
3.2	ACSR Panther (30/7/3.0 mm)	Kms.	0	90	90			
<b>4.0</b>	<b>POWER CONDUCTOR ACESSORIES</b>							
4.1	For ACSR ZEBRA							
4.1.1	VIBRATION DAMPER	Nos.	1452	0	1452			
4.1.2	MID SPAN JOINT	Nos.	200	0	200			
4.1.3	Repair Sleeve	Nos.	100	0	100			
4.1.4	Performed Armoured Rod	Set	438	0	438			
4.2	For ACSR PANTHER							
4.2.1	VIBRATION DAMPER	Nos.	0	660	660			
4.2.2	MID SPAN JOINT	Nos.	0	90	90			
4.2.3	Repair Sleeve	Nos.	0	50	50			
4.2.4	Performed Armoured Rod	Set	0	240	240			
<b>5.0</b>	<b>Erection of the GI earth wire of size 7/3.15 mm as per the technical specification, with 1.5% provision for Sag &amp; Wastage and as per the direction of Engineer in charge.</b>	Kms.	33	15	48			
<b>6.0</b>	<b>EARTH CONDUCTOR ACESSORIES</b>							
6.1	VIBRATION DAMPER	Nos.	242	108	350			
6.2	FLEXIBLE COPPER EARTH BOND	Nos.	100	28	128			
6.3	SUSPENSION CLAMP	Nos.	75	40	115			
6.4	TENSION CLAMP	Nos.	96	28	124			
6.5	MID SPAN JOINT	Nos.	30	15	45			
6.6	Repair Sleeve	Nos.	10	5	15			
<b>7.0</b>	<b>Erection of the following Anti Fog Type DISC insulators as per the technical specification and as per the instruction of the Engineer in charge.</b>							
7.1	120KN Insulator (taking 5% extra towards wastage)	Nos.	6970	2270	9240			

PART-II, SCHEDULE-2C (FOR LINE)							
S. No.	DESCRIPTION OF ITEMS ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)	UNITS	LINE			TO BE QUOTED IN INR	
			Quantity for :Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-33 Kms)(APPOX)	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-15 Kms)(APPOX)	TOTAL QUANTITY	Unit F&I Charges	Total F&I Charges
1	2	3	4	5	6	7	8=6X7
7.2	160KN Insulator (taking 5% extra towards wastage)	Nos.	11340	0	11340		
7.3	90 KN Insulator (taking 5% extra towards wastage)	Nos.	0	2280	2280		
<b>8.0</b>	<b>Erection of the following hard ware fittings suitable for following conductors as per the technical specification.</b>						
<b>8.1</b>	<b>For ACSR ZEBRA</b>						
8.1.1	Single suspension Hard wares fittings.(AGS type) suitable for 120 KN insulator.	Set	420	0	420		
8.1.2	Double suspension Hard wares fittings.(AGS type) suitable for 120 KN insulator.	Set	50	0	50		
8.1.3	Single tension Hard wares fittings, suitable for 160 KN insulator.	Set	450	0	450		
8.1.4	Double tension Hard wares fittings, suitable for 160 KN insulator.	Set	150	0	150		
8.1.5	Single tension Hard wares fittings, suitable for 120 KN insulator.	Set	0	120	120		
8.1.6	Double tension Hard wares fittings, suitable for 120 KN insulator.	Set	0	50	50		
8.1.7	Single suspension Hard wares fittings.(AGS type) suitable for 90 KN insulator.	Set	0	200	200		
8.1.8	Double suspension Hard wares fittings.(AGS type) suitable for 90 KN insulator.	Set	0	50	50		
	<b>Total Electrical Works (Part-A)-LINE-2C</b>						
<b>B</b>	<b>CIVIL WORKS</b>						
<b>1.0</b>	<b>FOUNDATION MATERIALS: Supply of all materials like cement, steel, all coarse aggregates, fine aggregates and making foundations of the required above mentioned type towers as per the direction laid down in the technical specification and the direction of the site- in charge</b>						
<b>1.1</b>	<b>Excavation in all type soil and rocks and back filling (back filling shall be done in layers of 500mm sprinkling of water and compaction thereafter and disposed of excess quantity of excavated soil at suitable place after back filling), &amp; if required for filling the foundation, borrowed earth/murrum/sand shall be brought for filling and compaction, including supply of sand, all T&amp;P, labour as required.</b>						
1.1.1	Normal soil	CUM	8140	1000	9140		
1.1.2	Semi-submerged soil	CUM	1020	2425	3445		
1.1.3	Fully Submerged soil	CUM	1050	0	1050		
1.1.4	Dense/Compact soil	CUM	500	0	500		
1.1.5	Soft disintegrated rock not required blasting	CUM	400	1300	1700		
1.1.6	Hard Rock required blasting	CUM	200	0	200		
1.1.7	Soil Investigation	LOC	121	54	175		

PART-II, SCHEDULE-2C (FOR LINE)							TO BE QUOTED IN INR	
S. No.	DESCRIPTION OF ITEMS ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)	UNITS	LINE		TOTAL QUANTITY	Unit F&I Charges	Total F&I Charges	
			Quantity for :Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-33 Kms(APPOX))	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-15 Kms(APPOX))				
1	2	3	4	5	6	7	8=6X7	
1.2	<b>CONCRETING( RCC &amp; PCC)</b>							
1.2.1	Design, Engineering and laying of reinforced cement concrete (RCC 1:1.5:3) of grade M20 for open cast foundation with supply of approved quality coarse aggregates(Nominal size 12mm to 20mm) ,fine aggregates, cement and steel of different size(as per design) with <b>cutting,bending,binding of M.S.Rod including supply of binding wire</b> in tower foundation and inclusive of labour charges for concrete mixing, supply and fixing of form boxes, curing,shoring, shuttering, testing of sample cement concrete cubes as per IS. The height of the coping shall be 350mm above the finished concrete level. The surrounding area shall be clear from materials. Damage of land if any by the contractor shall be repaired before measurement. This includes supply of all labourers, T&P and dewatering wherever required as per Technical specification and instruction of Engineer In charge.	CUM	1795	650	2445			
1.2.2	Design, Engineering, Providing and laying of plain cement concrete (PCC 1:3:6) of grade M10 with approved quality coarse aggregates (Nominal size 12mm to 20mm) , fine aggregates, cement in tower foundation as blind layer inclusive of labour charges for concrete mixing & curing. This includes supply of all labourers, T&P and dewatering wherever required as per Technical specification and instruction of Engineer In charge.	CUM	100	30	130			
1.3	<b>PILING WORKS</b>							
1.3.1	Supply of all materials like cement, steel, all coarse aggregates, fine aggregates and making <b>pile</b> foundations with boring of piles ( <b>pile bore as per required depth, basing on design</b> ) , <b>preparation of cage,lowering and positioning(cutting,bending,binding of M.S.Rod including supply of binding wire)</b> of the required above mentioned Tower foundation as indicated above and as per requirement, including supply of all materials,labours, de-watering,proper curing of the foundations and T&P as per specification and instruction of Engineer in charge in the RCC :1:1.5:3 (Grade M-20.) including stabilization of bore :- Pile diameter ( <b>500 MM</b> ) and approximate length of the bore is 15 Mtrs.	Mtrs	1800	0	1800			
1.3.2	Pile riser,cap,tie-beam with RCC: 1:1.5:3 (Grade M-20) ,including supply of all materials like MS Rod ( <b>cutting,bending,binding of M.S.Rod including supply of binding wire</b> ),Cement, coarse and fine aggregates,shuttering and supply of labours, de-watering,proper curing of the foundations/concrete and T&P in line with the Specification and as per direction of Engineer in Charge.	Cum	1340	0	1340			
1.4	<b>RIVER BED PILING WORKS</b>							
1.4.1.a	<b>RIVER BED PILING:</b> Supply of all materials like cement, steel, all coarse aggregates, fine aggregates and making river bed <b>pile</b> by <b>DMC method (Motor Driven) boring of piles</b> foundations for river crossing locations with vertical boring of piles ( <b>pile bore as per required depth, basing on design</b> ) , <b>preparation of cage,lowering and positioning(cutting,bending,binding/welding of M.S.Rod including supply of binding wire/way of welding)</b> of the required above mentioned Tower foundation as indicated above and as per requirement, including supply of all materials,labours, de-watering,proper curing of the foundations and T&P as per specification and instruction of Engineer in charge in the RCC :1:1:2 (Grade M-25.) including stabilization of bore :- Pile diameter ( <b>1000 MM</b> ).	Mtrs	4200	0	4200			

PART-II, SCHEDULE-2C (FOR LINE)							
S. No.	DESCRIPTION OF ITEMS ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)	UNITS	LINE		TOTAL QUANTITY	TO BE QUOTED IN INR	
			Quantity for :Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-33 Kms(APPOX))	Quantity for :Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-15 Kms(APPOX))		Unit F&I Charges	Total F&I Charges
1	2	3	4	5	6	7	8=6X7
1.4.1.b	1000 MM dia MS liners of required numbers each of 1mtr height made of 6mm thick MS plate(MS plate of SAIL/TISCO make only) including,supply,cutting,bending,rolling,welding,face cutting,driving,transportation,loading,unloading etc for different location in river bed piling work.	MT	117	0	117		
1.4.2	Pile riser,cap,tie-beam with RCC: 1:1.5:3 (Grade M-20) for above river bed piling ,including supply of all materials like MS Rod(cutting,bending,binding of M.S.Rod including supply of binding wire),Cement, coarse and fine aggregates,shuttering and supply of labours, de-watering,proper curing of the foundations/concrete and T&P in line with the Specification and as per direction of Engineer in Charge.	CUM	2100	0	2100		
1.5	<b>REVTMENT:(including Benching)Supply of all materials like cement,Late-rite stone ( stone masonry) all type aggregates, labours, &amp; T&amp;P for construction of revetment walls as per requirement to protect the towers, where felt unsafe and as per approved drawing and the direction of Engineer in charge .</b>						
1.5.1	Excavation in all type of soil including rock & back filling (including supply of sand for back filling).	CUM	200	200	400		
1.5.2	PCC in the ratio1:3:6 .	CUM	100	100	200		
1.5.3	PCC in the ratio 1:2:4 .	CUM	200	200	400		
1.5.4	Laterite Stone Masonary work in the ratio 1:5.	CUM	1000	1000	2000		
1.6	Supply & painting of black bituminous paints three coats shall be provided up to a height of 500mm above the cooping(both leg & bracing members)	LOC	121	54	175		
1.7	Supply of all materials for continuous welding of bolts & nuts (around the bolts) up to top of tower without cross arm, including welding rods, welding generator machine (diesel engine optd.), application of required zinc rich paints around the welding portion (two coats),fuel,lubricants,T&P and labours.	Nos.	115110	63355	178465		
2.0	<b>SURVEY OF LINE &amp; PREPARATION LAND SCHEDULE: Supply of required T&amp;P's, Technical personnel's, labours for conducting.</b>						
2.1	Preliminary survey, Detail survey and resurvey (required for avoiding ROW problem) including but not limited to taking of levels, profile plotting, tower spotting ,marking of towers locations at site including showing P&T line, power line, Railway line, river crossing, roads and submission of route map and survey report etc. The P&T lines and railway lines for a minimum distance of 8 kms on either side of alignment shall be clearly indicated.	Kms.	33	15	48		
2.2	Check survey including supply of all labour, T&P as per instruction of Engineer in Charge and as per the approved profile.	Kms.	33	15	48		
2.3	Preparation of land schedule on revenue (if required)maps indicating alignment therein duly authenticated by Revenue Inspector & Tahasildar, enumeration of trees with the help of Forest officer and other prominent features required for alignment of the proposed 132 KV line. Final route to be plotted on 1:50000 topo sheet for approval.	LS	1	1	2		



PART-II, SCHEDULE-2C (FOR LINE)							TO BE QUOTED IN INR	
S. No.	DESCRIPTION OF ITEMS ERECTION, TESTING & COMMISSIONING OF FOLLOWING EQUIPMENTS ALONG WITH CIVIL WORKS (As per Technical Specification)	UNITS	LINE		TOTAL QUANTITY	Unit F&I Charges	Total F&I Charges	
			Quantity for : Construction of 220 KV DC LINE FROM NUAPADA (CUTTACK) 220/132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-33 Kms)(APPOX)	Quantity for : Construction of 132 KV DC LINE FROM PHULNAKHARA 132/33 KV SUB-STATION TO PROPOSED 220/132/33 KV GRID SUB-STATION AT PRATAPSASHAN (Line length-15 Kms)(APPOX)				
1	2	3	4	5	6	7	8=6X7	
2.4	PTCC approval, railway crossing has to be obtained by submitting the required documents to the concerned department through OPTCL. Way-Leave blockade charges and any other charges are to be borne by the bidders. The documents for PTCC clearance & Railway clearance including required drawings etc has to be submitted by the contractor within 5 months of award of contract. Beyond the above period L.D as applicable & the amount shall be deducted as specified in the specification.	LS	1	1	2			
<b>Total CIVIL Works (Part-B)-LINE-2C</b>								
<b>TOTAL OF LINE-2C (PART-II)(Part A + Part B)</b>								

Note:

- 1 Before filling up rate/amount etc. in the schedules bidders are requested to read carefully the instruction given in Vol-I of Bidding Document.
- 2 Bidders are required to fill up amount in all column except shaded portion.
- 3 Bidders are requested not to leave any column blank. If any column is left blank it shall be considered that amount against those items are included in any other item and the total amount for that item shall be calculated as free of cost (Zero value). No rate shall be furnished/obtained after bid opening (Ref clause no 33.4.1 of INB vol-I) .
- 4 Kindly enclose soft copy of the duly filled schedule in a CD with the priced copy of Bid.
- 5 Bidder has to quote rates excluding service tax (if any), service tax shall be paid/reimbursed as per conditions of Bid Document.

Date :  
Place :

(Signature) .....  
( Name ) .....  
( Designation ) .....  
(Common Seal) .....